

# KJFK

John F Kennedy Intl


# KLAX

Los Angeles Intl

2024/06/06 0455Z

KJFK R0530 PIDTO CAPP KRSTL JFK84 ZETAL YNKEE LOKOE ZAKUS DEEZZ HEERO KURNL CANDR GYNTS DANNR  
PS20 MCMAN 13448 EWC LEPEW MAINE CASIO GONER FWA WHETT EVELE BURKK ALBRT JAVAS LMN PWE HLC PUB  
RSK COCAN RHYSS TBC BUGGA DIKES EMMEY GRAMM RUSTT CIVET BINDY ARNES DOWNE REEDR ESINE MOSAE LADLE  
R0947 KLAX

2223.30 nm / 4117.55 km



## Notes

Requested: KJFK R0530 PIDTO CAPP KRSTL JFK84 ZETAL YNKEE LOKOE ZAKUS DEEZZ HEERO KURNL CANDR GYNTS DANNR PS20 MCM

Unmatched points: JASSE AREA F ES GEE DNERO SLLRS

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK	-	40.63990	0 ft	-	John F Kennedy Intl
APT	-	-73.77666	0 m		
R0530	-	40.62202	0 ft	1	-
FIX	-	-73.78558	0 m		
PIDTO	-	40.61378	0 ft	0	-
FIX	-	-73.79203	0 m		
CAPPA	-	40.58402	0 ft	2	-
FIX	-	-73.81560	0 m		
KRSTL	-	40.55846	0 ft	1	-
FIX	-	-73.83516	0 m		
JFK84	-	40.53063	0 ft	2	-
FIX	-	-73.85953	0 m		
ZETAL	-	40.48994	0 ft	2	-
FIX	-	-73.87592	0 m		
YNKEE	-	40.48358	0 ft	1	-
FIX	-	-73.84922	0 m		
LOKOE	-	40.55720	0 ft	7	-
FIX	-	-73.71585	0 m		
ZAKUS	-	40.75697	0 ft	12	-
FIX	-	-73.61811	0 m		
DEEZZ	-	41.11444	0 ft	22	-
FIX	-	-73.77778	0 m		
HEERO	-	41.16886	0 ft	15	-
FIX	-	-74.11558	0 m		
KURNL	-	41.20131	0 ft	15	-
FIX	-	-74.45844	0 m		
CANDR	-	40.97099	0 ft	26	-
FIX	-	-74.95983	0 m		
GYNTS	-	40.86844	0 ft	20	-
FIX	-	-75.39899	0 m		
DANNR	-	40.66642	0 ft	40	-
FIX	-	-76.24019	0 m		
PS20	-	40.53342	0 ft	12	Fairview Farm Airfield
APT	-	-76.46218	0 m		
MCMAN	-	40.63781	0 ft	50	-
FIX	-	-77.57064	0 m		
13448	-	40.79270	0 ft	96	-
FIX	-	-79.68419	0 m		
EWC	-	40.82494	0 ft	24	ELLWOOD CITY VORTAC
VOR	-	-80.21156	0 m		
LEPEW	-	40.87026	0 ft	42	-
FIX	-	-81.14433	0 m		
MAINE	-	40.89335	0 ft	24	-
FIX	-	-81.68800	0 m		
CASIO	-	40.90761	0 ft	33	-
FIX	-	-82.42675	0 m		
GONER	-	40.96566	0 ft	80	-
FIX	-	-84.20083	0 m		
FWA	-	40.97906	0 ft	44	FORT WAYNE VORTAC
VOR	-	-85.18806	0 m		
WHETT	-	41.16018	0 ft	64	-
FIX	-	-86.58415	0 m		
EVELE	-	41.19754	0 ft	132	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-89.50916	0 m		
BURKK	-	40.96911	0 ft	79	-
FIX	-	-91.23091	0 m		
ALBRT	-	40.84141	0 ft	45	-
FIX	-	-92.22828	0 m		
JAVAS	-	40.76563	0 ft	25	-
FIX	-	-92.78883	0 m		
LMN	-	40.59675	0 ft	54	LAMONI VORTAC
VOR	-	-93.96758	0 m		
PWE	-	40.20036	0 ft	105	PAWNEE CITY VORTAC
VOR	-	-96.20628	0 m		
HLC	-	39.25875	0 ft	194	HILL CITY VORTAC
VOR	-	-100.22586	0 m		
PUB	-	38.29425	0 ft	205	PUEBLO VORTAC
VOR	-	-104.42944	0 m		
RSK	-	36.74839	0 ft	197	RATTLESNAKE VORTAC
VOR	-	-108.09889	0 m		
COCAN	-	36.31252	0 ft	111	-
FIX	-	-110.35197	0 m		
RHYSS	-	36.20531	0 ft	25	-
FIX	-	-110.87117	0 m		
TBC	-	36.12133	0 ft	19	TUBA CITY VORTAC
VOR	-	-111.26958	0 m		
BUGGA	-	34.71891	0 ft	233	-
FIX	-	-115.71844	0 m		
DIKES	-	34.60287	0 ft	14	-
FIX	-	-115.98699	0 m		
EMMEY	-	34.41599	0 ft	23	-
FIX	-	-116.41514	0 m		
GRAMM	-	34.10911	0 ft	38	-
FIX	-	-117.10684	0 m		
RUSTT	-	34.04823	0 ft	7	-
FIX	-	-117.24245	0 m		
CIVET	-	34.03442	0 ft	7	-
FIX	-	-117.39088	0 m		
BINDY	-	34.01197	0 ft	12	-
FIX	-	-117.63602	0 m		
ARNES	-	33.99879	0 ft	6	-
FIX	-	-117.76539	0 m		
DOWNE	-	33.96430	0 ft	17	-
FIX	-	-118.12373	0 m		
REEDR	-	33.94904	0 ft	7	-
FIX	-	-118.27588	0 m		
ESINE	-	33.94561	0 ft	1	-
FIX	-	-118.30170	0 m		
MOSAE	-	33.94298	0 ft	1	-
FIX	-	-118.32904	0 m		
LADLE	-	33.94091	0 ft	0	-
FIX	-	-118.34789	0 m		
R0947	-	33.93751	0 ft	1	-
FIX	-	-118.38273	0 m		
KLAX	-	33.94313	0 ft	1	Los Angeles Intl
APT	-	-118.40892	0 m		

## KJFK

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 4

Elevation: 12 ft / 4 m  
Location: 40.640100 -73.776500  
Magnetic Var: 12.817 W

## METAR

KJFK 060351Z 17007KT 6SM BR OVC004 21/20 A2977 RMK A02 RAB31E46 SLP081 P0004 T02110200

## TAF

TAF AMD KJFK 060232Z 0603/0706 18008KT P6SM OVC006 FM060400 18008KT 5SM -SHRA BR OVC005 TEMPO 0606/0610 2SM SHRA B

## Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.48		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.49		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.48		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m

## KLAX

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 4

Elevation: 125 ft / 38 m  
Location: 33.943100 -118.409000  
Magnetic Var: 11.435 E

## METAR

KLAX 060353Z 24006KT 7SM OVC007 17/15 A2989 RMK A02 SLP119 T01670150

## TAF

KLAX 060251Z 0603/0706 26007KT P6SM OVC008 FM060600 VRB03KT P6SM OVC006 FM061100 25003KT 3SM HZ OVC005 FM061600 2

## Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.52		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.55	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.55	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.55	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.55	3.00	125 ft 125 m