


2024/05/07 0818Z

SKBQ RONEL ISIMO **UM796** PADUR MROC

564.21 nm / 1044.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKBQ APT	-	10.88959 -74.78082	0 ft 0 m	-	Ernesto Cortissoz
RONEL FIX	-	10.42250 -76.04667	28,500 ft 8,687 m	79	-
ISIMO FIX	-	10.16194 -77.41667	34,000 ft 10,363 m	82	-
PAKOP FIX	UM796 AWY-HI	10.09833 -79.49167	34,000 ft 10,363 m	122	-
ALGEN FIX	UM796 AWY-HI	9.99639 -81.00972	34,000 ft 10,363 m	89	-
PADUR FIX	UM796 AWY-HI	9.97861 -82.59750	20,400 ft 6,218 m	93	-
MROC APT	-	9.99393 -84.20888	0 ft 0 m	95	San Jose Juan Santamaria Intl

SKBQ

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 1

Elevation: 98 ft / 30 m
Location: 10.889600 -74.780900
Magnetic Var: 8.541 W

METAR

SKBQ 070800Z 34003KT 270V040 8000 FEW012 28/26 Q1005 NOSIG

TAF

TAF SKBQ 070430Z 0706/0806 01005KT 9999 FEW015 TEMPO 0710/0712 VRB02KT 5000 BR BKN010 PROB40 TEMPO 0719/0721 RA SC

Frequencies

APP - 119.75 MHz - BARRANQUILLA APPROACH
GND - 121.90 MHz - CORTISSOZ GROUND
REC - 113.70 MHz - ATIS
APP - 119.10 MHz - BARRANQUILLA APPROACH
TWR - 118.10 MHz - CORTISSOZ TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	9,855 ft	40.07	ASPHALT	0 ft	197 ft
	46 m	3,004 m	48.61		0 m	60 m
23	151 ft	9,855 ft	220.07	ASPHALT	0 ft	577 ft
	46 m	3,004 m	228.62		0 m	176 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IBAQ	109.90 MHz	18 nm	39.98	-	98 ft
				33 km	48.52		98 m
05	GS	IBAQ	109.90 MHz	10 nm	40.18	3.00	98 ft
				19 km	48.73		98 m

MROC

Region: COSTA RICA
Timezone: AMERICA/COSTA_RICA
Runways: 1

Elevation: 3,047 ft / 929 m
Location: 9.993980 -84.208700
Magnetic Var: 2.654 W

METAR

MROC 070800Z 02005KT 9999 FEW045 SCT100 23/19 A2995 NOSIG

TAF

TAF MROC 070520Z 0706/0806 06005KT 9999 SCT040 TX31/0718Z TN19/0711Z BECMG 0715/0717 25010KT TEMPO 0720/0723 -TSR

Frequencies

REC - 127.67 MHz - ATIS
TWR - 118.60 MHz - COCO TOWER
APP - 120.50 MHz - COCO APPROACH
GND - 121.90 MHz - COCO GROUND
CLD - 121.30 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,075 ft	69.18	ASPHALT	0 ft	190 ft
	45 m	3,071 m	71.84		0 m	58 m
25	148 ft	10,075 ft	249.19	ASPHALT	1,804 ft	0 ft
	45 m	3,071 m	251.84		550 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IOCO	109.50 MHz	18 nm	-	-	930 ft
				33 km	-		930 m
07	LOC-ILS	IOCO	109.50 MHz	18 nm	69.19	-	3,047 ft
				33 km	71.84		3,047 m
07	GS	IOCO	109.50 MHz	10 nm	69.19	3.00	3,047 ft
				19 km	71.84		3,047 m