MMMD

LICENCIADO MANUEL CRESCENCIO REJON INT


MMMX

Licenciado Benito Juarez Intl

2024/03/19 0856Z

MMMD OMVIP **UT2** NAU **UJ30** REXES **V14** APN **V18** MEX MMMX

540.43 nm / 1000.88 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMD APT	- -	20.93203 -89.65161	0 ft 0 m	-	LICENCIADO MANUEL CRESCENCIO REJON INT
OMVIP FIX	- -	20.86083 -90.54444	16,900 ft 5,151 m	50	-
DUVBI FIX	UT2 AWY-HI	20.70950 -92.14806	34,000 ft 10,363 m	90	-
AVREM FIX	UT2 AWY-HI	20.56206 -93.57546	34,000 ft 10,363 m	80	-
OVIBO FIX	UT2 AWY-HI	20.40306 -95.00000	34,000 ft 10,363 m	80	-
NAU VOR	UT2 AWY-HI	20.19175 -96.74550	28,800 ft 8,778 m	99	NAUTLA VOR-DME
REXES FIX	UJ30 AWY-HI	19.91921 -97.56517	18,500 ft 5,639 m	49	-
APN VOR	V14 AWY-LO	19.63731 -98.39853	14,000 ft 4,267 m	50	APAN VOR-DME
MEX VOR	V18 AWY-LO	19.43822 -99.06881	14,000 ft 4,267 m	39	MEXICO VOR-DME
MMMX APT	- -	19.43631 -99.07210	0 ft 0 m	0	Licenciado Benito Juarez Intl

MMMD

Region: MEXICO
Timezone: AMERICA/MERIDA
Runways: 2

Elevation: 38 ft / 12 m
Location: 20.937000 -89.657700
Magnetic Var: 1.044 W

METAR

UNKNOWN

TAF

TAF MMMD 190550Z 1906/2006 36005KT 6SM HZ SCT020 SCT070 TX36/1921Z TN26/1913Z FM190800 03010KT 4SM HZ BKN015 TEMPO

Frequencies

REC - 127.90 MHz - ATIS
GND - 121.20 MHz - MERIDA APPROACH

TWR - 118.30 MHz - MERIDA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft 46 m	10,498 ft 3,200 m	105.41 106.46	ASPHALT	1,047 ft 319 m	495 ft 151 m
28	151 ft 46 m	10,498 ft 3,200 m	285.42 286.47	ASPHALT	0 ft 0 m	180 ft 55 m
17	151 ft 46 m	7,611 ft 2,320 m	181.06 182.11	ASPHALT	0 ft 0 m	157 ft 48 m
35	151 ft 46 m	7,611 ft 2,320 m	1.06 2.11	ASPHALT	0 ft 0 m	177 ft 54 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMID	111.70 MHz	18 nm 33 km	- -	-	38 ft 38 m
10	LOC-ILS	IMID	111.70 MHz	18 nm 33 km	105.42 106.46	-	38 ft 38 m
10	GS	IMID	111.70 MHz	10 nm 19 km	105.42 106.46	3.20	38 ft 38 m

MMMX

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.919 E

METAR

UNKNOWN

TAF

TAF MMMX 190544Z 1906/2006 36010KT P6SM BKN100 TX28/1921Z TN11/1913Z FM190900 01005KT 5SM HZ BKN015 TEMPO 1910/19

Frequencies

REC - 127.65 MHz - D-ATIS
GND - 121.85 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND
TWR - 118.70 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE

CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.00 MHz - MEXICO GROUND
TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.15 MHz - MEXICO TOWER
APP - 121.20 MHz - MEXICO APPROACH
DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft 45 m	13,427 ft 4,093 m	59.24 55.32	ASPHALT	1,841 ft 561 m	325 ft 99 m
23L	148 ft 45 m	13,427 ft 4,093 m	239.25 235.33	ASPHALT	289 ft 88 m	0 ft 0 m
05L	148 ft 45 m	12,912 ft 3,936 m	59.25 55.33	ASPHALT	1,568 ft 478 m	0 ft 0 m
23R	148 ft 45 m	12,912 ft 3,936 m	239.26 235.34	ASPHALT	1,670 ft 509 m	177 ft 54 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm 33 km	- -	-	7,316 ft 7,316 m
23L	DME	IMEX	109.70 MHz	18 nm 33 km	- -	-	7,316 ft 7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm 33 km	59.25 55.33	-	7,315 ft 7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm 33 km	239.25 235.33	-	7,315 ft 7,315 m
05R	GS	IMWX	109.10 MHz	10 nm 19 km	59.25 55.33	3.00	7,315 ft 7,315 m
23L	GS	IMEX	109.70 MHz	10 nm 19 km	239.25 235.33	3.00	7,315 ft 7,315 m