

KLAX

Los Angeles Intl


OEJN

Jeddah King Abdulaziz Intl

2024/05/11 1214Z

KLAX BASL **V394** DAG **J100** NORRA **J107** MLF **J9** FFU **J11** TCH **J9** GTF **J530** YYN **J539** YYL **J540** YEK **NCAL5**
N6870 **NCAB** BOPUT 6900N06000W 6900N05500W DISGU JV 6900N05000W 6900N04500W 6900N04000W
6900N03500W 6900N03000W 6800N02500W 6700N02000W GA HOLAR **R5** HA **B2** ES **R2** NF KU CONNY **G3** VALDI
UL621 AAL **UM725** CDA **UM602** BINKA **UL730** CHO **UL996** DRE **UL616** PEKOT **UL867** NEPOT **UL602** NERDI **UL867**
SOMOV **UL606** ADORU **UG80** EKI **UL854** KULAR **UT39** TOMBI **UA16** MAROS **UG18** APLON **UG183** PASOS **G183** TBA
UL550 NWB **R650** SHM **A411** SABRI OEJN

7448.92 nm / 13795.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX APT	-	33.94313 -118.40892	0 ft 0 m	-	Los Angeles Intl
BASAL FIX	-	34.75778 -116.86183	31,400 ft 9,571 m	90	-
DAG VOR	V394 AWY-LO	34.96244 -116.57817	17,000 ft 5,182 m	18	DAGGETT VORTAC
MISEN FIX	J100 AWY-HI	35.10235 -116.40385	35,000 ft 10,668 m	12	-
CLARR FIX	J100 AWY-HI	35.67568 -115.67975	35,000 ft 10,668 m	49	-
LAS DME	J100 AWY-HI	36.07970 -115.15979	35,000 ft 10,668 m	35	LAS VEGAS VORTAC
NORRA FIX	J100 AWY-HI	36.75931 -114.28109	35,000 ft 10,668 m	58	-
BERYL FIX	J107 AWY-HI	37.90005 -113.38572	35,000 ft 10,668 m	80	-
MLF VOR	J107 AWY-HI	38.36036 -113.01322	35,000 ft 10,668 m	32	MILFORD VORTAC
FFU VOR	J9 AWY-HI	40.27489 -111.94053	35,000 ft 10,668 m	125	FAIRFIELD VORTAC
TCH VOR	J11 AWY-HI	40.85025 -111.98192	34,000 ft 10,363 m	34	WASATCH VORTAC
DBS VOR	J9 AWY-HI	44.08886 -112.20933	34,000 ft 10,363 m	194	DUBOIS VORTAC
DLN VOR	J9 AWY-HI	45.24858 -112.54714	34,000 ft 10,363 m	71	DILLON VOR-DME
GTF DME	J9 AWY-HI	47.44998 -111.41216	35,000 ft 10,668 m	140	GREAT FALLS VORTAC
GGRBI FIX	J530 AWY-HI	49.00000 -109.45800	35,000 ft 10,668 m	121	-
YYN VOR	J530 AWY-HI	50.29706 -107.69089	35,000 ft 10,668 m	103	SWIFT CURRENT VOR-DME
SEFFY FIX	J539 AWY-HI	51.39000 -107.13833	35,000 ft 10,668 m	68	-
YXE VOR	J539 AWY-HI	52.18117 -106.71978	35,000 ft 10,668 m	49	SASKATOON VORTAC
YPA VOR	J539 AWY-HI	53.21642 -105.66647	35,000 ft 10,668 m	73	PRINCE ALBERT VOR-DME
POLLE FIX	J539 AWY-HI	54.77500 -103.83333	35,000 ft 10,668 m	113	-
YYL VOR	J539 AWY-HI	56.86394 -101.07533	35,000 ft 10,668 m	156	LYNN LAKE VOR-DME
YEK NDB	J540 AWY-HI	61.09917 -94.06889	35,000 ft 10,668 m	333	ARVIAT NDB
N6680 FIX	NCAL5 AWY-HI	66.50000 -80.00000	35,000 ft 10,668 m	492	-
N6870 FIX	NCAL5 AWY-HI	68.50000 -70.00000	35,000 ft 10,668 m	258	-
BOPUT FIX	NCAB AWY-HI	68.95944 -61.94111	35,000 ft 10,668 m	177	-
6900N06000W LATLON	-	69.00000 -60.00000	35,000 ft 10,668 m	41	-
6900N05500W	-	69.00000	35,000 ft	107	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-55.00000	10,668 m		
DISGU	-	69.24415	35,000 ft	34	-
FIX	-	-53.52581	10,668 m		
JV	-	69.24142	35,000 ft	52	ILULISSAT NDB
NDB	-	-51.07237	10,668 m		
6900N05000W	-	69.00000	35,000 ft	27	-
LATLON	-	-50.00000	10,668 m		
6900N04500W	-	69.00000	35,000 ft	107	-
LATLON	-	-45.00000	10,668 m		
6900N04000W	-	69.00000	35,000 ft	107	-
LATLON	-	-40.00000	10,668 m		
6900N03500W	-	69.00000	35,000 ft	107	-
LATLON	-	-35.00000	10,668 m		
6900N03000W	-	69.00000	35,000 ft	107	-
LATLON	-	-30.00000	10,668 m		
6800N02500W	-	68.00000	35,000 ft	125	-
LATLON	-	-25.00000	10,668 m		
6700N02000W	-	67.00000	35,000 ft	129	-
LATLON	-	-20.00000	10,668 m		
GA	-	65.87778	35,000 ft	90	GARDUR NDB
NDB	-	-17.46333	10,668 m		
HOLAR	-	65.72333	35,000 ft	14	-
FIX	-	-17.02722	10,668 m		
HA	R5	65.62944	35,000 ft	49	HOFSA NDB
NDB	AWY-HI	-15.04139	10,668 m		
ES	B2	65.23847	35,000 ft	27	EGILSSTADIR NDB
NDB	AWY-HI	-14.45203	10,668 m		
NF	R2	65.13444	35,000 ft	19	NORDFJORDUR NDB
NDB	AWY-HI	-13.73639	10,668 m		
KU	-	64.07000	35,000 ft	112	-
NDB	-	-10.12182	10,668 m		
CONNY	-	61.90000	35,000 ft	179	-
FIX	-	-5.58333	10,668 m		
VALDI	G3	61.21417	35,000 ft	164	-
FIX	AWY-HI	0.00000	10,668 m		
ZOL	UL621	58.87506	35,000 ft	219	SOLA VOR-DME
VOR	AWY-HI	5.64015	10,668 m		
LAREM	UL621	58.23250	35,000 ft	69	-
FIX	AWY-HI	7.50000	10,668 m		
SVA	UL621	58.08450	35,000 ft	15	SVENSHEIA VOR-DME
VOR	AWY-HI	7.90831	10,668 m		
AMSEV	UL621	57.67528	35,000 ft	37	-
FIX	AWY-HI	8.80222	10,668 m		
LAGUM	UL621	57.45556	35,000 ft	19	-
FIX	AWY-HI	9.26833	10,668 m		
AAL	UL621	57.10372	35,000 ft	31	AALBORG VOR-DME
VOR	AWY-HI	9.99558	10,668 m		
CDA	UM725	55.00150	35,000 ft	149	CODAN VOR-DME
VOR	AWY-HI	12.37921	10,668 m		
SONAL	UM602	54.87889	35,000 ft	15	-
FIX	AWY-HI	12.78028	10,668 m		
BANKU	UM602	54.79583	35,000 ft	7	-
FIX	AWY-HI	12.93528	10,668 m		
NONSA	UM602	54.59861	35,000 ft	17	-
FIX	AWY-HI	13.30028	10,668 m		
PENET	UM602	54.10028	35,000 ft	33	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	13.72889	10,668 m		
USEDU	UM602	53.95306	35,000 ft	12	-
FIX	AWY-HI	13.96667	10,668 m		
BINKA	UM602	53.75880	35,000 ft	15	-
FIX	AWY-HI	14.27444	10,668 m		
CHO	UL730	53.47530	35,000 ft	41	CHOCIWEL NDB
NDB	AWY-HI	15.33304	10,668 m		
DODAN	UL996	53.35278	35,000 ft	8	-
FIX	AWY-HI	15.42722	10,668 m		
DRE	UL996	52.81685	35,000 ft	35	DREZDENKO VOR-DME
VOR	AWY-HI	15.83249	10,668 m		
VELAB	UL616	51.46972	35,000 ft	87	-
FIX	AWY-HI	16.74889	10,668 m		
MISKA	UL616	51.18583	35,000 ft	18	-
FIX	AWY-HI	16.93444	10,668 m		
PEKOT	UL616	50.38833	35,000 ft	51	-
FIX	AWY-HI	17.44333	10,668 m		
AMTEK	UL867	50.00333	35,000 ft	30	-
FIX	AWY-HI	17.95694	10,668 m		
SOPAV	UL867	49.93092	35,000 ft	5	-
FIX	AWY-HI	18.05238	10,668 m		
OTA26	UL867	49.49730	35,000 ft	36	-
FIX	AWY-HI	18.70016	10,668 m		
TEPNI	UL867	48.69619	35,000 ft	66	-
FIX	AWY-HI	19.85248	10,668 m		
PITOK	UL867	48.32396	35,000 ft	30	-
FIX	AWY-HI	20.37084	10,668 m		
NARKA	UL867	47.23582	35,000 ft	88	-
FIX	AWY-HI	21.85167	10,668 m		
NEPOT	UL867	45.96030	35,000 ft	92	-
FIX	AWY-HI	23.08808	10,668 m		
NERDI	UL602	45.31269	35,000 ft	46	-
FIX	AWY-HI	23.70313	10,668 m		
BAKUS	UL867	44.68029	35,000 ft	42	-
FIX	AWY-HI	24.16146	10,668 m		
KUGET	UL867	44.42283	35,000 ft	17	-
FIX	AWY-HI	24.34481	10,668 m		
SOMOV	UL867	43.70000	35,000 ft	48	-
FIX	AWY-HI	24.85000	10,668 m		
TUNVO	UL606	43.13917	35,000 ft	40	-
FIX	AWY-HI	25.37667	10,668 m		
ADORU	UL606	41.87167	35,000 ft	92	-
FIX	AWY-HI	26.56833	10,668 m		
ULMAR	UG80	41.21111	35,000 ft	48	-
FIX	AWY-HI	27.18694	10,668 m		
EKI	UG80	40.95194	35,000 ft	18	TEKIRDAG VOR-DME
VOR	AWY-HI	27.42667	10,668 m		
YAYLA	UL854	39.86556	35,000 ft	70	-
FIX	AWY-HI	27.99528	10,668 m		
KUDAK	UL854	39.29889	35,000 ft	36	-
FIX	AWY-HI	28.27667	10,668 m		
ESKIN	UL854	39.05000	35,000 ft	15	-
FIX	AWY-HI	28.39806	10,668 m		
KULAR	UL854	38.58222	35,000 ft	30	-
FIX	AWY-HI	28.63278	10,668 m		
NESIL	UT39	37.34306	35,000 ft	90	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	29.72306	10,668 m		
LAMSA	UT39	37.11083	35,000 ft	16	-
FIX	AWY-HI	29.92278	10,668 m		
EDISI	UT39	36.84917	35,000 ft	19	-
FIX	AWY-HI	30.14639	10,668 m		
TOMBI	UT39	36.04056	35,000 ft	58	-
FIX	AWY-HI	30.82444	10,668 m		
DASNI	UA16	35.61667	35,000 ft	25	-
FIX	AWY-HI	30.85000	10,668 m		
MAROS	UA16	34.61667	35,000 ft	60	-
FIX	AWY-HI	30.88333	10,668 m		
APLON	UG18	33.86667	35,000 ft	74	-
FIX	AWY-HI	32.06667	10,668 m		
ASPIS	UG183	33.48063	35,000 ft	24	-
FIX	AWY-HI	32.22794	10,668 m		
KAROL	UG183	32.86667	35,000 ft	39	-
FIX	AWY-HI	32.48333	10,668 m		
PASOS	UG183	32.21667	35,000 ft	49	-
FIX	AWY-HI	33.10000	10,668 m		
NADOL	G183	31.29278	35,000 ft	62	-
FIX	AWY-HI	33.68333	10,668 m		
ARH	G183	31.07300	35,000 ft	15	EL ARISH VOR-DME
VOR	AWY-HI	33.83186	10,668 m		
TBA	G183	29.60669	35,000 ft	100	TABA NDB
NDB	AWY-HI	34.74833	10,668 m		
NWB	UL550	29.03222	34,000 ft	34	NUWEIBAA NDB
NDB	AWY-HI	34.67111	10,363 m		
DELMA	R650	28.51139	34,000 ft	32	-
FIX	AWY-HI	34.53667	10,363 m		
SHM	R650	27.99806	34,000 ft	31	SHARM EL SHEIKH VOR-DME
VOR	AWY-HI	34.41333	10,363 m		
PASAM	A411	27.51250	35,000 ft	39	-
FIX	AWY-HI	34.92833	10,668 m		
WEJ	A411	26.17933	35,000 ft	115	WEJH VORTAC
VOR	AWY-HI	36.48811	10,668 m		
LABID	A411	24.14617	33,200 ft	149	-
FIX	AWY-HI	38.06500	10,119 m		
PURGA	A411	23.61194	25,800 ft	34	-
FIX	AWY-HI	38.30806	7,864 m		
SABRI	A411	22.91667	17,100 ft	45	-
FIX	AWY-HI	38.62028	5,212 m		
OEJN	-	21.68132	0 ft	79	Jeddah King Abdulaziz Intl
APT	-	39.15565	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.441 E

METAR

KLAX 111153Z 27004KT 8SM OVC010 13/12 A2994 RMK A02 SLP138 T01330117 10139 20133 55003 \$

TAF

TAF KLAX 111120Z 1112/1218 VRB03KT P6SM OVC008 FM111600 VRB03KT P6SM OVC012 FM111900 25012KT P6SM BKN018 FM120300

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

OEJN

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 49 ft / 15 m
Location: 21.682800 39.155100
Magnetic Var: 3.895 E

METAR

OEJN 111200Z 24010KT CAVOK 37/19 Q1007 NOSIG

TAF

TAF OEJN 111100Z 1112/1218 26012KT CAVOK BECMG 1118/1120 VRB03KT BECMG 1206/1208 27012KT

Frequencies

TWR - 118.20 MHz - JEDDAH TOWER
GND - 121.90 MHz - JEDDAH GROUND
REC - 126.20 MHz - JEDDAH ATIS
APP - 119.10 MHz - JEDDAH APPROACH
APP - 123.80 MHz - JEDDAH DIRECTOR

TWR - 124.30 MHz - JEDDAH TOWER
GND - 121.60 MHz - JEDDAH GROUND
DEP - 124.00 MHz - JEDDAH DEPARTURE
APP - 124.00 MHz - JEDDAH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	155.99		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.99		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.98		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.98		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	155.99		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.97		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.98		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.97		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	335.99		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.98		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	155.99		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.97		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.98		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.97		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	335.99		49 m