


2024/05/08 0626Z

POURO TM MATUK WU KAPTI PP

6733.80 nm / 12471.00 km



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
POURO	-	-38.67133	0 ft	-	-
FIX	-	175.31956	0 m		
TM	-	-38.92154	0 ft	15	TAUMARUNUI NDB
NDB	-	175.31373	0 m		
MATUK	-	-39.16631	0 ft	15	-
FIX	-	175.24705	0 m		
WU	-	-39.95938	0 ft	48	WANGANUI NDB-DME
NDB	-	175.02650	0 m		
KAPTI	-	-40.63161	0 ft	40	-
FIX	-	174.99667	0 m		
PP	-	-16.14383	0 ft	6614	POROROCA NDB
NDB	-	-48.89383	0 m		

SBAN

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 3,732 ft / 1,138 m
Location: -16.229300 -48.964300
Magnetic Var: 21.845 W

METAR

SBAN 080600Z 06007KT CAVOK 17/15 Q1019

TAF

TAF TAF SBAN 072100Z 0800/0812 08009KT CAVOK TN17/0809Z TX23/0812Z RMK PDW

Frequencies

GND - 121.90 MHz - ANAPOLIS GROUND
TWR - 121.25 MHz - ANAPOLIS TOWER
APP - 120.55 MHz - ANAPOLIS APPROACH
APP - 133.00 MHz - ANAPOLIS APPROACH
TWR - 118.30 MHz - ANAPOLIS TOWER
APP - 119.15 MHz - ANAPOLIS APPROACH
APP - 120.45 MHz - ANAPOLIS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	148 ft	10,855 ft	38.92	ASPHALT	0 ft	1,152 ft
	45 m	3,309 m	60.77		0 m	351 m
24R	148 ft	10,855 ft	218.92	ASPHALT	0 ft	1,142 ft
	45 m	3,309 m	240.76		0 m	348 m
06R	75 ft	7,375 ft	39.00	ASPHALT	0 ft	0 ft
	23 m	2,248 m	60.85		0 m	0 m
24L	75 ft	7,375 ft	219.00	ASPHALT	0 ft	0 ft
	23 m	2,248 m	240.84		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	LOC-ILS	IAN	111.10 MHz	18 nm	218.92	-	3,732 ft
				33 km	240.77		3,732 m
24R	GS	IAN	111.10 MHz	10 nm	218.92	2.60	3,732 ft
				19 km	240.77		3,732 m