NZAA
Auckland International


-

YSSY
Sydney Intl

2024/03/19 0445Z

NZAA DIPPA YSSY

1164.95 nm / 2157.48 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZAA APT	–	-37.01438 174.77090	0 ft 0 m	–	–
DIPPA FIX	–	-33.95818 151.32388	0 ft 0 m	1158	–
YSSY APT	–	-33.94962 151.18832	0 ft 0 m	6	–

NZAA

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 23 ft / 7 m
Location: -37.008100 174.792000
Magnetic Var: 20.171 E

METAR

NZAA 190430Z AUTO 22014KT 9999 NCD 19/09 Q1024

TAF

TAF NZAA 190201Z 1903/2006 18010KT CAVOK BECMG 1908/1910 12008KT BECMG 2001/2003 24010KT

Frequencies

REC - 127.80 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND
TWR - 120.95 MHz - AUCKLAND TOWER
APP - 120.10 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH

REC - 127.00 MHz - ATIS
TWR - 118.70 MHz - AUCKLAND TOWER
CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.60 MHz - AUCKLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft 46 m	12,040 ft 3,670 m	70.92 50.75	CONCRETE	1,250 ft 381 m	0 ft 0 m
23L	151 ft 46 m	12,040 ft 3,670 m	250.90 230.73	CONCRETE	0 ft 0 m	131 ft 40 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm 33 km	- -	-	23 ft 23 m
23L	DME	IMG	109.90 MHz	18 nm 33 km	- -	-	23 ft 23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm 33 km	70.91 50.74	-	23 ft 23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm 33 km	250.91 230.74	-	23 ft 23 m
05R	GS	IAA	110.30 MHz	10 nm 19 km	70.91 50.74	3.00	23 ft 23 m
23L	GS	IMG	109.90 MHz	10 nm 19 km	250.91 230.74	3.00	23 ft 23 m

YSSY

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3

Elevation: 21 ft / 6 m
Location: -33.946100 151.177000
Magnetic Var: 12.670 E

METAR

YSSY 190400Z 06015KT 9999 SCT035 27/20 Q1014

TAF

TAF YSSY 190213Z 1903/2006 02011KT 9999 SCT020 FM190500 03017G27KT 9999 FEW025 FM190900 03016KT 9999 FEW015 FM191

Frequencies

REC - 118.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY
APP - 128.30 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE

REC - 126.55 MHz - ATIS
TWR - 120.50 MHz - SYDNEY TOWER
GND - 121.70 MHz - SYDNEY GROUND
GND - 127.60 MHz - SYDNEY COORDINATOR
APP - 124.40 MHz - SYDNEY APPROACH
APP - 135.90 MHz - SYDNEY APPROACH
APP - 125.30 MHz - SYDNEY DIRECT
APP - 119.45 MHz - ILS MONITOR
DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 118.40 MHz - SYDNEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft 45 m	8,018 ft 2,444 m	167.85 155.19	ASPHALT	758 ft 231 m	295 ft 90 m
34R	148 ft 45 m	8,018 ft 2,444 m	347.85 335.18	ASPHALT	125 ft 38 m	295 ft 90 m
07	148 ft 45 m	8,285 ft 2,525 m	74.14 61.47	ASPHALT	0 ft 0 m	489 ft 149 m
25	148 ft 45 m	8,285 ft 2,525 m	254.12 241.45	ASPHALT	331 ft 101 m	197 ft 60 m
16R	148 ft 45 m	13,029 ft 3,971 m	167.86 155.19	ASPHALT	279 ft 85 m	299 ft 91 m
34L	148 ft 45 m	13,029 ft 3,971 m	347.85 335.18	ASPHALT	0 ft 0 m	620 ft 189 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm 33 km	- -	-	20 ft 20 m
16L	DME	ISS	110.90 MHz	18 nm 33 km	- -	-	30 ft 30 m
25	DME	ISW	109.70 MHz	18 nm 33 km	- -	-	33 ft 33 m
34R	DME	IKN	109.30 MHz	18 nm 33 km	- -	-	20 ft 20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm 33 km	74.13 61.46	-	21 ft 21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm 33 km	167.85 155.18	-	21 ft 21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm 33 km	167.86 155.19	-	21 ft 21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm 33 km	254.13 241.46	-	21 ft 21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm 33 km	347.86 335.19	-	21 ft 21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm 33 km	347.85 335.18	-	21 ft 21 m
07	GS	ISY	109.90 MHz	10 nm 19 km	74.13 61.46	3.00	21 ft 21 m
16L	GS	ISS	110.90 MHz	10 nm 19 km	167.85 155.18	3.00	21 ft 21 m
16R	GS	IKS	109.50 MHz	10 nm 19 km	167.86 155.19	3.00	21 ft 21 m
25	GS	ISW	109.70 MHz	10 nm 19 km	254.13 241.46	3.00	21 ft 21 m
34L	GS	ISN	110.10 MHz	10 nm 19 km	347.86 335.19	3.00	21 ft 21 m
34R	GS	IKN	109.30 MHz	10 nm 19 km	347.85 335.18	3.00	21 ft 21 m