


2024/05/13 0030Z

UHWW BL **B356** TD **B355** ARDEL UHHH

349.56 nm / 647.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2400ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 310ft
- Cruise Speed: 280kts
- Descent Rate: 1400ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UHWW APT	-	43.38392 132.14738	0 ft 0 m	-	KNEVICH I
BL NDB	-	44.20111 133.12111	23,100 ft 7,041 m	64	CHERNYSHEVKA NDB
LUBOK FIX	B356 AWY-LO	44.91694 133.86778	35,000 ft 10,668 m	53	-
TD NDB	B356 AWY-LO	45.90222 134.88500	33,800 ft 10,302 m	73	ROSHCHINO NDB
ARDEL FIX	B355 AWY-LO	46.81861 134.98944	22,000 ft 6,706 m	55	-
UHHH APT	-	48.52804 135.18836	0 ft 0 m	102	NOVY

UHWW

Region: RUSSIA
Timezone: ASIA/VLADIVOSTOK
Runways: 1

Elevation: 41 ft / 12 m
Location: 43.396900 132.150000
Magnetic Var: 10.807 W

METAR

UHWW 130000Z VRB01MPS 9999 NSC 14/04 Q1010 R25L/0///70 NOSIG RMK QFE756

TAF

TAF UHWW 122300Z 1300/1324 24003G08MPS 9999 NSC TEMPO 1300/1310 24005G10MPS SCT030CB BECMG 1310/1312 14003G08MPS

Frequencies

APP - 124.70 MHz - VLADIVOSTOK APPROACH
GND - 121.70 MHz - VLADIVOSTOK GROUND
TWR - 126.00 MHz - VLADIVOSTOK TOWER
REC - 127.80 MHz - VLADIVOSTOK ATIS
COM - 119.50 MHz - VLADIVOSTOK RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	11,485 ft	60.92	CONCRETE	0 ft	243 ft
	60 m	3,501 m	71.72		0 m	74 m
25L	197 ft	11,485 ft	240.94	CONCRETE	0 ft	246 ft
	60 m	3,501 m	251.75		0 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	ILN	110.10 MHz	18 nm	240.93	-	41 ft
				33 km	251.74		41 m
07R	LOC-ILS	ILS	109.30 MHz	18 nm	60.93	-	41 ft
				33 km	71.74		41 m
25L	GS	ILN	110.10 MHz	10 nm	240.93	3.00	41 ft
				19 km	251.74		41 m
07R	GS	ILS	109.30 MHz	10 nm	60.93	3.01	41 ft
				19 km	71.74		41 m

UHHH

Region: RUSSIA
Timezone: ASIA/VLADIVOSTOK
Runways: 2

Elevation: 244 ft / 74 m
Location: 48.528000 135.188000
Magnetic Var: 12.134 W

METAR

UHHH 130000Z 08004MPS 9999 BKN019CB 07/03 Q1005 R88/090060 NOSIG RMK QFE748/0997

TAF

TAF UHHH 122250Z 1300/1406 07003MPS 9999 SCT015 BKN020CB TEMPO 1300/1406 10003G08MPS

Frequencies

REC - 124.87 MHz - ATIS	TWR - 119.30 MHz - KHABAROVSK TOWER
TWR - 129.00 MHz - KHABAROVSK GROUND (SECONDARY)	TWR - 124.00 MHz - KHABAROVSK GROUND (SECONDARY)
GND - 121.80 MHz - KHABAROVSK GROUND	TWR - 118.90 MHz - KHABAROVSK GROUND (SECONDARY)
APP - 125.20 MHz - KHABAROVSK APPROACH	APP - 120.30 MHz - KHABAROVSK RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	148 ft	11,494 ft	42.08	CONCRETE	0 ft	0 ft
	45 m	3,503 m	54.21		0 m	0 m
23R	148 ft	11,494 ft	222.10	CONCRETE	0 ft	0 ft
	45 m	3,503 m	234.24		0 m	0 m
05R	197 ft	13,135 ft	42.08	ASPHALT	0 ft	0 ft
	60 m	4,004 m	54.22		0 m	0 m
23L	197 ft	13,135 ft	222.11	ASPHALT	0 ft	0 ft
	60 m	4,004 m	234.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	LOC-ILS	IHI	110.90 MHz	18 nm	42.10	-	244 ft
				33 km	54.23		244 m
05R	LOC-ILS	IUF	110.30 MHz	18 nm	42.11	-	244 ft
				33 km	54.24		244 m
23L	LOC-ILS	IHB	111.15 MHz	18 nm	222.11	-	244 ft
				33 km	234.24		244 m
23R	LOC-ILS	IHW	111.30 MHz	18 nm	222.10	-	244 ft
				33 km	234.23		244 m
05L	GS	IHI	110.90 MHz	10 nm	42.10	2.70	244 ft
				19 km	54.23		244 m
05R	GS	IUF	110.30 MHz	10 nm	42.11	2.70	244 ft
				19 km	54.24		244 m
23L	GS	IHB	111.15 MHz	10 nm	222.11	2.70	244 ft
				19 km	234.24		244 m
23R	GS	IHW	111.30 MHz	10 nm	222.10	2.70	244 ft
				19 km	234.23		244 m