


2024/05/05 0050Z

LCLK LEDRA **UW11** LAKTO **J863** PSD HECA

327.45 nm / 606.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LCLK	-	34.87512	0 ft	-	Larnaca
APT	-	33.62483	0 m		
LEDRA	-	33.20000	34,000 ft	104	-
FIX	-	33.05000	10,363 m		
ERIMO	UW11	33.12396	34,000 ft	7	-
FIX	AWY-HI	32.92101	10,363 m		
KAROL	UW11	32.86667	34,000 ft	26	-
FIX	AWY-HI	32.48333	10,363 m		
LAKTO	UW11	32.63333	34,000 ft	24	-
FIX	AWY-HI	32.08333	10,363 m		
SISIM	J863	32.13444	27,500 ft	30	-
FIX	AWY-HI	32.14083	8,382 m		
PSD	J863	31.27881	17,500 ft	51	PORT SAID VOR-DME
VOR	AWY-HI	32.23781	5,334 m		
HECA	-	30.12181	0 ft	81	Cairo Intl
APT	-	31.40610	0 m		

LCLK

Region: CYPRUS
Timezone: ASIA/NICOSIA
Runways: 1

Elevation: 11 ft / 3 m
Location: 34.873800 33.624000
Magnetic Var: 5.545 E

METAR

LCLK 050030Z 22006KT 9999 FEW025 16/10 Q1006 NOSIG

TAF

TAF TAF LCLK 042330Z 0500/0524 21009KT 9999 FEW025 BECMG 0506/0510 22019KT PROB30 TEMPO 0506/0518 5000 SHRA SCT025

Frequencies

REC - 126.55 MHz - LARNACA ATIS	CLD - 120.57 MHz - LARNACA CLEARANCE DELIVERY
GND - 119.40 MHz - LARNACA GROUND	GND - 121.90 MHz - LARNACA GROUND
TWR - 121.20 MHz - LARNACA TOWER	TWR - 130.20 MHz - LARNACA TOWER
APP - 130.20 MHz - LARNACA APPROACH	APP - 121.20 MHz - LARNACA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,832 ft	45.08	ASPHALT	0 ft	0 ft
	45 m	2,997 m	39.53		0 m	0 m
22	148 ft	9,832 ft	225.09	ASPHALT	627 ft	0 ft
	45 m	2,997 m	219.55		191 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	ILC	110.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
22	LOC-ILS	ILC	110.30 MHz	18 nm	225.09	-	11 ft
				33 km	219.55		11 m
22	GS	ILC	110.30 MHz	10 nm	225.09	2.75	11 ft
				19 km	219.55		11 m

HECA

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 3

Elevation: 466 ft / 142 m
Location: 30.111400 31.413900
Magnetic Var: 4.950 E

METAR

HECA 050030Z 30003KT CAVOK 21/08 Q1010 NOSIG

TAF

TAF HECA 042300Z 0500/0606 29010KT CAVOK TEMPO 0500/0507 VRB02KT 4000 HZ NSC TEMPO 0508/0518 30012G22KT 4000 SA

Frequencies

REC - 122.60 MHz - ATIS
GND - 121.90 MHz - CAIRO GROUND NORTH
APP - 119.05 MHz - CAIRO APPROACH
GND - 120.40 MHz - CAIRO GROUND SOUTH
TWR - 118.10 MHz - CAIRO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.09		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.09		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.34		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.35		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.09		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.10		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.10		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.09		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	224.35		466 m
05L	GS	IZFL	110.90 MHz	10 nm	49.30	3.00	466 ft
				19 km	44.35		466 m
05C	GS	IZFC	109.90 MHz	10 nm	49.04	3.00	466 ft
				19 km	44.09		466 m
05R	GS	IZFR	108.90 MHz	10 nm	49.05	3.00	466 ft
				19 km	44.10		466 m
23L	GS	ITTL	108.70 MHz	10 nm	229.05	3.00	466 ft
				19 km	224.10		466 m
23C	GS	ITTC	109.50 MHz	10 nm	229.04	3.00	466 ft
				19 km	224.09		466 m
23R	GS	ITTR	110.30 MHz	10 nm	229.30	3.00	466 ft
				19 km	224.35		466 m