

VECC

NETAJI SUBHASH CHANDRA BOSE INTL


VIDP

INDIRA GANDHI INTL

2024/05/10 1657Z

VECC TEPAL SSB VIDP

709.47 nm / 1313.93 km



Notes

Requested: VECC TEPAL R460 LKN R594 SSB VIDP

Unmatched points: R460 LKN R594

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VECC	-	22.65562	0 ft	-	NETAJI SUBHASH CHANDRA BOSE INTL
APT	-	88.44686	0 m		
TEPAL	-	23.81172	0 ft	130	-
FIX	-	86.43422	0 m		
SSB	-	28.39339	0 ft	544	SIKANDRABAD VOR-DME
VOR	-	77.70811	0 m		
VIDP	-	28.56650	0 ft	33	INDIRA GANDHI INTL
APT	-	77.10309	0 m		

VECC

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 22 ft / 7 m
Location: 22.654800 88.446700
Magnetic Var: 0.073 E

METAR

VECC 101630Z 18006KT 3200 HZ FEW020 SCT100 28/25 Q1009 NOSIG

TAF

VECC 101100Z 1012/1118 16005KT 3500 HZ SCT020 SCT100 TEMPO 1014/1018 27015G25KT 1500 TSRA SCT015 FEW025CB OVC090 B

Frequencies

REC - 126.40 MHz - ATIS
TWR - 127.30 MHz - KOLKATA RADIO
APP - 127.90 MHz - KOLKATA APPROACH
GND - 121.90 MHz - KOLKATA GROUND
TWR - 118.10 MHz - KOLKATA TOWER
DEP - 128.80 MHz - KOLKATA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	148 ft	11,970 ft	6.21	ASPHALT	0 ft	213 ft
	45 m	3,648 m	6.14		0 m	65 m
19L	148 ft	11,970 ft	186.21	ASPHALT	1,411 ft	469 ft
	45 m	3,648 m	186.14		430 m	143 m
01L	148 ft	10,771 ft	6.21	ASPHALT	1,450 ft	0 ft
	45 m	3,283 m	6.14		442 m	0 m
19R	148 ft	10,771 ft	186.21	ASPHALT	292 ft	0 ft
	45 m	3,283 m	186.14		89 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	ICAL	109.90 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
19L	DME	IDUM	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
01R	LOC-ILS	ICAL	109.90 MHz	18 nm	5.55	-	18 ft
				33 km	5.48		18 m
19L	LOC-ILS	IDUM	110.30 MHz	18 nm	186.15	-	20 ft
				33 km	186.08		20 m
01R	GS	ICAL	109.90 MHz	10 nm	6.40	3.00	16 ft
				19 km	6.33		16 m
19L	GS	IDUM	110.30 MHz	10 nm	186.40	3.00	16 ft
				19 km	186.33		16 m

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.601 E

METAR

VIDP 101630Z 32020G50KT 0500 R28///// R27/2000 R29R/2000 R29L/2000 DS SCT035 FEW040CB BKN100 31/17 Q1011 TEMPO 29

TAF

VIDP 101100Z 1012/1118 07008KT 4500 HZ FEW100 TEMPO 1012/1015 14015G25KT 1000 DS/TS FEW040CB BKN100 BECMG 1018/10

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH

GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.12		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.11		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.86		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m