

LPPT

Lisboa


LIRF

Roma Fiumicino Leonardo Da Vinci

2024/05/04 1503Z

LPPT ELVAR **UN975** BCN **UM601** LUTTA **UN851** NEGAT **UM131** BEKOS LIRF

1012.39 nm / 1874.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPPT	-	38.77856	0 ft	-	Lisboa
APT	-	-9.13515	0 m		
ELVAR	-	39.21945	33,200 ft	93	-
FIX	-	-7.22332	10,119 m		
CCS	UN975	39.52451	35,000 ft	40	CACERES VOR-DME
VOR	AWY-HI	-6.43474	10,668 m		
MELON	UN975	39.76671	35,000 ft	53	-
FIX	AWY-HI	-5.31872	10,668 m		
TLD	UN975	39.96946	35,000 ft	46	TOLEDO VOR-DME
VOR	AWY-HI	-4.33747	10,668 m		
GOTOR	UN975	40.11077	35,000 ft	29	-
FIX	AWY-HI	-3.72450	10,668 m		
VISON	UN975	40.16102	35,000 ft	10	-
FIX	AWY-HI	-3.50247	10,668 m		
PALIO	UN975	40.26216	35,000 ft	21	-
FIX	AWY-HI	-3.04831	10,668 m		
CJN	UN975	40.37196	35,000 ft	23	CASTEJON VOR-DME
VOR	AWY-HI	-2.54461	10,668 m		
ADUXO	UN975	40.51234	35,000 ft	23	-
FIX	AWY-HI	-2.06429	10,668 m		
TOBAL	UN975	40.87101	35,000 ft	61	-
FIX	AWY-HI	-0.79264	10,668 m		
RAMON	UN975	41.00925	35,000 ft	24	-
FIX	AWY-HI	-0.28516	10,668 m		
SALAS	UN975	41.10974	35,000 ft	35	-
FIX	AWY-HI	0.47636	10,668 m		
SELVA	UN975	41.19617	35,000 ft	31	-
FIX	AWY-HI	1.16627	10,668 m		
ANTON	UN975	41.25985	35,000 ft	24	-
FIX	AWY-HI	1.69825	10,668 m		
BCN	UN975	41.30712	35,000 ft	18	BARCELONA VOR-DME
VOR	AWY-HI	2.10781	10,668 m		
SADEM	UM601	41.21027	35,000 ft	48	-
FIX	AWY-HI	3.17377	10,668 m		
SULID	UM601	41.18436	35,000 ft	12	-
FIX	AWY-HI	3.44139	10,668 m		
VERSO	UM601	41.15298	35,000 ft	14	-
FIX	AWY-HI	3.75693	10,668 m		
CHELY	UM601	41.07496	35,000 ft	34	-
FIX	AWY-HI	4.50546	10,668 m		
MUREN	UM601	41.05750	35,000 ft	7	-
FIX	AWY-HI	4.66667	10,668 m		
BALEN	UM601	40.94667	35,000 ft	46	-
FIX	AWY-HI	5.69000	10,668 m		
LUTTA	UM601	40.85500	35,000 ft	37	-
FIX	AWY-HI	6.49667	10,668 m		
SOVAG	UN851	41.14694	35,000 ft	36	-
FIX	AWY-HI	7.20667	10,668 m		
NEGAT	UN851	41.41167	35,000 ft	33	-
FIX	AWY-HI	7.86278	10,668 m		
AJO	UM131	41.77053	33,300 ft	46	AJACCIO VOR-DME
VOR	AWY-HI	8.77467	10,150 m		
IDORI	UM131	41.79056	23,900 ft	43	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	9.75000	7,285 m		
BEKOS	UM131	41.79306	21,200 ft	8	-
FIX	AWY-HI	9.93389	6,462 m		
LIRF	-	41.81081	0 ft	103	Roma Fiumicino Leonardo Da Vinci
APT	-	12.25090	0 m		

LPPT

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 2

Elevation: 374 ft / 114 m
Location: 38.778800 -9.135190
Magnetic Var: 1.571 W

METAR

LPPT 041430Z 21013KT 3500 -DZ BR FEW005 BKN007 17/16 Q1018

TAF

TAF LPPT 041100Z 0412/0518 23012KT 9999 BKN020 PROB30 TEMPO 0412/0418 6000 -RA SCT008 BKN013 BECMG 0418/0420 2400

Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.22		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.23		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.71		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.71		59 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.23		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.16		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.23		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.99		423 m

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.664 E

METAR

LIRF 041420Z 27013KT CAVOK 18/11 Q1016 NOSIG

TAF

TAF LIRF 041100Z 0412/0518 28013KT CAVOK BECMG 0419/0422 VRB05KT BECMG 0509/0511 24010KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.02		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m