DAAG
Alger Houari Boumediene


-

GMMN
Casablanca Mohammed V Intl

2024/03/19 0822Z

DAAG DAHRA **UA411** FES **UR975** DONAS GMMN

574.21 nm / 1063.44 km



Notes

Basic altitude profile:
- Ascent Rate: 35000ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 35000ft
- Cruise Speed: 350kts
- Descent Rate: 1500ft/min
- Descent Speed: 240kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DAAG APT	–	36.69752 3.21308	0 ft 0 m	–	Alger Houari Boumediene
DAHRA FIX	–	36.38333 1.50000	30,200 ft 9,205 m	84	–
MOS VOR	UA411 AWY-HI	35.89861 0.13639	34,000 ft 10,363 m	72	MOSTAGANEM VOR-DME
ORA VOR	UA411 AWY-HI	35.61265 -0.65499	34,000 ft 10,363 m	42	ORAN VOR-DME
ORSUP FIX	UA411 AWY-HI	34.84861 -1.84056	34,000 ft 10,363 m	74	–
OJD VOR	UA411 AWY-HI	34.77333 -1.95028	34,000 ft 10,363 m	7	OUJDA VOR-DME
SOVAL FIX	UA411 AWY-HI	34.17278 -4.16889	34,000 ft 10,363 m	115	–
FES VOR	UA411 AWY-HI	33.92750 -5.01361	28,600 ft 8,717 m	44	SAISS VOR-DME
DONAS FIX	UR975 AWY-HI	33.69750 -6.57500	24,500 ft 7,468 m	79	–
GMMN APT	–	33.36747 -7.58996	0 ft 0 m	54	Casablanca Mohammed V Intl

DAAG

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 82 ft / 25 m
Location: 36.697500 3.212250
Magnetic Var: 1.693 E

METAR

DAAG 190800Z 21002KT CAVOK 16/12 Q1018

TAF

TAF DAAG 190500Z 1906/2006 12008KT CAVOK BECMG 1912/1914 04010KT BECMG 1916/1918 VRB02KT

Frequencies

GND - 121.80 MHz - ALGIERS GROUND
TWR - 119.70 MHz - ALGIERS TOWER
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER
APP - 121.40 MHz - ALGIERS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft 45 m	12,468 ft 3,800 m	91.69 90.00	CONCRETE	984 ft 300 m	0 ft 0 m
27	148 ft 45 m	12,468 ft 3,800 m	271.72 270.02	CONCRETE	0 ft 0 m	0 ft 0 m
05	197 ft 60 m	11,494 ft 3,503 m	52.68 50.99	CONCRETE	0 ft 0 m	0 ft 0 m
23	197 ft 60 m	11,494 ft 3,503 m	232.70 231.01	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm 33 km	91.70 90.01	-	82 ft 82 m
23	LOC-ILS	AG	110.30 MHz	18 nm 33 km	232.70 231.01	-	82 ft 82 m
27	LOC-ILS	AL	109.50 MHz	18 nm 33 km	271.70 270.01	-	82 ft 82 m
09	GS	HB	108.50 MHz	10 nm 19 km	91.70 90.01	3.00	82 ft 82 m
23	GS	AG	110.30 MHz	10 nm 19 km	232.70 231.01	3.00	82 ft 82 m
27	GS	AL	109.50 MHz	10 nm 19 km	271.70 270.01	3.00	82 ft 82 m

GMMN

Region: MOROCCO
Timezone: AFRICA/CASABLANCA
Runways: 2

Elevation: 655 ft / 200 m
Location: 33.367400 -7.589980
Magnetic Var: 1.117 W

METAR

GMMN 190800Z VRB02KT 2000 R35L/1600VP2000U BR SCT002 15/14 Q1016 NOSIG

TAF

TAF GMMN 190500Z 1906/2012 31007KT 0100 FG BKN002 BECMG 1907/1909 0800 NSC

Frequencies

REC - 126.30 MHz - ATIS
APP - 121.30 MHz -

TWR - 118.50 MHz -
GND - 130.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	148 ft 45 m	12,231 ft 3,728 m	163.94 165.06	ASPHALT	0 ft 0 m	988 ft 301 m
35R	148 ft 45 m	12,231 ft 3,728 m	343.95 345.07	ASPHALT	0 ft 0 m	1,004 ft 306 m
17R	148 ft 45 m	12,188 ft 3,715 m	163.98 165.09	ASPHALT	0 ft 0 m	207 ft 63 m
35L	148 ft 45 m	12,188 ft 3,715 m	343.98 345.10	ASPHALT	0 ft 0 m	223 ft 68 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	DME	INL	110.70 MHz	18 nm 33 km	- -	-	656 ft 656 m
17R	LOC-ILS	CAS	108.30 MHz	18 nm 33 km	163.98 165.10	-	655 ft 655 m
35L	LOC-ILS	INL	110.70 MHz	18 nm 33 km	343.98 345.10	-	655 ft 655 m
35R	LOC-ILS	INR	109.90 MHz	18 nm 33 km	343.95 345.07	-	655 ft 655 m
17R	GS	CAS	108.30 MHz	10 nm 19 km	163.98 165.10	3.00	655 ft 655 m
35L	GS	INL	110.70 MHz	10 nm 19 km	343.98 345.10	3.00	655 ft 655 m
35R	GS	INR	109.90 MHz	10 nm 19 km	343.95 345.07	2.70	655 ft 655 m