


2024/05/08 0705Z

KALB FAYET V2 ROC J522 GRB V26 EAU V413 BITLR KFCM

868.74 nm / 1608.90 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 16000ft
- Cruise Speed: 240kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KALB APT	-	42.74936 -73.80173	0 ft 0 m	-	ALBANY INTL
FAYET FIX	-	43.12765 -75.94206	34,500 ft 10,516 m	96	-
SYR VOR	V2 AWY-LO	43.16053 -76.20456	18,000 ft 5,486 m	11	SYRACUSE VORTAC
WIFFY FIX	V2 AWY-LO	43.15222 -76.55003	18,000 ft 5,486 m	15	-
KONDO FIX	V2 AWY-LO	43.14694 -76.75048	18,000 ft 5,486 m	8	-
MAGEN FIX	V2 AWY-LO	43.13424 -77.18357	18,000 ft 5,486 m	18	-
LORTH FIX	V2 AWY-LO	43.12998 -77.31814	18,000 ft 5,486 m	5	-
ROC VOR	V2 AWY-LO	43.11797 -77.67281	18,000 ft 5,486 m	15	ROCHESTER VOR-DME
KLOPS FIX	J522 AWY-HI	43.59456 -78.79441	34,000 ft 10,363 m	56	-
YYZ VOR	J522 AWY-HI	43.65822 -79.63153	34,000 ft 10,363 m	36	TORONTO VOR-DME
KLANT FIX	J522 AWY-HI	44.20167 -82.15000	34,000 ft 10,363 m	113	-
ASP51 FIX	J522 AWY-HI	44.22326 -82.25171	34,000 ft 10,363 m	4	-
ASP DME	J522 AWY-HI	44.44913 -83.39428	34,000 ft 10,363 m	50	AU SABLE VOR-DME
TVC DME	J522 AWY-HI	44.66791 -85.55002	34,000 ft 10,363 m	93	TRAVERSE CITY VORTAC
GRB DME	J522 AWY-HI	44.55516 -88.19486	34,000 ft 10,363 m	113	GREEN BAY VORTAC
WOVET FIX	V26 AWY-LO	44.63275 -88.55594	18,000 ft 5,486 m	16	-
CHURP FIX	V26 AWY-LO	44.71523 -88.94686	18,000 ft 5,486 m	17	-
WITEN FIX	V26 AWY-LO	44.79681 -89.34111	18,000 ft 5,486 m	17	-
AUW VOR	V26 AWY-LO	44.84678 -89.58658	18,000 ft 5,486 m	10	WAUSAU VORTAC
EDGRR FIX	V26 AWY-LO	44.85884 -89.94529	18,000 ft 5,486 m	15	-
EAU DME	V26 AWY-LO	44.89767 -91.47854	18,000 ft 5,486 m	65	EAU CLAIRE VORTAC
BITLR FIX	V413 AWY-LO	44.88405 -92.32404	10,300 ft 3,139 m	35	-
KFCM APT	-	44.82722 -93.45795	0 ft 0 m	48	Minneapolis Flying Cloud

KALB

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 285 ft / 87 m
Location: 42.749100 -73.801700
Magnetic Var: 13.233 W

METAR

KALB 080551Z COR 00000KT 10SM FEW090 OVC200 14/06 A2969 RMK A02 SLP055 T01440056 10211 20133 58003

TAF

KALB 080530Z 0806/0906 VRB03KT P6SM SCT080 BKN250 FM081000 VRB03KT 6SM -SHRA VCTS BKN050CB TEMPO 0811/0814 3SM TS

Frequencies

COM - 122.95 MHz - ALBANY UNICOM	REC - 120.45 MHz - ALBANY ATIS
GND - 121.70 MHz - ALBANY GROUND	TWR - 119.50 MHz - ALBANY TOWER
APP - 118.05 MHz - ALBANY APPROACH	DEP - 118.05 MHz - ALBANY DEPARTURE
CLD - 127.50 MHz - CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	8,510 ft	358.18	ASPHALT	0 ft	200 ft
	46 m	2,594 m	11.41		0 m	61 m
19	150 ft	8,510 ft	178.18	ASPHALT	0 ft	197 ft
	46 m	2,594 m	191.41		0 m	60 m
10	150 ft	7,180 ft	88.17	ASPHALT	0 ft	197 ft
	46 m	2,188 m	101.40		0 m	60 m
28	150 ft	7,180 ft	268.19	ASPHALT	1,184 ft	197 ft
	46 m	2,188 m	281.42		361 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IDEJ	109.50 MHz	18 nm	358.18	-	285 ft
				33 km	11.41		285 m
19	LOC-ILS	IALB	109.50 MHz	18 nm	178.18	-	285 ft
				33 km	191.41		285 m
01	GS	IDEJ	109.50 MHz	10 nm	358.18	3.00	285 ft
				19 km	11.41		285 m
19	GS	IALB	109.50 MHz	10 nm	178.18	3.00	285 ft
				19 km	191.41		285 m

KFCM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 906 ft / 276 m
Location: 44.827300 -93.457900
Magnetic Var: 0.086 W

METAR

KFCM 080553Z AUTO 22005KT 10SM CLR 12/07 A2955 RMK A02 SLP005 T01220072 10194 20122 402280122 51012

TAF

UNKNOWN

Frequencies

COM - 119.15 MHz - FLYING CLOUD CTAF	COM - 122.95 MHz - FLYING CLOUD UNICOM
REC - 124.90 MHz - FLYING CLOUD ATIS	GND - 121.70 MHz - FLYING CLOUD GROUND
TWR - 119.15 MHz - FLYING CLOUD TOWER	TWR - 125.20 MHz - FLYING CLOUD TOWER
APP - 134.70 MHz - MINNEAPOLIS APPROACH	DEP - 134.70 MHz - MINNEAPOLIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	75 ft	3,890 ft	101.05	ASPHALT	0 ft	0 ft
	23 m	1,186 m	101.13		0 m	0 m
28R	75 ft	3,890 ft	281.06	ASPHALT	0 ft	0 ft
	23 m	1,186 m	281.14		0 m	0 m
10R	100 ft	4,989 ft	101.05	ASPHALT	0 ft	0 ft
	30 m	1,521 m	101.14		0 m	0 m
28L	100 ft	4,989 ft	281.07	ASPHALT	0 ft	0 ft
	30 m	1,521 m	281.15		0 m	0 m
18	75 ft	2,693 ft	185.96	ASPHALT	0 ft	0 ft
	23 m	821 m	186.05		0 m	0 m
36	75 ft	2,693 ft	5.96	ASPHALT	0 ft	0 ft
	23 m	821 m	6.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10R	LOC-ILS	IFCM	109.70 MHz	18 nm	101.06	-	906 ft
				33 km	101.15		906 m
10R	GS	IFCM	109.70 MHz	10 nm	101.06	3.00	906 ft
				19 km	101.15		906 m