


2024/05/08 0648Z

EYVI SA604 ESSA

383.39 nm / 710.05 km



## Notes

Generated

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EYVI	-	54.62373	0 ft	-	-
APT	-	25.27855	0 m		
SA604	-	59.50925	0 ft	374	-
FIX	-	18.13592	0 m		
ESSA	-	59.62640	0 ft	9	-
APT	-	17.95074	0 m		

## EYVI

Region: LITHUANIA

Timezone: EUROPE/VILNIUS

Runways: 1

Elevation: 645 ft / 197 m

Location: 54.634200 25.285700

Magnetic Var: 8.326 E

## METAR

EYVI 080620Z 30006KT 270V350 CAVOK 08/M02 Q1023 NOSIG

## TAF

TAF EYVI 080500Z 0806/0906 VRB02KT 9000 NSC BECMG 0807/0809 33012KT TEMPO 0812/0817 36015G25KT BECMG 0818/0820 VR

## Frequencies

REC - 125.80 MHz - ATIS

APP - 120.70 MHz - VILNIUS APPROACH

TWR - 118.20 MHz - VILNIUS TOWER

REC - 123.85 MHz - VILNIUS INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	164 ft	8,259 ft	21.85	ASPHALT	0 ft	194 ft
	50 m	2,517 m	13.53		0 m	59 m
19	164 ft	8,259 ft	201.86	ASPHALT	0 ft	194 ft
	50 m	2,517 m	193.54		0 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IAV	110.50 MHz	18 nm	21.88	-	646 ft
				33 km	13.55		646 m
19	LOC-ILS	IBK	109.10 MHz	18 nm	201.87	-	646 ft
				33 km	193.54		646 m
01	GS	IAV	110.50 MHz	10 nm	22.80	2.67	646 ft
				19 km	14.47		646 m
19	GS	IBK	109.10 MHz	10 nm	202.80	3.00	646 ft
				19 km	194.47		646 m

## ESSA

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 3

Elevation: 138 ft / 42 m  
Location: 59.651900 17.918600  
Magnetic Var: 7.121 E

## METAR

ESSA 080620Z 11009KT 9999 -RA BKN038 03/01 Q1025 TEMPO SNRA

## TAF

TAF ESSA 080530Z 0806/0906 12008KT 9999 -RA SCT020 OVC035 TEMPO 0806/0807 4000 RASN OVC014 TEMPO 0807/0812 2500 SN

## Frequencies

REC - 119.00 MHz - ATIS	REC - 121.62 MHz - ATIS
APP - 123.75 MHz - STOCKHOLM CONTROL APPROACH	APP - 120.15 MHz - STOCKHOLM CONTROL APPROACH
APP - 126.65 MHz - STOCKHOLM CONTROL APPROACH	DEP - 123.75 MHz - STOCKHOLM CONTROL DEPARTURE
DEP - 120.15 MHz - STOCKHOLM CONTROL DEPARTURE	DEP - 126.65 MHz - STOCKHOLM CONTROL DEPARTURE
TWR - 118.50 MHz - ARLANDA TOWER	TWR - 125.12 MHz - ARLANDA TOWER
TWR - 128.72 MHz - ARLANDA TOWER	TWR - 123.10 MHz - ARLANDA TOWER
GND - 121.70 MHz - ARLANDA GROUND	GND - 121.97 MHz - ARLANDA GROUND
GND - 121.92 MHz - ARLANDA GROUND	CLD - 121.82 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	148 ft	10,817 ft	10.38	ASPHALT	0 ft	154 ft
	45 m	3,297 m	3.25		0 m	47 m
19R	148 ft	10,817 ft	190.38	ASPHALT	0 ft	164 ft
	45 m	3,297 m	183.26		0 m	50 m
01R	148 ft	8,151 ft	10.38	ASPHALT	0 ft	223 ft
	45 m	2,484 m	3.26		0 m	68 m
19L	148 ft	8,151 ft	190.38	ASPHALT	0 ft	0 ft
	45 m	2,484 m	183.26		0 m	0 m
08	148 ft	8,180 ft	75.84	ASPHALT	0 ft	161 ft
	45 m	2,493 m	68.72		0 m	49 m
26	148 ft	8,180 ft	255.88	ASPHALT	0 ft	161 ft
	45 m	2,493 m	248.76		0 m	49 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	LOC-ILS	SSA	109.90 MHz	18 nm	10.38	-	138 ft
				33 km	3.26		138 m
01R	LOC-ILS	TSA	109.35 MHz	18 nm	10.38	-	138 ft
				33 km	3.26		138 m
19L	LOC-ILS	USA	111.35 MHz	18 nm	190.38	-	138 ft
				33 km	183.26		138 m
19R	LOC-ILS	NSA	110.70 MHz	18 nm	190.38	-	138 ft
				33 km	183.26		138 m
26	LOC-ILS	ESA	110.10 MHz	18 nm	255.86	-	138 ft
				33 km	248.74		138 m
08	LOC-LOC	WSA	109.55 MHz	18 nm	75.86	-	138 ft
				33 km	68.74		138 m
01L	GS	SSA	109.90 MHz	10 nm	10.38	3.00	138 ft
				19 km	3.26		138 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	GS	TSA	109.35 MHz	10 nm	10.38	3.00	138 ft
				19 km	3.26		138 m
19L	GS	USA	111.35 MHz	10 nm	190.38	3.00	138 ft
				19 km	183.26		138 m
19R	GS	NSA	110.70 MHz	10 nm	190.38	3.00	138 ft
				19 km	183.26		138 m
26	GS	ESA	110.10 MHz	10 nm	255.86	3.00	138 ft
				19 km	248.74		138 m