

OEAB

ABHA


OEJN

Jeddah King Abdulaziz Intl

2024/05/11 1524Z

OEAB QUN OEJN

288.49 nm / 534.28 km



Notes

Requested: OEAB QUN KFB OEJN

Unmatched points: KFB

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEAB	-	18.24038	0 ft	-	ABHA
APT	-	42.65663	0 m		
QUN	-	19.36972	0 ft	112	QUNFIDAH VOR-DME
VOR	-	41.07472	0 m		
OEJN	-	21.68132	0 ft	175	Jeddah King Abdulaziz Intl
APT	-	39.15565	0 m		

OEAB

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 1

Elevation: 6,857 ft / 2,090 m
Location: 18.240400 42.656500
Magnetic Var: 3.065 E

METAR

OEAB 111500Z 20006KT 9999 SCT020 24/10 Q1025 NOSIG

TAF

TAF TAF OEAB 111100Z 1112/1218 21010KT 7000 SCT020 TEMPO 1112/1118 VRB25KT 3000 TSRA BKN020 FEW025CB BECMG 1118/1

Frequencies

GND - 121.70 MHz - ABHA GROUND
APP - 124.50 MHz - ABHA APPROACH
APP - 130.50 MHz - ABHA APPROACH
TWR - 118.10 MHz - ABHA TOWER
APP - 125.80 MHz - ABHA APPROACH
REC - 128.65 MHz - ABHA ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	150 ft	11,001 ft	129.19	ASPHALT	0 ft	397 ft
	46 m	3,353 m	126.13		0 m	121 m
31	150 ft	11,001 ft	309.20	ASPHALT	0 ft	463 ft
	46 m	3,353 m	306.13		0 m	141 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IABH	109.90 MHz	18 nm	-	-	6,858 ft
				33 km	-		6,858 m
13	LOC-ILS	IABH	109.90 MHz	18 nm	129.20	-	6,857 ft
				33 km	126.13		6,857 m
13	GS	IABH	109.90 MHz	10 nm	129.20	3.00	6,857 ft
				19 km	126.13		6,857 m

OEJN

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 49 ft / 15 m
Location: 21.682800 39.155100
Magnetic Var: 3.896 E

METAR

OEJN 111500Z 23006KT CAVOK 37/19 Q1006 NOSIG

TAF

TAF OEJN 111100Z 1112/1218 26012KT CAVOK BECMG 1118/1120 VRB03KT BECMG 1206/1208 27012KT

Frequencies

TWR - 118.20 MHz - JEDDAH TOWER
GND - 121.90 MHz - JEDDAH GROUND
REC - 126.20 MHz - JEDDAH ATIS
APP - 119.10 MHz - JEDDAH APPROACH
APP - 123.80 MHz - JEDDAH DIRECTOR

TWR - 124.30 MHz - JEDDAH TOWER
GND - 121.60 MHz - JEDDAH GROUND
DEP - 124.00 MHz - JEDDAH DEPARTURE
APP - 124.00 MHz - JEDDAH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	155.99		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.99		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.98		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.98		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	155.99		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.97		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.98		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.97		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	335.99		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.98		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	155.99		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.97		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.98		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.97		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	335.99		49 m