

# EDDF

Frankfurt am Main Intl


# EDDH

Hamburg International Airport

2024/05/04 2253Z

EDDF WRB **N850** PIROT EDDH

223.02 nm / 413.03 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF APT	-	50.03259 8.54067	0 ft 0 m	-	Frankfurt am Main Intl
WRB VOR	-	51.50570 9.11091	28,200 ft 8,595 m	91	WARBURG
PIROT FIX	N850 AWY-LO	52.05343 9.23690	21,100 ft 6,431 m	33	-
EDDH APT	-	53.63368 9.98526	0 ft 0 m	98	Hamburg International Airport

## EDDF

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 4

Elevation: 362 ft / 110 m  
Location: 50.032600 8.540670  
Magnetic Var: 3.171 E

## METAR

EDDF 042220Z AUTO 18005KT 150V210 9999 -RA BKN036 13/11 Q1009 NOSIG

## TAF

TAF EDDF 041700Z 0418/0524 13006KT CAVOK BECMG 0420/0422 BKN035 BECMG 0421/0423 20006KT PROB30 TEMPO 0422/0502 45

## Frequencies

REC - 118.02 MHz - ATIS ARRIVAL  
GND - 121.80 MHz - GROUND  
GND - 121.70 MHz - APRON RAMP/TAXI  
GND - 121.85 MHz - APRON RAMP/TAXI  
TWR - 118.77 MHz - TOWER  
TWR - 124.85 MHz - TOWER  
TWR - 136.50 MHz - TOWER  
APP - 127.27 MHz - FRANKFURT DIRECT  
APP - 125.35 MHz - LANGEN RADAR  
APP - 120.80 MHz - LANGEN RADAR  
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE  
GND - 121.65 MHz - APRON RAMP/TAXI  
GND - 121.95 MHz - APRON RAMP/TAXI  
GND - 121.75 MHz - APRON RAMP/TAXI  
TWR - 119.90 MHz - TOWER  
TWR - 127.32 MHz - TOWER  
CLD - 121.90 MHz - CLEARANCE DELIVERY  
APP - 118.50 MHz - FRANKFURT DIRECT  
APP - 126.55 MHz - LANGEN RADAR  
APP - 120.15 MHz - LANGEN RADAR  
APP - 119.02 MHz - LANGEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.40		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.44		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.42		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.46		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.47		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.47		0 m	37 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.42		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.41		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.44		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.42		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.44		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.41		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.42		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.41		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.44		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.42		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.44		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.41		362 m

## EDDH

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 53 ft / 16 m  
Location: 53.633700 9.985260  
Magnetic Var: 3.689 E

## METAR

EDDH 042220Z AUTO 09007KT 9999 FEW041 14/11 Q1011 NOSIG

## TAF

TAF EDDH 041700Z 0418/0524 08006KT 9999 BKN030 TEMPO 0418/0501 VRB03KT PROB40 TEMPO 0502/0506 4000 RA SCT009 BKN0

## Frequencies

REC - 123.12 MHz - EDDH ATIS	GND - 121.80 MHz - HAMBURG GND
GND - 121.70 MHz - HAMBURG APRON	GND - 121.97 MHz - HAMBURG APRON
TWR - 121.27 MHz - HAMBURG TWR	TWR - 126.85 MHz - HAMBURG TWR
APP - 118.20 MHz - HAMBURG DIRECTOR	APP - 124.62 MHz - HAMBURG APP
APP - 134.25 MHz - BREMEN RADAR	APP - 136.67 MHz - BREMEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	10,647 ft	50.18	ASPHALT	978 ft	194 ft
	46 m	3,245 m	46.50		298 m	59 m
23	151 ft	10,647 ft	230.22	ASPHALT	509 ft	239 ft
	46 m	3,245 m	226.53		155 m	73 m
15	151 ft	12,013 ft	152.89	ASPHALT	0 ft	194 ft
	46 m	3,662 m	149.20		0 m	59 m
33	151 ft	12,013 ft	332.91	ASPHALT	1,463 ft	164 ft
	46 m	3,662 m	329.22		446 m	50 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IHHE	110.50 MHz	18 nm	50.21	-	53 ft
				33 km	46.52		53 m
15	LOC-ILS	IHHS	109.55 MHz	18 nm	152.91	-	53 ft
				33 km	149.22		53 m
23	LOC-ILS	IHHW	111.50 MHz	18 nm	230.21	-	53 ft
				33 km	226.52		53 m
33	LOC-LOC	IHHN	109.90 MHz	18 nm	332.91	-	53 ft
				33 km	329.22		53 m
05	GS	IHHE	110.50 MHz	10 nm	50.21	3.00	53 ft
				19 km	46.52		53 m
15	GS	IHHS	109.55 MHz	10 nm	152.91	3.00	53 ft
				19 km	149.22		53 m
23	GS	IHHW	111.50 MHz	10 nm	230.21	3.00	53 ft
				19 km	226.52		53 m
33	GS	IHHN	109.90 MHz	10 nm	332.91	3.00	53 ft
				19 km	329.22		53 m