


2024/05/15 0548Z

OMDB SOLUD **P574** MIXAM **P513** MCT **T503** TUMET **A775** REXOD **N563** BBG VOBG

1469.56 nm / 2721.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25112	0 ft	-	Dubai Intl
APT	-	55.37108	0 m		
SOLUD	-	24.53972	30,600 ft	85	-
FIX	-	56.73917	9,327 m		
MIXAM	P574	23.69417	35,000 ft	82	-
FIX	AWY-HI	57.92306	10,668 m		
MCT	P513	23.59111	35,000 ft	19	SEEB VOR-DME
DME	AWY-HI	58.26013	10,668 m		
TUMET	T503	22.38528	35,000 ft	118	-
FIX	AWY-HI	59.95056	10,668 m		
REXOD	A775	21.20833	35,000 ft	117	-
FIX	AWY-HI	61.64167	10,668 m		
KATBI	N563	19.52583	35,000 ft	214	-
FIX	AWY-HI	65.00056	10,668 m		
LELIT	N563	18.07611	35,000 ft	182	-
FIX	AWY-HI	67.82500	10,668 m		
MEPAT	N563	17.19278	35,000 ft	112	-
FIX	AWY-HI	69.54972	10,668 m		
NINOBO	N563	16.52611	35,000 ft	83	-
FIX	AWY-HI	70.83306	10,668 m		
OPIRA	N563	16.10111	35,000 ft	53	-
FIX	AWY-HI	71.64944	10,668 m		
KAKIB	N563	15.00111	35,000 ft	140	-
FIX	AWY-HI	73.78528	10,668 m		
NOBOD	N563	14.91167	35,000 ft	11	-
FIX	AWY-HI	73.95583	10,668 m		
IKATI	N563	14.48472	35,000 ft	53	-
FIX	AWY-HI	74.76583	10,668 m		
GUNIM	N563	14.08556	30,600 ft	50	-
FIX	AWY-HI	75.53583	9,327 m		
BBG	N563	12.94975	100 ft	142	BANGALORE
VOR	AWY-HI	77.68100	30 m		
VOBG	-	12.95016	0 ft	0	Bangalore
APT	-	77.67065	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 150500Z 17013KT CAVOK 36/12 Q1009 NOSIG

TAF

TAF TAF OMDB 142300Z 1500/1606 10007KT CAVOK BECMG 1502/1504 18012KT BECMG 1507/1509 24007KT BECMG 1509/1511 3201

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

VOBG

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 2,912 ft / 888 m
Location: 12.950200 77.670600
Magnetic Var: 0.776 W

METAR

VOBG 150530Z 31004KT 6000 SCT012 SCT080 28/23 Q1016 NOSIG

TAF

UNKNOWN

Frequencies

REC - 128.25 MHz - ATIS
APP - 127.70 MHz -

TWR - 123.50 MHz -
APP - 122.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	200 ft	10,786 ft	84.80	ASPHALT	0 ft	950 ft
	61 m	3,288 m	85.58		0 m	290 m
27	200 ft	10,786 ft	264.81	ASPHALT	0 ft	980 ft
	61 m	3,288 m	265.59		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IBLR	110.50 MHz	18 nm	-	-	2,912 ft
				33 km	-		2,912 m
27	LOC-ILS	IBLR	110.50 MHz	18 nm	262.49	-	2,912 ft
				33 km	263.26		2,912 m
27	GS	IBLR	110.50 MHz	10 nm	265.62	3.00	2,943 ft
				19 km	266.39		2,943 m