


2024/05/06 2258Z

ESGG DEGAV ESGN

69.41 nm / 128.54 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESGG	-	57.66283	0 ft	-	Goteborg Landvetter
APT	-	12.27981	0 m		
DEGAV	-	57.72806	1,500 ft	4	-
FIX	-	12.34022	457 m		
ESGN	-	58.57861	0 ft	65	Gotene Brannebrona
APT	-	13.61055	0 m		

ESGG

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 1

Elevation: 505 ft / 154 m
Location: 57.662800 12.279800
Magnetic Var: 4.717 E

METAR

ESGG 062220Z 05005KT CAVOK 05/03 Q1016

TAF

TAF TAF ESGG 062030Z 0621/0721 07007KT CAVOK

Frequencies

REC - 114.60 MHz - ATIS	REC - 118.37 MHz - ATIS
GND - 121.90 MHz - GOTEBOG GROUND	GND - 121.60 MHz - GOTEBOG GROUND
TWR - 118.60 MHz - GOTEBOG TOWER	TWR - 123.10 MHz - GOTEBOG TOWER
APP - 123.10 MHz - GOTEBOG APPROACH	APP - 123.30 MHz - GOTEBOG APPROACH
APP - 124.20 MHz - GOTEBOG APPROACH	APP - 124.67 MHz - GOTEBOG APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	10,805 ft	25.95	ASPHALT	0 ft	207 ft
	45 m	3,293 m	21.23		0 m	63 m
21	148 ft	10,805 ft	205.97	ASPHALT	0 ft	207 ft
	45 m	3,293 m	201.25		0 m	63 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	SSG	110.30 MHz	18 nm	25.96	-	506 ft
				33 km	21.25		506 m
21	LOC-ILS	NGG	108.50 MHz	18 nm	205.96	-	506 ft
				33 km	201.25		506 m
03	GS	SSG	110.30 MHz	10 nm	25.96	3.00	506 ft
				19 km	21.25		506 m
21	GS	NGG	108.50 MHz	10 nm	205.96	3.00	506 ft
				19 km	201.25		506 m