


2024/05/11 0714Z
PACV JOH **V617** HOM PAIL
290.39 nm / 537.81 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

| Ident Type | Via | Lat Lon | Alt | Dist (nm) | Name |
|---------------|--------|------------|-----------|--------------|-------------------------|
| PACV | - | 60.49069 | 0 ft | - | Cordova-Smith |
| APT | - | -145.47730 | 0 m | | |
| JOH | - | 60.48095 | 10,800 ft | 33 | JOHNSTONE POINT VOR-DME |
| DME | - | -146.59934 | 3,292 m | | |
| HOM | V617 | 59.70942 | 18,000 ft | 152 | HOMER VOR-DME |
| VOR | AWY-LO | -151.45661 | 5,486 m | | |
| PAIL | - | 59.75387 | 0 ft | 104 | ILIAMNA |
| APT | - | -154.91098 | 0 m | | |

PACV

Region: USA (ALASKA)
Timezone: AMERICA/ANCHORAGE
Runways: 2

Elevation: 53 ft / 16 m
Location: 60.490500 -145.477000
Magnetic Var: 15.369 E

METAR

PACV 110653Z 06005KT 10SM -RA FEW026 OVC035 04/ A3005 RMK A02 SLP175 P0002 T0039 \$

TAF

PACV 110522Z 1106/1206 09008KT P6SM -SHRA SCT015 OVC025 FM110900 11012G20KT 4SM -RA BR SCT007 OVC015 FM111200 110

Frequencies

REC - 134.80 MHz - JUNEAU ASOS
APP - 133.60 MHz - ANCHORAGE APP

COM - 123.60 MHz - JUNEAU CTAF
DEP - 269.40 MHz - ANCHORAGE DEP

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|----------|-------------------------|---------|---------------------|-------------------|
| 16 | 30 ft | 1,901 ft | 180.72 | GRAVEL | 0 ft | 0 ft |
| | 9 m | 579 m | 165.35 | | 0 m | 0 m |
| 34 | 30 ft | 1,901 ft | 0.72 | GRAVEL | 0 ft | 0 ft |
| | 9 m | 579 m | 345.35 | | 0 m | 0 m |
| 09 | 150 ft | 7,508 ft | 114.28 | ASPHALT | 0 ft | 531 ft |
| | 46 m | 2,288 m | 98.91 | | 0 m | 162 m |
| 27 | 150 ft | 7,508 ft | 294.31 | ASPHALT | 0 ft | 361 ft |
| | 46 m | 2,288 m | 278.94 | | 0 m | 110 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 27 | DME | ICDV | 110.70 MHz | 18 nm | - | - | 51 ft |
| | | | | 33 km | - | | 51 m |
| 27 | LOC-ILS | ICDV | 110.70 MHz | 18 nm | 294.17 | - | 32 ft |
| | | | | 33 km | 278.80 | | 32 m |
| 27 | GS | ICDV | 110.70 MHz | 10 nm | 294.52 | 3.00 | 39 ft |
| | | | | 19 km | 279.15 | | 39 m |