

EDDK

Koeln-Bonn Intl


LEPA

Palma de Mallorca

2024/05/10 1837Z

EDDK DOLAX **UQ760** MOROK **UN852** TUROM **UQ302** NINTU **UQ231** VATIR **UN852** PIVUS **UZ237** SULID LEPA

714.97 nm / 1324.12 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDK	-	50.86580	0 ft	-	Koeln-Bonn Intl
APT	-	7.13891	0 m		
DOLAX	-	49.15610	35,000 ft	102	-
FIX	-	7.10194	10,668 m		
MOROK	UQ760	47.39670	35,000 ft	107	-
FIX	AWY-HI	6.65556	10,668 m		
GILIR	UN852	47.06330	35,000 ft	26	-
FIX	AWY-HI	6.23917	10,668 m		
TUROM	UN852	46.84190	35,000 ft	17	-
FIX	AWY-HI	5.96639	10,668 m		
NINTU	UQ302	46.14720	35,000 ft	45	-
FIX	AWY-HI	5.55306	10,668 m		
VATIR	UQ231	42.17220	35,000 ft	246	-
FIX	AWY-HI	4.11556	10,668 m		
PIVUS	UN852	41.92390	32,700 ft	16	-
FIX	AWY-HI	3.93375	9,967 m		
SULID	UZ237	41.18440	22,100 ft	49	-
FIX	AWY-HI	3.44139	6,736 m		
LEPA	-	39.55170	0 ft	103	Palma de Mallorca
APT	-	2.73889	0 m		

EDDK

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 3

Elevation: 296 ft / 90 m
Location: 50.865800 7.138910
Magnetic Var: 2.787 E

METAR

EDDK 101820Z AUTO 02006KT CAVOK 20/11 Q1021 NOSIG

TAF

TAF EDDK 101700Z 1018/1124 36006KT CAVOK BECMG 1019/1022 VRB03KT BECMG 1109/1112 06005KT

Frequencies

REC - 112.15 MHz - ATIS	CLD - 121.85 MHz - KOELN BONN DELIVERY
GND - 121.72 MHz - KOELN BONN GROUND	GND - 121.95 MHz - KOELN BONN APRON
TWR - 124.97 MHz - KOELN BONN TOWER	TWR - 136.25 MHz - KOELN BONN MILITARY
APP - 118.75 MHz - LANGEN RADAR	APP - 135.35 MHz - LANGEN RADAR
APP - 121.05 MHz - KOELN BONN DIRECTOR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	197 ft	12,495 ft	137.55	ASPHALT	0 ft	0 ft
	60 m	3,808 m	134.76		0 m	0 m
32R	197 ft	12,495 ft	317.58	ASPHALT	0 ft	0 ft
	60 m	3,808 m	314.79		0 m	0 m
06	148 ft	8,045 ft	64.33	ASPHALT	0 ft	0 ft
	45 m	2,452 m	61.54		0 m	0 m
24	148 ft	8,045 ft	244.36	ASPHALT	0 ft	0 ft
	45 m	2,452 m	241.57		0 m	0 m
14R	148 ft	6,104 ft	137.56	ASPHALT	0 ft	0 ft
	45 m	1,860 m	134.78		0 m	0 m
32L	148 ft	6,104 ft	317.58	ASPHALT	0 ft	0 ft
	45 m	1,860 m	314.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14L	LOC-ILS	IKES	110.90 MHz	18 nm	137.57	-	296 ft
				33 km	134.78		296 m
24	LOC-ILS	IKOW	109.10 MHz	18 nm	244.35	-	296 ft
				33 km	241.56		296 m
32R	LOC-ILS	IKEN	111.10 MHz	18 nm	317.57	-	296 ft
				33 km	314.78		296 m
14L	GS	IKES	110.90 MHz	10 nm	137.57	3.00	296 ft
				19 km	134.78		296 m
24	GS	IKOW	109.10 MHz	10 nm	244.35	3.00	296 ft
				19 km	241.56		296 m
32R	GS	IKEN	111.10 MHz	10 nm	317.57	3.00	296 ft
				19 km	314.78		296 m

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.678 E

METAR

LEPA 101800Z 24011KT 9999 FEW040 20/15 Q1017 NOSIG

TAF

TAF LEPA 101700Z 1018/1118 21012KT 9999 FEW025 TX26/1112Z TN11/1105Z BECMG 1018/1020 05006KT PROB40 TEMPO 1107/11

Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m