

# CYYZ

Toronto Lester B Pearson Intl


# KBDL

Bradley Intl

2024/04/28 0257Z

CYYZ FAULT **V31** BEEPS **V14** COBIA KBDL

328.71 nm / 608.78 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYZ APT	-	43.67610 -79.62770	0 ft 0 m	-	Toronto Lester B Pearson Intl
FAULT FIX	-	42.98420 -77.36330	35,000 ft 10,668 m	107	-
BEEPS FIX	V31 AWY-LO	42.82040 -76.98470	35,000 ft 10,668 m	19	-
SCIP0 FIX	V14 AWY-LO	42.80810 -76.47940	35,000 ft 10,668 m	22	-
BOCKS FIX	V14 AWY-LO	42.80440 -76.34180	35,000 ft 10,668 m	6	-
VESPE FIX	V14 AWY-LO	42.79770 -76.10880	35,000 ft 10,668 m	10	-
GGT VOR	V14 AWY-LO	42.78890 -75.82680	32,300 ft 9,845 m	12	GEORGETOWN
SHERB FIX	V14 AWY-LO	42.77720 -75.53200	29,500 ft 8,992 m	13	-
BROOD FIX	V14 AWY-LO	42.76850 -75.32640	27,600 ft 8,412 m	9	-
COOES FIX	V14 AWY-LO	42.75850 -75.09830	25,400 ft 7,742 m	10	-
REAVE FIX	V14 AWY-LO	42.75000 -74.91170	23,700 ft 7,224 m	8	-
COBIA FIX	V14 AWY-LO	42.74510 -74.80920	22,700 ft 6,919 m	4	-
KBDL APT	-	41.93890 -72.68280	0 ft 0 m	106	Bradley Intl

## CYYZ

Region: CANADA  
Timezone: AMERICA/TORONTO  
Runways: 5

Elevation: 564 ft / 172 m  
Location: 43.676100 -79.627700  
Magnetic Var: 10.261 W

## METAR

CYYZ 280200Z 15006KT 15SM FEW180 12/11 A2999 RMK AC1 AC TR SLP162

## TAF

TAF CYYZ 280240Z 2803/2906 15008KT P6SM FEW180 BECMG 2803/2805 21010KT FM281400 23012G22KT P6SM -SHRA BKN030 FM28

## Frequencies

TWR - 118.35 MHz - TORONTO TOWER	TWR - 118.70 MHz - TORONTO TOWER
GND - 119.10 MHz - TORONTO GROUND	GND - 121.65 MHz - TORONTO GROUND
GND - 121.90 MHz - TORONTO GROUND	REC - 120.82 MHz - ATIS
REC - 133.10 MHz - ATIS	CLD - 121.30 MHz - CLEARANCE DELIVERY
APP - 132.80 MHz - TORONTO APPROACH	APP - 124.47 MHz - TORONTO APPROACH
APP - 125.40 MHz - TORONTO APPROACH	APP - 123.27 MHz - LONDON RADIO
DEP - 127.57 MHz - TORONTO DEPARTURE	DEP - 128.80 MHz - TORONTO DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	9,707 ft	46.43	ASPHALT	0 ft	131 ft
	60 m	2,959 m	56.69		0 m	40 m
24R	197 ft	9,707 ft	226.45	ASPHALT	194 ft	98 ft
	60 m	2,959 m	236.71		59 m	30 m
06R	197 ft	9,007 ft	46.43	ASPHALT	0 ft	95 ft
	60 m	2,745 m	56.69		0 m	29 m
24L	197 ft	9,007 ft	226.45	ASPHALT	0 ft	95 ft
	60 m	2,745 m	236.71		0 m	29 m
05	197 ft	11,128 ft	46.39	ASPHALT	141 ft	141 ft
	60 m	3,392 m	56.65		43 m	43 m
23	197 ft	11,128 ft	226.41	ASPHALT	492 ft	141 ft
	60 m	3,392 m	236.67		150 m	43 m
15L	197 ft	11,061 ft	136.64	ASPHALT	0 ft	92 ft
	60 m	3,372 m	146.90		0 m	28 m
33R	197 ft	11,061 ft	316.66	ASPHALT	0 ft	89 ft
	60 m	3,372 m	326.92		0 m	27 m
15R	197 ft	9,097 ft	136.62	ASPHALT	597 ft	0 ft
	60 m	2,773 m	146.88		182 m	0 m
33L	197 ft	9,097 ft	316.64	ASPHALT	591 ft	0 ft
	60 m	2,773 m	326.90		180 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24L	DME	IIDP	111.95 MHz	18 nm	-	-	568 ft
				33 km	-		568 m
24R	DME	INV	109.30 MHz	18 nm	-	-	546 ft
				33 km	-		546 m
05	LOC-ILS	ITX	109.70 MHz	18 nm	46.40	-	564 ft
				33 km	56.66		564 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IJS	109.10 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
06R	LOC-ILS	ICV	111.95 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
15L	LOC-ILS	IRW	110.50 MHz	18 nm 33 km	136.65 146.91	-	564 ft 564 m
15R	LOC-ILS	ILP	110.95 MHz	18 nm 33 km	136.63 146.89	-	564 ft 564 m
23	LOC-ILS	IYZ	111.50 MHz	18 nm 33 km	226.40 236.66	-	564 ft 564 m
24L	LOC-ILS	IDP	111.95 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
24R	LOC-ILS	INV	109.30 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
33L	LOC-ILS	ITO	110.95 MHz	18 nm 33 km	316.63 326.89	-	564 ft 564 m
33R	LOC-ILS	ILE	110.30 MHz	18 nm 33 km	316.65 326.91	-	564 ft 564 m
05	GS	ITX	109.70 MHz	10 nm 19 km	46.40 56.66	3.00	564 ft 564 m
06L	GS	IJS	109.10 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
06R	GS	ICV	111.95 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
15L	GS	IRW	110.50 MHz	10 nm 19 km	136.65 146.91	3.00	564 ft 564 m
15R	GS	ILP	110.95 MHz	10 nm 19 km	136.63 146.89	3.00	564 ft 564 m
23	GS	IYZ	111.50 MHz	10 nm 19 km	226.40 236.66	3.00	564 ft 564 m
24L	GS	IIDP	111.95 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
24R	GS	INV	109.30 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
33L	GS	ITO	110.95 MHz	10 nm 19 km	316.63 326.89	3.00	564 ft 564 m
33R	GS	ILE	110.30 MHz	10 nm 19 km	316.65 326.91	3.00	564 ft 564 m

## KBDL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 171 ft / 52 m  
Location: 41.938900 -72.682800  
Magnetic Var: 13.550 W

## METAR

KBDL 280151Z 20011KT 10SM BKN043 BKN065 OVC100 12/M01 A3035 RMK A02 RAE42 SLP277 P0000 T01171011

## TAF

TAF KBDL 272339Z 2800/2906 19012KT P6SM OVC100 FM280100 19009KT P6SM -SHRA OVC050 FM280600 18006KT 6SM -SHRA BR SC

## Frequencies

COM - 122.95 MHz - UNICOM  
TWR - 120.30 MHz - BRADLEY TOWER  
DEP - 123.95 MHz - BRADLEY DEPARTURE  
REC - 118.15 MHz - ATIS  
GND - 121.90 MHz - BRADLEY GROUND  
APP - 123.95 MHz - BRADLEY APPROACH  
CLD - 121.75 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	9,519 ft	44.28	ASPHALT	0 ft	243 ft
	61 m	2,902 m	57.83		0 m	74 m
24	200 ft	9,519 ft	224.29	ASPHALT	0 ft	988 ft
	61 m	2,902 m	237.84		0 m	301 m
15	151 ft	6,854 ft	134.48	ASPHALT	0 ft	997 ft
	46 m	2,089 m	148.03		0 m	304 m
33	151 ft	6,854 ft	314.50	ASPHALT	0 ft	89 ft
	46 m	2,089 m	328.05		0 m	27 m
01	98 ft	4,272 ft	359.04	ASPHALT	479 ft	0 ft
	30 m	1,302 m	12.59		146 m	0 m
19	98 ft	4,272 ft	179.04	ASPHALT	0 ft	0 ft
	30 m	1,302 m	192.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBDL	111.10 MHz	18 nm	-	-	164 ft
				33 km	-		164 m
24	DME	IMYG	111.10 MHz	18 nm	-	-	173 ft
				33 km	-		173 m
33	DME	IIKK	108.55 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
06	LOC-ILS	IBDL	111.10 MHz	18 nm	44.29	-	173 ft
				33 km	57.84		173 m
24	LOC-ILS	IMYG	111.10 MHz	18 nm	224.27	-	170 ft
				33 km	237.82		170 m
33	LOC-ILS	IIKK	108.55 MHz	18 nm	314.48	-	168 ft
				33 km	328.03		168 m
24	LOC-ILS	IMYQ	111.10 MHz	18 nm	224.29	-	173 ft
				33 km	237.84		173 m
33	LOC-ILS	IIKX	108.55 MHz	18 nm	314.49	-	173 ft
				33 km	328.04		173 m
06	GS	IBDL	111.10 MHz	10 nm	44.29	3.00	173 ft
				19 km	57.84		173 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	GS	IMYG	111.10 MHz	10 nm	224.56	3.00	157 ft
				19 km	238.11		157 m
33	GS	IIKK	108.55 MHz	10 nm	314.94	3.00	167 ft
				19 km	328.49		167 m
24	GS	IMYQ	111.10 MHz	10 nm	224.29	3.00	173 ft
				19 km	237.84		173 m
33	GS	IIKX	108.55 MHz	10 nm	314.49	3.00	173 ft
				19 km	328.04		173 m