
EGHH – LIMC

Bournemouth — Milan-Malpensa Airport

2024/03/29 0552Z

EGHH XAMAB **UL612** OGULO **UQ223** LUSAR **UM975** MOLUS LIMC

539.94 nm / 999.96 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGHH APT	–	50.78010 -1.84253	0 ft 0 m	–	Bournemouth
XAMAB FIX	–	50.20440 0.26472	31,200 ft 9,510 m	87	–
VEULE FIX	UL612 AWY-HI	49.85670 0.62000	35,000 ft 10,668 m	24	–
INPAX FIX	UL612 AWY-HI	49.40810 1.17972	35,000 ft 10,668 m	34	–
RESMI FIX	UL612 AWY-HI	48.56860 2.19194	35,000 ft 10,668 m	64	–
ODEBU FIX	UL612 AWY-HI	48.28110 2.62611	35,000 ft 10,668 m	24	–
OGULO FIX	UL612 AWY-HI	48.21830 2.66917	35,000 ft 10,668 m	4	–
LUSAR FIX	UQ223 AWY-HI	46.66890 5.17944	34,600 ft 10,546 m	138	–
SAUNI FIX	UM975 AWY-HI	46.62360 5.47778	31,900 ft 9,723 m	12	–
LIRKO FIX	UM975 AWY-HI	46.57090 5.81431	28,900 ft 8,809 m	14	–
MOLUS FIX	UM975 AWY-HI	46.44390 6.67944	21,000 ft 6,401 m	36	–
LIMC APT	–	45.63060 8.72812	0 ft 0 m	98	Milan-Malpensa Airport

EGHH

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 38 ft / 12 m
Location: 50.780100 -1.842480
Magnetic Var: 0.044 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

APP - 119.47 MHz - BOURNMOUTH APPROACH
GND - 121.70 MHz - BOURNMOUTH GROUND
TWR - 125.60 MHz - BOURNMOUTH TOWER
REC - 133.72 MHz - BOURNMOUTH INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft 46 m	7,443 ft 2,269 m	75.26 75.30	ASPHALT	1,411 ft 430 m	0 ft 0 m
26	150 ft 46 m	7,443 ft 2,269 m	255.28 255.33	ASPHALT	0 ft 0 m	167 ft 51 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IBMH	110.50 MHz	20 nm 37 km	- -	-	31 ft 31 m
26	DME	IBH	110.50 MHz	20 nm 37 km	- -	-	31 ft 31 m
08	LOC-ILS	IBMH	110.50 MHz	18 nm 33 km	75.27 75.31	-	38 ft 38 m
26	LOC-ILS	IBH	110.50 MHz	18 nm 33 km	255.27 255.31	-	38 ft 38 m
08	GS	IBMH	110.50 MHz	10 nm 19 km	75.27 75.31	3.00	38 ft 38 m
26	GS	IBH	110.50 MHz	10 nm 19 km	255.27 255.31	3.00	38 ft 38 m

LIMC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 767 ft / 234 m
Location: 45.630600 8.728120
Magnetic Var: 3.109 E

METAR

LIMC 290520Z 01006KT 6000 -DZ BKN025 07/06 Q1010 NOSIG

TAF

TAF LIMC 282300Z 2900/3006 36007KT 8000 BKN030 TEMPO 2905/3006 3000 RA OVC010 BECMG 3004/3006 06010KT

Frequencies

REC - 120.02 MHz - ATIS ARRIVAL
CLD - 120.90 MHz - CLEARANCE DELIVERY
GND - 121.90 MHz - MALPENSA GROUND
TWR - 128.35 MHz - MALPENSA TOWER
APP - 125.62 MHz - MILANO APPROACH
DEP - 126.30 MHz - MILANO DEPARTURE

REC - 121.62 MHz - ATIS DEPARTURE
GND - 121.82 MHz - MALPENSA GROUND
TWR - 119.00 MHz - MALPENSA TOWER
APP - 126.75 MHz - MILANO APPROACH
APP - 132.70 MHz - MILANO APPROACH
DEP - 126.75 MHz - MILANO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	197 ft 60 m	12,873 ft 3,924 m	169.06 165.95	ASPHALT	0 ft 0 m	387 ft 118 m
35L	197 ft 60 m	12,873 ft 3,924 m	349.07 345.96	ASPHALT	1,319 ft 402 m	197 ft 60 m
17L	197 ft 60 m	12,873 ft 3,924 m	169.06 165.96	ASPHALT	3,081 ft 939 m	207 ft 63 m
35R	197 ft 60 m	12,873 ft 3,924 m	349.07 345.96	ASPHALT	0 ft 0 m	180 ft 55 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IMSL	110.75 MHz	25 nm 46 km	- -	-	792 ft 792 m
35L	DME	IMA	109.10 MHz	25 nm 46 km	- -	-	768 ft 768 m
35R	DME	MLP	109.90 MHz	18 nm 33 km	- -	-	713 ft 713 m
17L	LOC-ILS	IMSL	110.75 MHz	18 nm 33 km	169.06 165.95	-	697 ft 697 m
35L	LOC-ILS	IMA	109.10 MHz	18 nm 33 km	349.07 345.96	-	767 ft 767 m
35R	LOC-ILS	MLP	109.90 MHz	18 nm 33 km	349.07 345.96	-	780 ft 780 m
17L	GS	IMSL	110.75 MHz	10 nm 19 km	170.24 167.13	3.00	792 ft 792 m
35L	GS	IMA	109.10 MHz	10 nm 19 km	350.24 347.13	3.00	768 ft 768 m
35R	GS	MLP	109.90 MHz	10 nm 19 km	350.24 347.13	3.00	740 ft 740 m