

# LIBD

Bari Palese Macchie


# LFOB

Beauvais-Tille

2024/05/13 1024Z

LIBD VIE ANC LFOB

793.93 nm / 1470.35 km



## Notes

Requested: LIBD 41505N016162E 41545N016030E VIE ANC LFOB

Unmatched points: 41505N016162E 41545N016030E

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBD	-	41.13787	0 ft	-	Bari Palese Macchie
APT	-	16.75832	0 m		
VIE	-	41.91274	0 ft	56	VIESTE VOR-DME
VOR	-	16.04914	0 m		
ANC	-	43.58667	0 ft	151	ANCONA NDB
NDB	-	13.47222	0 m		
LFOB	-	49.45600	0 ft	585	Beauvais-Tille
APT	-	2.11891	0 m		

## LIBD

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 173 ft / 53 m  
Location: 41.137900 16.758300  
Magnetic Var: 4.392 E

## METAR

LIBD 130950Z 07009KT 040V100 9999 FEW030 22/12 Q1016

## TAF

TAF LIBD 130500Z 1306/1406 VRB05KT CAVOK BECMG 1309/1311 06012KT BECMG 1316/1318 VRB05KT

## Frequencies

REC - 124.05 MHz - ATIS  
TWR - 122.10 MHz - BARI TOWER

TWR - 118.30 MHz - BARI TOWER  
APP - 136.10 MHz - BARI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.00		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	65.00		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	65.00		175 m

## LFOB

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 359 ft / 109 m  
Location: 49.456000 2.118930  
Magnetic Var: 1.343 E

## METAR

LFOB 131000Z AUTO 17009KT 9999 BKN011 BKN018 OVC023 18/14 Q1011 BECMG BKN025

## TAF

TAF LFOB 130500Z 1306/1406 19008KT 9999 BKN025 TEMPO 1306/1309 BKN007 PROB40 TEMPO 1306/1308 4000 BR BKN002 BECMG

## Frequencies

REC - 120.00 MHz - ATIS	REC - 118.37 MHz - ATIS
TWR - 119.90 MHz - BEAUVAIS TOWER	TWR - 121.40 MHz - BEAUVAIS TOWER
APP - 119.90 MHz - BEAUVAIS APPROACH	APP - 121.40 MHz - BEAUVAIS APPROACH
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 133.35 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,952 ft	123.73	ASPHALT	144 ft	0 ft
	45 m	2,424 m	122.39		44 m	0 m
30	148 ft	7,952 ft	303.75	ASPHALT	0 ft	0 ft
	45 m	2,424 m	302.41		0 m	0 m
04	59 ft	2,320 ft	41.41	ASPHALT	0 ft	0 ft
	18 m	707 m	40.07		0 m	0 m
22	59 ft	2,320 ft	221.41	ASPHALT	0 ft	0 ft
	18 m	707 m	220.07		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BVT	111.15 MHz	18 nm	-	-	344 ft
				33 km	-		344 m
30	DME	BI	109.95 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
12	LOC-ILS	BVT	111.15 MHz	18 nm	123.75	-	359 ft
				33 km	122.41		359 m
30	LOC-LOC	BI	109.95 MHz	18 nm	303.75	-	359 ft
				33 km	302.41		359 m
12	GS	BVT	111.15 MHz	10 nm	123.75	3.00	359 ft
				19 km	122.41		359 m