LGAV

Athens Intl Airport Elefterios Venizel


LFPO

Paris Orly

2024/03/28 0945Z

LGAV VARDI **UL995** BRD **UL612** ANC **UL982** SRN **UL153** DJL **UH10** OBURO LFPO

1150.21 nm / 2130.19 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LGAV APT	- -	37.93636 23.94447	0 ft 0 m	-	Athens Intl Airport Elefterios Venizel
VARDI FIX	- -	38.67194 21.95111	34,000 ft 10,363 m	103	-
KRK VOR	UL995 AWY-HI	39.44389 20.07278	34,000 ft 10,363 m	99	KERKIRA VOR-DME
TIGRA FIX	UL995 AWY-HI	40.05667 19.00000	34,000 ft 10,363 m	61	-
BRD VOR	UL995 AWY-HI	40.61083 18.00278	34,000 ft 10,363 m	56	BRINDISI VORTAC
UVOKA FIX	UL612 AWY-HI	41.37972 16.86361	34,000 ft 10,363 m	69	-
VIE VOR	UL612 AWY-HI	41.91274 16.04914	34,000 ft 10,363 m	48	VIESTE VOR-DME
POLYP FIX	UL612 AWY-HI	42.47833 15.20250	34,000 ft 10,363 m	50	-
ARPIK FIX	UL612 AWY-HI	42.74694 14.79222	34,000 ft 10,363 m	24	-
NUTRO FIX	UL612 AWY-HI	43.16000 14.14917	34,000 ft 10,363 m	37	-
ANC VOR	UL612 AWY-HI	43.58639 13.47111	34,000 ft 10,363 m	39	ANCONA VOR-DME
FER NDB	UL982 AWY-HI	44.81444 11.61639	34,000 ft 10,363 m	108	FERRARA NDB
MAMTO FIX	UL982 AWY-HI	45.31639 10.21222	34,000 ft 10,363 m	66	-
KAMPA FIX	UL982 AWY-HI	45.39000 10.00000	34,000 ft 10,363 m	9	-
TZO VOR	UL982 AWY-HI	45.55916 9.50722	34,000 ft 10,363 m	23	TREZZO VOR-DME
SRN NDB	UL982 AWY-HI	45.64667 9.02278	34,000 ft 10,363 m	21	SARONNO NDB
IXORA FIX	UL153 AWY-HI	45.83667 8.58889	34,000 ft 10,363 m	21	-
ARLES FIX	UL153 AWY-HI	45.92944 8.37500	34,000 ft 10,363 m	10	-
PUNSA FIX	UL153 AWY-HI	46.07861 8.02583	34,000 ft 10,363 m	17	-
SOSAL FIX	UL153 AWY-HI	46.55806 6.88444	34,000 ft 10,363 m	55	-
VADEM FIX	UL153 AWY-HI	46.72167 6.48333	34,000 ft 10,363 m	19	-
BIBOT FIX	UL153 AWY-HI	46.75139 6.41028	34,000 ft 10,363 m	3	-
ROMTA FIX	UL153 AWY-HI	46.97028 5.85722	34,000 ft 10,363 m	26	-
DJL VOR	UL153 AWY-HI	47.27078 5.09733	30,100 ft 9,174 m	35	DIJON-LONGVIC VOR-DME
OBURO FIX	UH10 AWY-HI	47.65167 4.26472	20,300 ft 6,187 m	40	-
LFPO APT	- -	48.72636 2.36703	0 ft 0 m	99	Paris Orly

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.096 E

METAR

LGAV 280920Z 23008KT 9999 FEW025 20/11 Q1011 NOSIG

TAF

TAF TAF LGAV 280500Z 2806/2906 VRB05KT 9999 FEW025 TEMPO 2812/2815 28010KT

Frequencies

REC - 136.12 MHz - ATIS
REC - 124.02 MHz - ATHENS INFORMATION
TWR - 122.10 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY
APP - 130.25 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH
APP - 118.47 MHz - ATHENS DIRECT
DEP - 128.95 MHz - ATHENS DEPARTURE
REC - 131.17 MHz - ATHENS INFORMATION
TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.80 MHz - VENIZELOS GROUND
APP - 132.97 MHz - ATHENS APPROACH
APP - 128.95 MHz - ATHENS APPROACH
APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS DIRECT
DEP - 118.30 MHz - ATHENS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft 46 m	13,135 ft 4,004 m	36.87 31.78	ASPHALT	984 ft 300 m	394 ft 120 m
21L	151 ft 46 m	13,135 ft 4,004 m	216.89 211.79	ASPHALT	984 ft 300 m	394 ft 120 m
03L	151 ft 46 m	12,478 ft 3,803 m	36.86 31.76	ASPHALT	984 ft 300 m	394 ft 120 m
21R	151 ft 46 m	12,478 ft 3,803 m	216.87 211.78	ASPHALT	984 ft 300 m	394 ft 120 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm 33 km	- -	-	255 ft 255 m
21L	DME	IEVL	111.10 MHz	18 nm 33 km	- -	-	303 ft 303 m
21R	DME	IEVR	110.50 MHz	18 nm 33 km	- -	-	282 ft 282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm 33 km	36.52 31.43	-	282 ft 282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm 33 km	36.97 31.88	-	302 ft 302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm 33 km	216.52 211.42	-	271 ft 271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm 33 km	216.50 211.41	-	255 ft 255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.94		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.97		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.97		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.94		282 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.434 E

METAR

LFPO 280930Z 21017G30KT 9999 SCT025 BKN033 09/04 Q0989 TEMPO 21020G35KT 4000 -SHRA

TAF

TAF LFPO 280500Z 2806/2912 19015G25KT 9999 SCT015 SCT040 TEMPO 2806/2817 22015G35KT PROB30 TEMPO 2809/2816 4000 -

Frequencies

REC - 126.50 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT
GND - 121.82 MHz - ORLY GROUND
TWR - 120.50 MHz - ORLY TOWER
APP - 123.87 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE

REC - 131.35 MHz - ORLY ATIS
GND - 121.70 MHz - ORLY GROUND
TWR - 118.70 MHz - ORLY TOWER
APP - 118.85 MHz - PARIS APPROACH
APP - 124.45 MHz - PARIS APPROACH
DEP - 127.75 MHz - PARIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft 45 m	11,953 ft 3,643 m	61.78 60.35	ASPHALT	984 ft 300 m	482 ft 147 m
24	148 ft 45 m	11,953 ft 3,643 m	241.82 240.38	ASPHALT	0 ft 0 m	492 ft 150 m
07	148 ft 45 m	10,868 ft 3,313 m	74.34 72.91	CONCRETE	0 ft 0 m	0 ft 0 m
25	148 ft 45 m	10,868 ft 3,313 m	254.38 252.94	CONCRETE	1,427 ft 435 m	0 ft 0 m
02	197 ft 60 m	7,875 ft 2,400 m	18.30 16.87	CONCRETE	0 ft 0 m	492 ft 150 m
20	197 ft 60 m	7,875 ft 2,400 m	198.31 196.88	CONCRETE	0 ft 0 m	492 ft 150 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm 33 km	- -	-	291 ft 291 m
24	DME	OLO	110.90 MHz	18 nm 33 km	- -	-	291 ft 291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm 33 km	18.31 16.88	-	291 ft 291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm 33 km	61.80 60.37	-	291 ft 291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm 33 km	74.36 72.93	-	291 ft 291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm 33 km	241.80 240.37	-	291 ft 291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm 33 km	254.36 252.93	-	291 ft 291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.94		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.88		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.37		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.93		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.37		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.93		291 m