


2024/05/04 1209Z

KLAX RENOC RIELY CITYS DASBI SAVIT BISPO BOTER CB RB LT SOTIS SUPEG ANDAT RD RELOG TIMUS ATMED
AKT **G167** RUTIL ULDUS TRN SYZ **G666** ORSAR OMDB

7335.31 nm / 13585.00 km



Notes

Requested: KLAX RENOC RIELY CITYS DASBI SAVIT BISPO BOTER CB RB LT SOTIS SUPEG ANDAT RD RELOG TIMUS ATMED A357 AKT
Unmatched points: A357

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX	-	33.94313	0 ft	-	Los Angeles Intl
APT	-	-118.40892	0 m	-	
RENOC	-	40.18242	0 ft	380	-
FIX	-	-119.72905	0 m	-	-
RIELY	-	43.63333	0 ft	208	-
FIX	-	-119.28333	0 m	-	-
CITYS	-	46.19507	0 ft	155	-
FIX	-	-118.79417	0 m	-	-
DASBI	-	49.49333	0 ft	200	-
FIX	-	-118.06167	0 m	-	-
SAVIT	-	51.88333	0 ft	145	-
FIX	-	-117.50000	0 m	-	-
BISPO	-	56.93778	0 ft	308	-
FIX	-	-115.90028	0 m	-	-
BOTER	-	63.75556	0 ft	418	-
FIX	-	-112.95972	0 m	-	-
CB	-	69.11478	0 ft	373	CAMBRIDGE BAY NDB
NDB	-	-105.01592	0 m	-	
RB	-	74.74714	0 ft	385	RESOLUTE BAY NDB
NDB	-	-94.99503	0 m	-	
LT	-	82.52583	0 ft	589	ALERT NDB
NDB	-	-62.21139	0 m	-	
SOTIS	-	65.68333	0 ft	1613	-
FIX	-	40.13056	0 m	-	-
SUPEG	-	61.41194	0 ft	277	-
FIX	-	44.05778	0 m	-	-
ANDAT	-	59.51667	0 ft	121	-
FIX	-	45.49778	0 m	-	-
RD	-	54.88333	0 ft	313	BAZARNYYE MATAKI NDB
NDB	-	49.91500	0 m	-	
RELOG	-	54.72833	0 ft	10	-
FIX	-	50.04500	0 m	-	-
TIMUS	-	53.80500	0 ft	56	-
FIX	-	50.38333	0 m	-	-
ATMED	-	53.23333	0 ft	34	-
FIX	-	50.36667	0 m	-	-
AKT	-	43.85861	0 ft	563	AKTAU VOR-DME
VOR	-	51.10194	0 m	-	
OBENA	G167	43.31861	0 ft	32	-
FIX	AWY-LO	51.09333	0 m	-	-
AKUKU	G167	42.84333	0 ft	28	-
FIX	AWY-LO	51.08583	0 m	-	-
RUTIL	G167	42.18139	0 ft	39	-
FIX	AWY-LO	51.07583	0 m	-	-
ULDUS	-	37.99907	0 ft	251	-
FIX	-	51.01673	0 m	-	-
TRN	-	35.69697	0 ft	138	TEHRAN VOR-DME
VOR	-	51.28378	0 m	-	
SYZ	-	29.54017	0 ft	375	SHIRAZ SHAHID DASTGHAIB VOR-DM
VOR	-	52.58878	0 m	-	
KUPTO	G666	28.40500	0 ft	70	-
FIX	AWY-HI	52.90889	0 m	-	-
LAM	G666	27.36714	0 ft	64	LAMERD NDB

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NDB	AWY-HI	53.19522	0 m		
LVA	G666	26.81214	0 ft	34	LAVAN ISLAND VOR-DME
VOR	AWY-LO	53.35594	0 m		
DATUT	G666	26.56167	0 ft	18	-
FIX	AWY-LO	53.56194	0 m		
ORSAR	G666	26.07500	0 ft	36	-
FIX	AWY-HI	53.95833	0 m		
OMDB	-	25.25491	0 ft	90	DUBAI INTL
APT	-	55.36426	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.443 E

METAR

KLAX 041053Z 30007KT 10SM BKN013 OVC019 14/12 A2989 RMK A02 SLP118 T01440117

TAF

TAF KLAX 041131Z 0412/0518 28006KT P6SM OVC015 FM041500 26007KT P6SM OVC022 FM042000 26015KT P6SM BKN035 FM050400

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.51		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.53		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.52		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 041100Z 03008KT 350V070 CAVOK 36/15 Q1008 NOSIG

TAF

TAF OMDB 041100Z 0412/0518 35012KT 8000 NSC BECMG 0415/0417 13005KT PROB30 0502/0504 4000 HZ BECMG 0506/0508 3001

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m