MMSD
LOS CABOS INTL


-

KATL
Hartsfield Jackson Atlanta Intl

2024/03/29 0614Z

MMSD SJD **UJ32** CUL **UJ10** TRC **UJ20** NLD **J22** MEI **J239** WEONE KATL

1501.85 nm / 2781.43 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMSD APT	–	23.15185 -109.72104	0 ft 0 m	–	LOS CABOS INTL
SJD VOR	–	23.14616 -109.72154	100 ft 30 m	0	CABOS VOR-DME
CUL VOR	UJ32 AWY-HI	24.76443 -107.47728	35,000 ft 10,668 m	156	CULIACAN VOR-DME
ARGON FIX	UJ10 AWY-HI	25.13683 -105.95761	35,000 ft 10,668 m	85	–
RODEO FIX	UJ10 AWY-HI	25.33925 -104.78429	35,000 ft 10,668 m	64	–
TRC VOR	UJ10 AWY-HI	25.56396 -103.40841	35,000 ft 10,668 m	75	TORREON VOR-DME
HORNO FIX	UJ20 AWY-HI	26.63749 -101.92116	35,000 ft 10,668 m	102	–
MOV VOR	UJ20 AWY-HI	26.95550 -101.47103	35,000 ft 10,668 m	30	MONCLOVA VOR-DME
USBAR FIX	UJ20 AWY-HI	27.24983 -100.32558	35,000 ft 10,668 m	63	–
NLD VOR	UJ20 AWY-HI	27.43939 -99.56458	35,000 ft 10,668 m	42	NEWLA VOR-DME
LRD04 FIX	J22 AWY-HI	27.45594 -99.49324	35,000 ft 10,668 m	3	–
LRD VOR	J22 AWY-HI	27.47875 -99.41767	35,000 ft 10,668 m	4	LAREDO VORTAC
CRP DME	J22 AWY-HI	27.90377 -97.44488	35,000 ft 10,668 m	107	CORPUS CHRISTI VORTAC
HYNES FIX	J22 AWY-HI	28.38572 -96.81109	35,000 ft 10,668 m	44	–
PSX VOR	J22 AWY-HI	28.76442 -96.30619	35,000 ft 10,668 m	35	PALACIOS VORTAC
HEIGH FIX	J22 AWY-HI	29.64699 -94.28564	35,000 ft 10,668 m	118	–
LCH DME	J22 AWY-HI	30.14151 -93.10557	35,000 ft 10,668 m	68	LAKE CHARLES VORTAC
MCB DME	J22 AWY-HI	31.30445 -90.25820	35,000 ft 10,668 m	162	MC COMB VORTAC
MEI VOR	J22 AWY-HI	32.37844 -88.80428	35,000 ft 10,668 m	98	MERIDIAN VORTAC
JAMMR FIX	J239 AWY-HI	33.23214 -86.94232	27,400 ft 8,352 m	107	–
WEONE FIX	J239 AWY-HI	33.52569 -85.12225	23,000 ft 7,010 m	92	–
KATL APT	– –	33.63662 -84.42821	0 ft 0 m	35	Hartsfield Jackson Atlanta Intl

KATL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 5

Elevation: 1,026 ft / 313 m
Location: 33.636600 -84.428000
Magnetic Var: 5.621 W

METAR

KATL 290552Z 31005KT 10SM CLR 10/M02 A3018 RMK AO2 SLP217 T01001022 10172 20094 51015

TAF

TAF KATL 290520Z 2906/3012 32005KT P6SM SKC FM291900 26006KT P6SM FEW250 FM300000 24004KT P6SM SKC

Frequencies

REC - 119.65 MHz - D-ATIS
COM - 122.95 MHz - UNICOM
GND - 121.65 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND
TWR - 119.30 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE

REC - 125.55 MHz - D-ATIS
CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.75 MHz - ATLANTA GROUND
TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.50 MHz - ATLANTA TOWER
TWR - 125.32 MHz - ATLANTA TOWER
APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.70 MHz - ATLANTA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft 46 m	12,400 ft 3,780 m	89.99 95.61	CONCRETE	0 ft 0 m	0 ft 0 m
27R	151 ft 46 m	12,400 ft 3,780 m	270.01 275.63	CONCRETE	518 ft 158 m	0 ft 0 m
09R	151 ft 46 m	9,008 ft 2,746 m	89.98 95.60	CONCRETE	0 ft 0 m	0 ft 0 m
27L	151 ft 46 m	9,008 ft 2,746 m	269.99 275.61	CONCRETE	0 ft 0 m	0 ft 0 m
08L	151 ft 46 m	9,008 ft 2,746 m	89.98 95.60	CONCRETE	0 ft 0 m	0 ft 0 m
26R	151 ft 46 m	9,008 ft 2,746 m	269.99 275.61	CONCRETE	0 ft 0 m	0 ft 0 m
10	151 ft 46 m	9,008 ft 2,746 m	89.97 95.59	CONCRETE	0 ft 0 m	0 ft 0 m
28	151 ft 46 m	9,008 ft 2,746 m	269.99 275.61	CONCRETE	0 ft 0 m	0 ft 0 m
08R	151 ft 46 m	10,009 ft 3,051 m	89.98 95.60	CONCRETE	0 ft 0 m	0 ft 0 m
26L	151 ft 46 m	10,009 ft 3,051 m	269.99 275.61	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFW	109.30 MHz	18 nm 33 km	- -	-	993 ft 993 m
08R	DME	IATL	109.90 MHz	18 nm 33 km	- -	-	1,026 ft 1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm 33 km	– –	–	978 ft 978 m
09R	DME	IFUN	108.90 MHz	18 nm 33 km	– –	–	987 ft 987 m
10	DME	IOMO	111.55 MHz	18 nm 33 km	– –	–	970 ft 970 m
26L	DME	IBRU	108.70 MHz	18 nm 33 km	– –	–	1,026 ft 1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm 33 km	– –	–	1,000 ft 1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm 33 km	– –	–	1,020 ft 1,020 m
27R	DME	IAFA	111.30 MHz	18 nm 33 km	– –	–	978 ft 978 m
28	DME	IPKU	111.75 MHz	18 nm 33 km	– –	–	970 ft 970 m
08L	LOC-ILS	IHFW	109.30 MHz	18 nm 33 km	89.98 95.60	–	1,026 ft 1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm 33 km	89.99 95.61	–	1,026 ft 1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm 33 km	90.01 95.63	–	968 ft 968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm 33 km	89.98 95.60	–	1,026 ft 1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm 33 km	89.98 95.60	–	970 ft 970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm 33 km	269.98 275.60	–	1,026 ft 1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm 33 km	269.98 275.60	–	1,026 ft 1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm 33 km	269.98 275.60	–	1,026 ft 1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm 33 km	270.00 275.62	–	1,026 ft 1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm 33 km	269.97 275.59	–	970 ft 970 m
08L	GS	IHFW	109.30 MHz	10 nm 19 km	90.96 96.58	3.00	1,008 ft 1,008 m
08R	GS	IATL	109.90 MHz	10 nm 19 km	90.96 96.58	3.00	1,012 ft 1,012 m
09L	GS	IHZK	110.50 MHz	10 nm 19 km	90.02 95.64	3.00	1,017 ft 1,017 m
09R	GS	IFUN	108.90 MHz	10 nm 19 km	90.96 96.58	3.00	1,021 ft 1,021 m
10	GS	IOMO	111.55 MHz	10 nm 19 km	90.94 96.56	3.00	985 ft 985 m
26L	GS	IBRU	108.70 MHz	10 nm 19 km	270.96 276.58	3.00	992 ft 992 m
26R	GS	IGXZ	110.10 MHz	10 nm 19 km	270.96 276.58	3.00	984 ft 984 m
27L	GS	IFSQ	108.50 MHz	10 nm 19 km	270.96 276.58	3.00	990 ft 990 m
27R	GS	IAFA	111.30 MHz	10 nm 19 km	270.02 275.64	3.00	981 ft 981 m
28	GS	IPKU	111.75 MHz	10 nm 19 km	270.94 276.56	3.00	990 ft 990 m