

OKBK

Kuwait International Airport


EHAM

Amsterdam Schiphol Airport

2024/05/19 1826Z

OKBK GADSI **L602** ITBIT **UM860** KABAN **UR21** SRT **UM860** RENGU NAREN **UM860** KONUK EBEDI **UM860** KUGOS **L851**
ADINA **L624** GLT **P746** BCU **L623** RUMUK **W425** KSC **R232** PPD **P27** MAKAL **L624** LABUK **Y444** ELMEK **L602** VARIK
UL602 HMM **UL620** SUVVOX EHAM

2413.89 nm / 4470.52 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OKBK APT	-	29.22670 47.98000	0 ft 0 m	-	Kuwait International Airport
GADSI FIX	-	30.56610 47.18780	32,200 ft 9,815 m	90	-
ALPET FIX	L602 AWY-HI	31.20530 46.31220	35,000 ft 10,668 m	59	-
ITBIT FIX	L602 AWY-HI	31.79310 45.48810	35,000 ft 10,668 m	55	-
ULIMA FIX	UM860 AWY-LO	32.25000 45.26670	35,000 ft 10,668 m	29	-
LONOR FIX	UM860 AWY-LO	32.64420 45.08280	35,000 ft 10,668 m	25	-
SEPTU FIX	UM860 AWY-LO	33.21670 44.73330	35,000 ft 10,668 m	38	-
ITOVA FIX	UM860 AWY-LO	33.33080 44.69140	35,000 ft 10,668 m	7	-
PUTSI FIX	UM860 AWY-LO	33.53330 44.61670	35,000 ft 10,668 m	12	-
TAGRU FIX	UM860 AWY-LO	34.49970 44.13810	35,000 ft 10,668 m	62	-
UMESA FIX	UM860 AWY-LO	35.29470 43.71860	35,000 ft 10,668 m	52	-
SEVKU FIX	UM860 AWY-HI	36.09670 43.28780	35,000 ft 10,668 m	52	-
EMIDO FIX	UM860 AWY-HI	36.77000 42.91500	35,000 ft 10,668 m	44	-
KABAN FIX	UM860 AWY-HI	37.24890 42.64970	35,000 ft 10,668 m	31	-
SRT VOR	UR21 AWY-HI	37.90940 41.88220	35,000 ft 10,668 m	53	SIIRT
RENGI FIX	UM860 AWY-HI	38.46390 41.08000	35,000 ft 10,668 m	50	-
NAREN FIX	-	38.63060 40.82500	35,000 ft 10,668 m	15	-
TALIL FIX	UM860 AWY-HI	39.18890 39.97220	35,000 ft 10,668 m	52	-
KONUK FIX	UM860 AWY-HI	39.51170 39.46810	35,000 ft 10,668 m	30	-
EBEDI FIX	-	39.72500 39.12360	35,000 ft 10,668 m	20	-
ODALI FIX	UM860 AWY-HI	40.32780 38.15000	35,000 ft 10,668 m	57	-
CRM VOR	UM860 AWY-HI	41.26550 36.54890	35,000 ft 10,668 m	92	CARSAMBA
SIN DME	UM860 AWY-HI	42.02220 35.07670	35,000 ft 10,668 m	80	SINOP VOR-DME
KUGOS FIX	UM860 AWY-HI	42.78060 34.08780	35,000 ft 10,668 m	63	-
SUGUL FIX	L851 AWY-HI	43.11830 32.97170	35,000 ft 10,668 m	53	-
LAGIR FIX	L851 AWY-HI	43.29330 32.31500	35,000 ft 10,668 m	30	-
ROMOK	L851	43.47330	35,000 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	31.72830	10,668 m		
BANUR	L851	43.68330	35,000 ft	35	-
FIX	AWY-HI	30.96670	10,668 m		
ADINA	L851	43.80330	35,000 ft	21	-
FIX	AWY-HI	30.50500	10,668 m		
GALMI	L624	44.13330	35,000 ft	28	-
FIX	AWY-HI	30.02560	10,668 m		
LUPUK	L624	44.41280	35,000 ft	24	-
FIX	AWY-HI	29.61280	10,668 m		
TIRVO	L624	44.99250	35,000 ft	51	-
FIX	AWY-HI	28.73640	10,668 m		
DUNAV	L624	45.12720	35,000 ft	13	-
FIX	AWY-HI	28.48190	10,668 m		
GLT	L624	45.41630	35,000 ft	29	GALATI
VOR	AWY-HI	27.92770	10,668 m		
BCU	P746	46.51090	35,000 ft	80	BACAU
VOR	AWY-HI	26.82550	10,668 m		
INBID	L623	46.79360	35,000 ft	30	-
FIX	AWY-HI	26.20940	10,668 m		
BUKUR	L623	47.12030	35,000 ft	35	-
FIX	AWY-HI	25.47860	10,668 m		
BIBOR	L623	47.26920	35,000 ft	16	-
FIX	AWY-HI	25.13920	10,668 m		
RUMUK	L623	48.02670	35,000 ft	85	-
FIX	AWY-HI	23.34330	10,668 m		
SR	W425	48.53300	35,000 ft	44	SEREDNIE
NDB	AWY-LO	22.51490	10,668 m		
LASOT	W425	48.63470	35,000 ft	12	-
FIX	AWY-LO	22.24580	10,668 m		
BIDLI	W425	48.65000	35,000 ft	11	-
FIX	AWY-LO	21.94920	10,668 m		
EVULA	W425	48.66420	35,000 ft	11	-
FIX	AWY-LO	21.66280	10,668 m		
KSC	W425	48.68310	35,000 ft	16	KOSICE
VOR	AWY-LO	21.24820	10,668 m		
MARKA	R232	48.90220	35,000 ft	25	-
FIX	AWY-LO	20.69360	10,668 m		
PPD	R232	49.06480	35,000 ft	16	TATRY
VOR	AWY-LO	20.35000	10,668 m		
LIPMU	P27	49.12310	35,000 ft	28	-
FIX	AWY-LO	19.62310	10,668 m		
ZLA	P27	49.20290	35,000 ft	43	ZILINA
NDB	AWY-LO	18.51050	10,668 m		
MAKAL	P27	49.24600	35,000 ft	13	-
FIX	AWY-LO	18.16570	10,668 m		
LABUK	L624	49.49850	35,000 ft	33	-
FIX	AWY-HI	17.41080	10,668 m		
ELMEK	Y444	49.90390	35,000 ft	133	-
FIX	AWY-HI	14.02990	10,668 m		
DONAD	L602	50.08080	35,000 ft	41	-
FIX	AWY-HI	13.00000	10,668 m		
SOPGA	L602	50.17700	35,000 ft	12	-
FIX	AWY-HI	12.71880	10,668 m		
VARIK	L602	50.29110	35,000 ft	14	-
FIX	AWY-HI	12.38110	10,668 m		
PEROX	UL602	50.34470	35,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	12.19940	10,668 m		
SODRO	UL602	50.46470	35,000 ft	15	-
FIX	AWY-HI	11.82720	10,668 m		
TABAT	UL602	50.55850	35,000 ft	12	-
FIX	AWY-HI	11.53120	10,668 m		
BAMKI	UL602	50.71810	35,000 ft	21	-
FIX	AWY-HI	11.02020	10,668 m		
TAMEB	UL602	50.80780	35,000 ft	12	-
FIX	AWY-HI	10.73000	10,668 m		
ROBEL	UL602	50.89750	35,000 ft	12	-
FIX	AWY-HI	10.43510	10,668 m		
KEMAD	UL602	51.12360	35,000 ft	31	-
FIX	AWY-HI	9.67500	10,668 m		
HMM	UL602	51.85690	23,900 ft	85	HAMM
VOR	AWY-HI	7.70829	7,285 m		
SUVOX	UL620	51.96920	19,000 ft	23	-
FIX	AWY-HI	7.10806	5,791 m		
EHAM	-	52.30810	0 ft	88	Amsterdam Schiphol Airport
APT	-	4.76417	0 m		

OKBK

Region: KUWAIT
Timezone: ASIA/KUWAIT
Runways: 2

Elevation: 204 ft / 62 m
Location: 29.226800 47.979900
Magnetic Var: 3.914 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.30 MHz - KUWAIT TOWER
REC - 126.22 MHz - KUWAIT ATIS
APP - 124.80 MHz - KUWAIT APPROACH

GND - 121.70 MHz - KUWAIT GROUND
APP - 121.30 MHz - KUWAIT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	11,205 ft	155.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	151.20		0 m	0 m
33L	148 ft	11,205 ft	335.12	CONCRETE	0 ft	0 ft
	45 m	3,415 m	331.21		0 m	0 m
15L	148 ft	11,515 ft	155.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	151.21		0 m	120 m
33R	148 ft	11,515 ft	335.13	ASPHALT	0 ft	394 ft
	45 m	3,510 m	331.22		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IKIC	110.10 MHz	18 nm	-	-	208 ft
				33 km	-		208 m
15R	DME	IKIB	111.30 MHz	18 nm	-	-	196 ft
				33 km	-		196 m
33L	DME	IKIA	109.50 MHz	18 nm	-	-	201 ft
				33 km	-		201 m
33R	DME	IKID	110.50 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
15L	LOC-ILS	IKIC	110.10 MHz	18 nm	155.13	-	204 ft
				33 km	151.22		204 m
15R	LOC-ILS	IKIB	111.30 MHz	18 nm	155.12	-	204 ft
				33 km	151.21		204 m
33L	LOC-ILS	IKIA	109.50 MHz	18 nm	335.12	-	204 ft
				33 km	331.21		204 m
33R	LOC-ILS	IKID	110.50 MHz	18 nm	335.13	-	204 ft
				33 km	331.22		204 m
15L	GS	IKIC	110.10 MHz	10 nm	155.13	3.00	204 ft
				19 km	151.22		204 m
15R	GS	IKIB	111.30 MHz	10 nm	155.12	3.00	204 ft
				19 km	151.21		204 m
33L	GS	IKIA	109.50 MHz	10 nm	335.12	3.00	204 ft
				19 km	331.21		204 m
33R	GS	IKID	110.50 MHz	10 nm	335.13	3.00	204 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	331.22		204 m

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.046 E

METAR

EHAM 191755Z 01012KT 320V050 CAVOK 20/08 Q1011 NOSIG

TAF

TAF TAF EHAM 191703Z 1918/2024 01013KT CAVOK BECMG 1918/1921 36008KT PROB30 2002/2007 7000 BKN007 TEMPO 2011/2018

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m