


2024/05/06 0459Z

FMMT GATLA **UB459** UVGET **UG661** ANDIL FMNN

365.46 nm / 676.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FMMT	-	-18.10952	0 ft	-	TOAMASINA
APT	-	49.39254	0 m		
GATLA	-	-16.62361	32,900 ft	95	-
FIX	-	48.81750	10,028 m		
TIKAP	UB459	-16.02111	35,000 ft	41	-
FIX	AWY-HI	49.17028	10,668 m		
UVGET	UB459	-15.00583	33,000 ft	70	-
FIX	AWY-HI	49.76861	10,058 m		
ANDIL	UG661	-13.71306	24,500 ft	128	-
FIX	AWY-HI	48.00611	7,468 m		
FMNN	-	-13.31207	0 ft	30	FASCENE
APT	-	48.31482	0 m		

FMMT

Region: COMOROS, MAYOTTE, RÉUNION AND MADAGASCARElevation: 22 ft / 7 m
Timezone: INDIAN/ANTANANARIVO Location: -18.109600 49.392600
Runways: 1 Magnetic Var: 14.860 W

METAR

FMMT 060400Z 25005KT 9999 VCSH FEW007 SCT017TCU BKN033 21/20 Q1018 TEMPO 3500 SHRA

TAF

TAF FMMT 052300Z 0600/0624 20010G20KT 9000 FEW007 SCT017TCU BKN033 PROB40 TEMPO 0600/0624 4000 SHRA

Frequencies

TWR - 118.30 MHz - TOAMASINA TOWER

APP - 118.30 MHz - TOAMASINA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	131 ft	7,275 ft	353.82	ASPHALT	0 ft	98 ft
	40 m	2,217 m	8.68		0 m	30 m
19	131 ft	7,275 ft	173.82	ASPHALT	0 ft	197 ft
	40 m	2,217 m	188.68		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	TO	110.30 MHz	18 nm	173.77	-	22 ft
				33 km	188.63		22 m
19	GS	TO	110.30 MHz	10 nm	174.80	3.00	22 ft
				19 km	189.66		22 m