

LFPG

Paris Charles De Gaulle


EDDW

Bremen

2024/05/09 2240Z

LFPG ARDEN **UZ706** NOR **UM170** ABAMI **Z907** HMM EDDW

348.44 nm / 645.32 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
ARDEN FIX	-	49.86190 4.85778	35,000 ft 10,668 m	103	-
KOMOB FIX	UZ706 AWY-HI	50.14390 5.37361	35,000 ft 10,668 m	26	-
LEND0 FIX	UZ706 AWY-HI	50.62530 6.27861	35,000 ft 10,668 m	45	-
NOR FIX	UZ706 AWY-HI	50.84060 6.69417	32,900 ft 10,028 m	20	-
BAM DME	UM170 AWY-HI	51.32780 7.17698	25,500 ft 7,772 m	34	BARMEN VORTAC
ABAMI FIX	UM170 AWY-HI	51.42500 7.28056	24,000 ft 7,315 m	7	-
HMM VOR	Z907 AWY-LO	51.85690 7.70829	17,400 ft 5,304 m	30	HAMM
EDDW APT	-	53.04570 8.78900	0 ft 0 m	81	Bremen

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.495 E

METAR

LFPG 092230Z 03008KT CAVOK 14/10 Q1023 NOSIG

TAF

TAF LFPG 091700Z 0918/1024 05010KT CAVOK TX23/1014Z TN09/1005Z PROB30 TEMPO 1004/1005 3000 BR

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

EDDW

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 14 ft / 4 m
Location: 53.045700 8.789000
Magnetic Var: 3.302 E

METAR

EDDW 092220Z AUTO 10003KT 060V130 CAVOK 13/10 Q1024

TAF

TAF EDDW 091700Z 0918/1018 36006KT CAVOK BECMG 0918/0920 VRB03KT PROB30 TEMPO 1001/1006 1200 BCFG BECMG 1007/1009

Frequencies

GND - 121.75 MHz -
TWR - 118.50 MHz -
APP - 124.80 MHz - RADAR

TWR - 125.10 MHz - INFO
TWR - 134.82 MHz -
APP - 136.27 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	75 ft	2,299 ft	51.50	ASPHALT	0 ft	0 ft
	23 m	701 m	48.20		0 m	0 m
23	75 ft	2,299 ft	231.51	ASPHALT	0 ft	0 ft
	23 m	701 m	228.21		0 m	0 m
09	148 ft	8,616 ft	87.78	ASPHALT	945 ft	0 ft
	45 m	2,626 m	84.48		288 m	0 m
27	148 ft	8,616 ft	267.82	ASPHALT	984 ft	0 ft
	45 m	2,626 m	264.51		300 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IBRE	110.30 MHz	18 nm	87.80	-	14 ft
				33 km	84.50		14 m
27	LOC-ILS	IBRW	110.90 MHz	18 nm	267.80	-	14 ft
				33 km	264.50		14 m
09	GS	IBRE	110.30 MHz	10 nm	87.80	3.00	14 ft
				19 km	84.50		14 m
27	GS	IBRW	110.90 MHz	10 nm	267.80	3.00	14 ft
				19 km	264.50		14 m