


EHAM
Schiphol

UUEE
Moscou Sheremetyevo

2024/05/10 2143Z

EHAM ANDIK GRONY EEL BINKA UNDUK GRUDA BOKSU LAVAR OGUTA FK UM UUEE

1187.51 nm / 2199.26 km



Notes

Requested: EHAM ANDIK UN873 GRONY UM105 EEL UN125 WSN UL23 BINKA L23 UNDUK L23 GRUDA N858 BOKSU LAVAR N858 OGUTA R8
Unmatched points: UN873 UM105 UN125 WSN UL23 N858 N858 R800

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.31485 4.75812	0 ft 0 m	-	Schiphol
ANDIK FIX	-	52.73940 5.27049	0 ft 0 m	31	-
GRONY FIX	-	53.10547 6.05497	0 ft 0 m	35	-
EEL VOR	-	53.16391 6.66667	0 ft 0 m	22	EELDE VOR-DME
BINKA FIX	-	53.75880 14.27444	0 ft 0 m	274	-
UNDUK FIX	-	53.57611 17.97639	0 ft 0 m	132	-
GRUDA FIX	-	53.52111 18.78139	0 ft 0 m	28	-
BOKSU FIX	-	54.30750 23.05917	0 ft 0 m	158	-
LAVAR FIX	-	54.69139 25.73667	0 ft 0 m	96	-
OGUTA FIX	-	55.19167 30.96472	0 ft 0 m	182	-
FK NDB	-	55.55528 35.02194	0 ft 0 m	140	GAGARIN NDB
UM NDB	-	55.86194 36.91111	0 ft 0 m	66	IVANOVSKOYE NDB
UUEE APT	-	55.97264 37.41459	0 ft 0 m	18	Moscou Sheremetyevo

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.043 E

METAR

EHAM 102125Z 04007KT CAVOK 15/13 Q1023 NOSIG

TAF

TAF EHAM 101701Z 1018/1124 06008KT CAVOK PROB30 TEMPO 1102/1105 5000 BR BKN005

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.977 E

METAR

UUEE 102130Z 29003G08MPS 9999 -RA OVC024 08/06 Q1005 R24L/290051 R24C/290051 NOSIG

TAF

TAF UUEE 101950Z 1021/1121 25006MPS 9000 BKN016 TX10/1112Z TN03/1103Z TEMPO 1021/1106 3200 -SHRA BKN006 SCT012CB

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.01		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m