

TFFR

Point a Pitre - Le Raizet


LFPO

Paris Orly

2024/05/11 2110Z

TFFR BOSET 1800N0-6000W 2000N0-5800W 2100N0-5700W 2200N0-5600W 2300N0-5400W 2500N0-5200W
2600N0-5100W 2700N0-5000W 2800N0-4900W 2900N0-4700W 3000N0-4500W 3200N0-4300W 3300N0-4200W
3400N0-4100W 3500N0-3900W 3600N0-3700W 3700N0-3500W INBOX **H131** VFL **H123** LM DOLER **H122** ANAVA
4100N0-2400W 4200N0-2300W 4300N0-2100W 4400N0-1900W 47/15 **Z** ETIKI **UN480** REGHI **UN585** KOKOS **UN491**
GALBO LFPO

3745.75 nm / 6937.13 km



Notes

Using NAT tracks from 19/9/2018

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TFFR	-	16.26550	0 ft	-	Point a Pitre - Le Raizet
APT	-	-61.53300	0 m		
BOSET	-	17.22360	26,800 ft	75	-
FIX	-	-60.69390	8,169 m		
1800N0-6000W	-	18.00000	35,000 ft	61	-
LATLON	-	-60.00000	10,668 m		
2000N0-5800W	-	20.00000	35,000 ft	165	-
LATLON	-	-58.00000	10,668 m		
2100N0-5700W	-	21.00000	35,000 ft	82	-
LATLON	-	-57.00000	10,668 m		
2200N0-5600W	-	22.00000	35,000 ft	82	-
LATLON	-	-56.00000	10,668 m		
2300N0-5400W	-	23.00000	35,000 ft	126	-
LATLON	-	-54.00000	10,668 m		
2500N0-5200W	-	25.00000	35,000 ft	162	-
LATLON	-	-52.00000	10,668 m		
2600N0-5100W	-	26.00000	35,000 ft	80	-
LATLON	-	-51.00000	10,668 m		
2700N0-5000W	-	27.00000	35,000 ft	80	-
LATLON	-	-50.00000	10,668 m		
2800N0-4900W	-	28.00000	35,000 ft	80	-
LATLON	-	-49.00000	10,668 m		
2900N0-4700W	-	29.00000	35,000 ft	121	-
LATLON	-	-47.00000	10,668 m		
3000N0-4500W	-	30.00000	35,000 ft	120	-
LATLON	-	-45.00000	10,668 m		
3200N0-4300W	-	32.00000	35,000 ft	158	-
LATLON	-	-43.00000	10,668 m		
3300N0-4200W	-	33.00000	35,000 ft	78	-
LATLON	-	-42.00000	10,668 m		
3400N0-4100W	-	34.00000	35,000 ft	78	-
LATLON	-	-41.00000	10,668 m		
3500N0-3900W	-	35.00000	35,000 ft	115	-
LATLON	-	-39.00000	10,668 m		
3600N0-3700W	-	36.00000	35,000 ft	114	-
LATLON	-	-37.00000	10,668 m		
3700N0-3500W	-	37.00000	35,000 ft	113	-
LATLON	-	-35.00000	10,668 m		
INBOX	-	38.36830	35,000 ft	113	-
FIX	-	-33.36360	10,668 m		
INBUL	H131	38.49530	35,000 ft	158	-
FIX	AWY-HI	-30.00000	10,668 m		
VFL	H131	38.51940	35,000 ft	64	HORTA
VOR	AWY-HI	-28.62360	10,668 m		
SOLGI	H123	38.62500	35,000 ft	28	-
FIX	AWY-HI	-28.03280	10,668 m		
LM	H123	38.78390	35,000 ft	44	LAJES
VOR	AWY-HI	-27.10440	10,668 m		
DOLER	-	39.26810	35,000 ft	44	-
FIX	-	-26.38000	10,668 m		
ANAVA	H122	39.89940	35,000 ft	58	-
FIX	AWY-HI	-25.40890	10,668 m		
4100N0-2400W	-	41.00000	35,000 ft	92	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-24.00000	10,668 m		
4200N0-2300W	-	42.00000	35,000 ft	75	-
LATLON	-	-23.00000	10,668 m		
4300N0-2100W	-	43.00000	35,000 ft	106	-
LATLON	-	-21.00000	10,668 m		
4400N0-1900W	-	44.00000	35,000 ft	105	-
LATLON	-	-19.00000	10,668 m		
47/15	-	47.00000	35,000 ft	246	-
LATLON	-	-15.00000	10,668 m		
ETIKI	Z	48.00000	35,000 ft	260	-
FIX	NAT	-8.75000	10,668 m		
REGHI	UN480	48.00000	35,000 ft	30	-
FIX	AWY-HI	-8.00000	10,668 m		
BADUR	UN585	48.71080	35,000 ft	205	-
FIX	AWY-HI	-2.95111	10,668 m		
KOKOS	UN585	48.90690	34,300 ft	51	-
FIX	AWY-HI	-1.67611	10,455 m		
GALBO	UN491	48.83810	22,200 ft	56	-
FIX	AWY-HI	-0.25000	6,767 m		
LFPO	-	48.72630	0 ft	103	Paris Only
APT	-	2.36701	0 m		

TFFR

Region: Elevation: 35 ft / 11 m
FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN) -61.533000
Timezone: AMERICA/GUADELOUPE Magnetic Var: 15.020 W
Runways: 1

METAR

TFFR 112100Z AUTO 12012KT 9999 BKN029 BKN036 30/23 Q1012 NOSIG

TAF

TAF TFFR 111700Z 1118/1218 14012KT CAVOK BECMG 1122/1124 VRB03KT BECMG 1210/1212 12012KT

Frequencies

REC - 127.60 MHz - ATIS GND - 121.85 MHz - POINT A PITRE GROUND
TWR - 118.40 MHz - POINT A PITRE TOWER APP - 121.30 MHz - RAIZET APPROACH
APP - 129.80 MHz - RAIZET APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,673 ft	100.87	ASPHALT	1,309 ft	98 ft
	45 m	3,253 m	115.89		399 m	30 m
30	148 ft	10,673 ft	280.87	ASPHALT	978 ft	853 ft
	45 m	3,253 m	295.89		298 m	260 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	PP	110.30 MHz	18 nm	100.95	-	35 ft
				33 km	115.97		35 m
12	GS	PP	110.30 MHz	10 nm	100.95	3.20	35 ft
				19 km	115.97		35 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.451 E

METAR

LFPO 112100Z AUTO 08005KT CAVOK 20/12 Q1015 NOSIG

TAF

TAF LFPO 111700Z 1118/1224 08005KT CAVOK TEMPO 1211/1215 20015G25KT 2500 TSRA BKN025CB PROB40 TEMPO 1211/1215 TSR

Frequencies

REC - 126.50 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT
GND - 121.82 MHz - ORLY GROUND
TWR - 120.50 MHz - ORLY TOWER
APP - 123.87 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE

REC - 131.35 MHz - ORLY ATIS
GND - 121.70 MHz - ORLY GROUND
TWR - 118.70 MHz - ORLY TOWER
APP - 118.85 MHz - PARIS APPROACH
APP - 124.45 MHz - PARIS APPROACH
DEP - 127.75 MHz - PARIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m