LFAC
Calais Dunkerque


-

LFQQ
Lille Lesquin

2024/03/29 0954Z

LFAC TRACA LFQQ

52.81 nm / 97.81 km



Notes

Basic altitude profile:
- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 400kts
- Descent Rate: 500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFAC APT	–	50.96210 1.95471	0 ft 0 m	–	Calais Dunkerque
TRACA FIX	–	50.85167 1.96833	2,300 ft 701 m	6	–
LFQQ APT	–	50.56633 3.09538	0 ft 0 m	46	Lille Lesquin

LFAC

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 13 ft / 4 m
Location: 50.962100 1.954760
Magnetic Var: 1.193 E

METAR

LFAC 290930Z AUTO 20014KT 9999 FEW032 12/05 Q0990

TAF

UNKNOWN

Frequencies

REC - 135.45 MHz - LFAC ATIS
APP - 120.27 MHz - LILLE APP

TWR - 128.92 MHz - CALAIS TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft 45 m	5,041 ft 1,536 m	60.96 59.77	ASPHALT	0 ft 0 m	0 ft 0 m
24	148 ft 45 m	5,041 ft 1,536 m	240.98 239.79	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	MK	110.55 MHz	18 nm 33 km	- -	-	10 ft 10 m
24	LOC-ILS	MK	110.50 MHz	18 nm 33 km	241.01 239.82	-	10 ft 10 m
24	GS	MK	110.50 MHz	10 nm 19 km	241.02 239.83	3.00	10 ft 10 m

LFQQ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 154 ft / 47 m
Location: 50.566300 3.095390
Magnetic Var: 1.571 E

METAR

LFQQ 290930Z AUTO 19015KT 9999 SCT016 BKN180 11/08 Q0992 TEMPO 21015G25KT

TAF

TAF AMD LFQQ 290629Z 2906/3012 19012KT 9999 SCT012 BKN030 TEMPO 2906/2909 BKN006 TEMPO 2908/2916 21015G25KT TEMPO

Frequencies

REC - 119.32 MHz - LILLE ATIS
TWR - 118.55 MHz - LILLE TWR
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND
APP - 126.47 MHz - LILLE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft 45 m	9,250 ft 2,819 m	77.36 75.78	ASPHALT	0 ft 0 m	0 ft 0 m
26	146 ft 45 m	9,250 ft 2,819 m	257.39 255.81	ASPHALT	919 ft 280 m	0 ft 0 m
02	98 ft 30 m	5,172 ft 1,576 m	14.83 13.26	ASPHALT	0 ft 0 m	0 ft 0 m
20	98 ft 30 m	5,172 ft 1,576 m	194.84 193.26	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm 33 km	77.13 75.56	-	135 ft 135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm 33 km	257.13 255.56	-	157 ft 157 m
26	GS	LIL	110.75 MHz	10 nm 19 km	257.00 255.43	3.00	129 ft 129 m