

CYYZ

Toronto Lester B Pearson Intl


KCLE

Cleveland Hopkins Intl

2024/05/04 0523Z

CYYZ BELZY KCLE

168.19 nm / 311.50 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 20000ft
- Cruise Speed: 225kts
- Descent Rate: 1000ft/min
- Descent Speed: 197kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
CYYZ	-	43.67613	0 ft	-		Toronto Lester B Pearson Intl
APT	-	-79.62767	0 m			
BELZY	-	42.28194	12,000 ft	107	-	
FIX	-	-81.15417	3,658 m			
KCLE	-	41.41109	0 ft	60		Cleveland Hopkins Intl
APT	-	-81.85223	0 m			

CYYZ

Region: CANADA
Timezone: AMERICA/TORONTO
Runways: 5

Elevation: 564 ft / 172 m
Location: 43.676100 -79.627700
Magnetic Var: 10.261 W

METAR

CYYZ 040500Z 34006KT 15SM BKN049 OVC110 14/13 A3008 RMK SC6AC2 SLP191

TAF

TAF CYYZ 040240Z 0403/0506 VRB03KT P6SM BKN050 BKN100 TEMPO 0403/0404 P6SM -SHRA FM040400 32005KT P6SM OVC050 FM0

Frequencies

TWR - 118.35 MHz - TORONTO TOWER	TWR - 118.70 MHz - TORONTO TOWER
GND - 119.10 MHz - TORONTO GROUND	GND - 121.65 MHz - TORONTO GROUND
GND - 121.90 MHz - TORONTO GROUND	REC - 120.82 MHz - ATIS
REC - 133.10 MHz - ATIS	CLD - 121.30 MHz - CLEARANCE DELIVERY
APP - 132.80 MHz - TORONTO APPROACH	APP - 124.47 MHz - TORONTO APPROACH
APP - 125.40 MHz - TORONTO APPROACH	APP - 123.27 MHz - LONDON RADIO
DEP - 127.57 MHz - TORONTO DEPARTURE	DEP - 128.80 MHz - TORONTO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	9,707 ft	46.43	ASPHALT	0 ft	131 ft
	60 m	2,959 m	56.69		0 m	40 m
24R	197 ft	9,707 ft	226.45	ASPHALT	194 ft	98 ft
	60 m	2,959 m	236.71		59 m	30 m
06R	197 ft	9,007 ft	46.43	ASPHALT	0 ft	95 ft
	60 m	2,745 m	56.69		0 m	29 m
24L	197 ft	9,007 ft	226.45	ASPHALT	0 ft	95 ft
	60 m	2,745 m	236.71		0 m	29 m
05	197 ft	11,128 ft	46.39	ASPHALT	141 ft	141 ft
	60 m	3,392 m	56.65		43 m	43 m
23	197 ft	11,128 ft	226.41	ASPHALT	492 ft	141 ft
	60 m	3,392 m	236.67		150 m	43 m
15L	197 ft	11,061 ft	136.64	ASPHALT	0 ft	92 ft
	60 m	3,372 m	146.90		0 m	28 m
33R	197 ft	11,061 ft	316.66	ASPHALT	0 ft	89 ft
	60 m	3,372 m	326.92		0 m	27 m
15R	197 ft	9,097 ft	136.62	ASPHALT	597 ft	0 ft
	60 m	2,773 m	146.88		182 m	0 m
33L	197 ft	9,097 ft	316.64	ASPHALT	591 ft	0 ft
	60 m	2,773 m	326.90		180 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24L	DME	IIDP	111.95 MHz	18 nm	-	-	568 ft
				33 km	-		568 m
24R	DME	INV	109.30 MHz	18 nm	-	-	546 ft
				33 km	-		546 m
05	LOC-ILS	ITX	109.70 MHz	18 nm	46.40	-	564 ft
				33 km	56.66		564 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IJS	109.10 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
06R	LOC-ILS	ICV	111.95 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
15L	LOC-ILS	IRW	110.50 MHz	18 nm 33 km	136.65 146.91	-	564 ft 564 m
15R	LOC-ILS	ILP	110.95 MHz	18 nm 33 km	136.63 146.89	-	564 ft 564 m
23	LOC-ILS	IYZ	111.50 MHz	18 nm 33 km	226.40 236.66	-	564 ft 564 m
24L	LOC-ILS	IDP	111.95 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
24R	LOC-ILS	INV	109.30 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
33L	LOC-ILS	ITO	110.95 MHz	18 nm 33 km	316.63 326.89	-	564 ft 564 m
33R	LOC-ILS	ILE	110.30 MHz	18 nm 33 km	316.65 326.91	-	564 ft 564 m
05	GS	ITX	109.70 MHz	10 nm 19 km	46.40 56.66	3.00	564 ft 564 m
06L	GS	IJS	109.10 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
06R	GS	ICV	111.95 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
15L	GS	IRW	110.50 MHz	10 nm 19 km	136.65 146.91	3.00	564 ft 564 m
15R	GS	ILP	110.95 MHz	10 nm 19 km	136.63 146.89	3.00	564 ft 564 m
23	GS	IYZ	111.50 MHz	10 nm 19 km	226.40 236.66	3.00	564 ft 564 m
24L	GS	IIDP	111.95 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
24R	GS	INV	109.30 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
33L	GS	ITO	110.95 MHz	10 nm 19 km	316.63 326.89	3.00	564 ft 564 m
33R	GS	ILE	110.30 MHz	10 nm 19 km	316.65 326.91	3.00	564 ft 564 m

KCLE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 791 ft / 241 m
Location: 41.410300 -81.853400
Magnetic Var: 8.386 W

METAR

KCLE 040451Z 33004KT 10SM OVC060 15/12 A3002 RMK A02 SLP178 T01500122 402220133

TAF

TAF AMD KCLE 040319Z 0403/0506 VRB04KT P6SM SCT060 BKN100 FM041500 16009KT P6SM BKN045 FM042200 13010KT 6SM -SHRA

Frequencies

REC - 127.85 MHz - ATIS
GND - 121.70 MHz - CLEVELAND GROUND
DEP - 118.15 MHz - CLEVELAND DEPARTURE
COM - 122.95 MHz - UNICOM
TWR - 120.90 MHz - CLEVELAND TOWER
APP - 124.00 MHz - CLEVELAND APPROACH
CLD - 125.05 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	6,023 ft	93.31	CONCRETE	0 ft	430 ft
	46 m	1,836 m	101.70		0 m	131 m
28	151 ft	6,023 ft	273.33	CONCRETE	0 ft	443 ft
	46 m	1,836 m	281.71		0 m	135 m
06L	151 ft	9,008 ft	49.83	CONCRETE	0 ft	394 ft
	46 m	2,746 m	58.22		0 m	120 m
24R	151 ft	9,008 ft	229.85	CONCRETE	0 ft	203 ft
	46 m	2,746 m	238.24		0 m	62 m
06R	151 ft	9,967 ft	49.84	CONCRETE	1,932 ft	387 ft
	46 m	3,038 m	58.23		589 m	118 m
24L	151 ft	9,967 ft	229.86	CONCRETE	0 ft	203 ft
	46 m	3,038 m	238.25		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	ILIZ	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
24L	DME	IHPI	109.90 MHz	18 nm	-	-	772 ft
				33 km	-		772 m
24R	DME	IPVY	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
06L	LOC-ILS	ILIZ	111.55 MHz	18 nm	49.85	-	791 ft
				33 km	58.24		791 m
06R	LOC-ILS	ICLE	111.90 MHz	18 nm	49.86	-	791 ft
				33 km	58.25		791 m
24L	LOC-ILS	IHPI	109.90 MHz	18 nm	229.86	-	791 ft
				33 km	238.25		791 m
24R	LOC-ILS	IPVY	111.55 MHz	18 nm	229.85	-	791 ft
				33 km	238.24		791 m
28	LOC-ILS	IPXP	110.70 MHz	18 nm	273.32	-	791 ft
				33 km	281.71		791 m
06L	GS	ILIZ	111.55 MHz	10 nm	49.85	3.00	791 ft
				19 km	58.24		791 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	GS	ICLE	111.90 MHz	10 nm	49.86	3.10	791 ft
				19 km	58.25		791 m
24L	GS	IHPI	109.90 MHz	10 nm	229.86	3.00	791 ft
				19 km	238.25		791 m
24R	GS	IPVY	111.55 MHz	10 nm	229.85	3.00	791 ft
				19 km	238.24		791 m
28	GS	IPXP	110.70 MHz	10 nm	273.32	3.00	791 ft
				19 km	281.71		791 m