LSGG
Geneva


-

LKPR
Praha - Ruzyne

2024/03/19 0628Z

LSGG SUREP **UN871** KUDES **UN851** ROMIR **T125** GARMO RUSOT MEXIT **TL9** RDG LKPR

403.55 nm / 747.37 km



Notes

Basic altitude profile:
- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 31000ft
- Cruise Speed: 420kts
- Descent Rate: 1600ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG APT	–	46.23775 6.10617	0 ft 0 m	–	Geneva
SUREP FIX	–	47.16528 8.01083	33,300 ft 10,150 m	96	–
DITON FIX	UN871 AWY-HI	47.30222 8.33333	35,000 ft 10,668 m	15	–
KUDES FIX	UN871 AWY-HI	47.52083 8.85722	35,000 ft 10,668 m	25	–
ROMIR FIX	UN851 AWY-HI	47.71306 9.10778	35,000 ft 10,668 m	15	–
GARMO FIX	T125 AWY-LO	47.79218 9.29917	23,000 ft 7,010 m	9	–
RUSOT FIX	–	47.87583 9.41528	35,000 ft 10,668 m	6	–
MEXIT FIX	–	47.97250 9.55267	35,000 ft 10,668 m	8	–
PESIM FIX	TL9 AWY-HI	48.39917 10.68717	35,000 ft 10,668 m	52	–
IGL NDB	TL9 AWY-HI	48.73783 11.64467	27,300 ft 8,321 m	43	INGOLSTADT NDB
RDG VOR	TL9 AWY-HI	49.04027 12.52655	25,000 ft 7,620 m	39	RODING VORTAC
LKPR APT	–	50.10114 14.26296	0 ft 0 m	92	Praha - Ruzyne

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.493 E

METAR

LSGG 190620Z VRB01KT 9999 FEW013 05/04 Q1018 NOSIG

TAF

TAF AMD LSGG 190606Z 1906/2012 VRB02KT 9999 MIFG FEW020 TX17/1916Z TN04/1906Z TN03/2006Z PROB30 TEMPO 1906/1908 3

Frequencies

REC - 124.75 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT
APP - 130.55 MHz - GENEVA APPROACH

REC - 135.57 MHz - ATIS
GND - 121.85 MHz - GENEVA APRON
GND - 119.70 MHz - GENEVA GROUND
TWR - 119.90 MHz - GENEVA TOWER
DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.25 MHz - GENEVA ARRIVAL
APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft 50 m	12,806 ft 3,903 m	45.42 42.93	CONCRETE	1,076 ft 328 m	0 ft 0 m
22	164 ft 50 m	12,806 ft 3,903 m	225.45 222.95	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm 33 km	45.44 42.95	-	1,411 ft 1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm 33 km	225.44 222.95	-	1,411 ft 1,411 m
04	GS	INE	110.90 MHz	10 nm 19 km	45.44 42.95	3.00	1,411 ft 1,411 m
22	GS	ISW	109.90 MHz	10 nm 19 km	225.44 222.95	3.00	1,411 ft 1,411 m

LKPR

Region: CZECH REPUBLIC
Timezone: EUROPE/PRAGUE
Runways: 2

Elevation: 1,247 ft / 380 m
Location: 50.104100 14.256700
Magnetic Var: 4.646 E

METAR

LKPR 190600Z 36003KT CAVOK M02/M05 Q1020 NOSIG

TAF

TAF LKPR 190500Z 1906/2012 05005KT CAVOK BECMG 1919/1921 18004KT BECMG 2001/2003 23004KT

Frequencies

REC - 122.15 MHz - ATIS
TWR - 134.55 MHz - RUZYNE TOWER
GND - 131.95 MHz - RUZYNE GROUND
APP - 136.07 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR

TWR - 118.10 MHz - RUZYNE TOWER
GND - 121.90 MHz - RUZYNE GROUND
CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 127.57 MHz - PRAGUE APPROACH
APP - 119.00 MHz - PRAGUE APPROACH
REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.17 MHz - RUZYNE INFORMATION
APP - 127.57 MHz - PRAGUE RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.34		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.37		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.28		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.32		0 m	0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.29		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.35		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.30		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.44		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.23		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.35		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.23		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.35		1,234 m