


2024/05/09 2257Z

FGSL MOPOT ETNOM **UA604** MISTI **UA604F** DIMLA **A604F** POTAN FZAA

652.48 nm / 1208.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FGSL	-	3.75527	0 ft	-	MALABO
APT	-	8.70872	0 m		
MOPOT	-	2.60417	33,700 ft	94	-
FIX	-	9.78250	10,272 m		
ETNOM	-	2.48750	35,000 ft	57	-
FIX	-	10.73306	10,668 m		
MISTI	UA604	0.72806	35,000 ft	126	-
FIX	AWY-HI	11.88556	10,668 m		
FRV	UA604F	-1.65308	35,000 ft	170	FRANCEVILLE VOR-DME
VOR	AWY-HI	13.44392	10,668 m		
DIMLA	UA604F	-2.23444	33,400 ft	42	-
FIX	AWY-HI	13.85111	10,180 m		
POTAN	A604F	-3.19306	19,300 ft	70	-
FIX	AWY-LO	14.52361	5,883 m		
FZAA	-	-4.38575	0 ft	90	NDJILI INTL
APT	-	15.44457	0 m		

FGSL

Region: EQUATORIAL GUINEA
Timezone: AFRICA/MALABO
Runways: 1

Elevation: 76 ft / 23 m
Location: 3.755320 8.708710
Magnetic Var: 0.667 W

METAR

FGSL 092230Z 17002KT 9999 FEW010 26/25 Q1010 NOSIG

TAF

TAF FGSL 091700Z 0918/1024 25004KT 9999 FEW010 PROB40 TEMPO 0922/1002 TS BKN008 FEW016CB TEMPO 1007/1013 4000 TSRA

Frequencies

TWR - 118.10 MHz -

TWR - 128.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,674 ft	41.73	ASPHALT	0 ft	194 ft
	46 m	2,949 m	42.39		0 m	59 m
22	151 ft	9,674 ft	221.73	ASPHALT	0 ft	161 ft
	46 m	2,949 m	222.39		0 m	49 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	LOC-ILS	MBO	109.70 MHz	18 nm	221.73	-	76 ft
				33 km	222.40		76 m
22	GS	MBO	109.70 MHz	10 nm	221.73	3.00	76 ft
				19 km	222.40		76 m

FZAA

Region: DEMOCRATIC REPUBLIC OF THE CONGO
Timezone: AFRICA/KINSHASA
Runways: 1

Elevation: 1,024 ft / 312 m
Location: -4.387170 15.442200
Magnetic Var: 0.374 W

METAR

FZAA 092230Z 18018KT 7000 TS SQ SCT018 FEW028CB 29/25 Q1011 BECMG 4000 TSRA

TAF

TAF FZAA 091700Z 0918/1024 20008KT 7000 SCT018 FEW028CB TEMPO 0920/0923 -TSRA BECMG 1001/1003 BKN014 PROB30 1005/

Frequencies

REC - 120.50 MHz - ATIS

TWR - 118.10 MHz - NDJILI TOWER

GND - 121.90 MHz - NDJILI GROUND

APP - 120.50 MHz - NDJILI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	13,133 ft	57.16	ASPHALT	0 ft	157 ft
	60 m	4,003 m	57.53		0 m	48 m
24	197 ft	13,133 ft	237.15	ASPHALT	0 ft	243 ft
	60 m	4,003 m	237.53		0 m	74 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	KSA	110.30 MHz	18 nm	235.17	-	1,089 ft
				33 km	235.55		1,089 m
24	GS	KSA	110.30 MHz	10 nm	237.63	2.80	1,085 ft
				19 km	238.01		1,085 m