

EDDF

Frankfurt am Main Intl


EGCC

Manchester Intl

2024/05/12 0102Z

EDDF LAMLA **UL610** BATTY **UL608** DENUT **UL610** RAPIX **T87** GILDA **UM14** STOAT **UL613** MOGLI EGCC

467.09 nm / 865.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 330kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF APT	- -	50.03260 8.54067	0 ft 0 m	-	Frankfurt am Main Intl
LAMLA FIX	- -	50.59310 6.23806	35,000 ft 10,668 m	94	-
BATTY FIX	UL610 AWY-HI	50.64920 5.84878	35,000 ft 10,668 m	15	-
TERLA FIX	UL608 AWY-HI	50.68250 5.66556	35,000 ft 10,668 m	7	-
SOGRI FIX	UL608 AWY-HI	50.80640 5.04528	35,000 ft 10,668 m	24	-
BUB VOR	UL608 AWY-HI	50.90220 4.53806	35,000 ft 10,668 m	20	BRUSSELS
DENUT FIX	UL608 AWY-HI	51.23610 3.65761	35,000 ft 10,668 m	38	-
LUMEN FIX	UL610 AWY-HI	51.26940 3.40667	35,000 ft 10,668 m	9	-
BULAM FIX	UL610 AWY-HI	51.35250 2.75028	35,000 ft 10,668 m	25	-
DIBLI FIX	UL610 AWY-HI	51.41190 2.26250	35,000 ft 10,668 m	18	-
RAPIX FIX	UL610 AWY-HI	51.44310 2.00000	35,000 ft 10,668 m	10	-
TEBRA FIX	T87 AWY-HI	51.48900 1.61194	35,000 ft 10,668 m	14	-
KOPUL FIX	T87 AWY-HI	51.54220 1.13718	35,000 ft 10,668 m	18	-
GILDA FIX	T87 AWY-HI	51.60170 0.58361	35,000 ft 10,668 m	20	-
FERIT FIX	UM14 AWY-HI	51.63310 0.53917	35,000 ft 10,668 m	2	-
WESUL FIX	UM14 AWY-HI	51.67080 0.48583	35,000 ft 10,668 m	3	-
STOAT FIX	UM14 AWY-HI	52.02580 -0.02083	31,400 ft 9,571 m	28	-
MOGLI FIX	UL613 AWY-HI	52.30830 -0.26917	26,200 ft 7,986 m	19	-
EGCC APT	- -	53.34710 -2.28393	0 ft 0 m	96	Manchester Intl

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.174 E

METAR

EDDF 120020Z AUTO 02005KT CAVOK 15/09 Q1019 NOSIG

TAF

TAF TAF EDDF 112300Z 1200/1306 04005KT CAVOK BECMG 1208/1210 10008KT BECMG 1220/1222 04005KT

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL
GND - 121.80 MHz - GROUND
GND - 121.70 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER
TWR - 124.85 MHz - TOWER
TWR - 136.50 MHz - TOWER
APP - 127.27 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 119.90 MHz - TOWER
TWR - 127.32 MHz - TOWER
CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 118.50 MHz - FRANKFURT DIRECT
APP - 126.55 MHz - LANGEN RADAR
APP - 120.15 MHz - LANGEN RADAR
APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.40		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.44		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.41		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.45		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.46		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.46		0 m	37 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.42		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.41		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.44		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.42		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.44		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.41		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.42		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.41		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.44		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.42		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.44		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.41		362 m

EGCC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 257 ft / 78 m
Location: 53.347400 -2.283480
Magnetic Var: 0.458 W

METAR

EGCC 120020Z AUTO VRB03KT 9999 NCD 15/11 Q1017 NOSIG

TAF

TAF EGCC 112304Z 1200/1306 10009KT 9999 FEW045 TEMPO 1214/1222 6000 +SHRA PROB40 TEMPO 1214/1220 2000 +TSRAGR BKN0

Frequencies

REC - 113.55 MHz - ATIS ARRIVAL	REC - 121.90 MHz - ATIS DEPARTURE
TWR - 119.40 MHz - MANCHESTER TOWER	TWR - 118.60 MHz - MANCHESTER TOWER
GND - 121.85 MHz - MANCHESTER GROUND	GND - 121.75 MHz - MANCHESTER GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 135.00 MHz - MANCHESTER APPROACH
APP - 118.50 MHz - MANCHESTER APPROACH	APP - 121.35 MHz - MANCHESTER DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	151 ft	9,980 ft	51.00	ASPHALT	1,401 ft	0 ft
	46 m	3,042 m	51.45		427 m	0 m
23R	151 ft	9,980 ft	231.03	ASPHALT	597 ft	200 ft
	46 m	3,042 m	231.48		182 m	61 m
05R	144 ft	10,519 ft	50.98	ASPHALT	0 ft	0 ft
	44 m	3,206 m	51.43		0 m	0 m
23L	144 ft	10,519 ft	231.00	ASPHALT	1,093 ft	0 ft
	44 m	3,206 m	231.46		333 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	IMM	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05R	DME	IMC	111.55 MHz	18 nm	-	-	212 ft
				33 km	-		212 m
23R	DME	INN	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05L	LOC-ILS	IMM	109.50 MHz	18 nm	51.03	-	257 ft
				33 km	51.49		257 m
05R	LOC-ILS	IMC	111.55 MHz	18 nm	51.01	-	257 ft
				33 km	51.47		257 m
23R	LOC-ILS	INN	109.50 MHz	18 nm	230.98	-	257 ft
				33 km	231.44		257 m
05L	GS	IMM	109.50 MHz	10 nm	51.01	3.00	257 ft
				19 km	51.47		257 m
05R	GS	IMC	111.55 MHz	10 nm	51.97	3.00	257 ft
				19 km	52.43		257 m
23R	GS	INN	109.50 MHz	10 nm	231.01	3.00	257 ft
				19 km	231.47		257 m