

RKSI

Incheon International Airport


WIII

Jakarta Soekarno-Hatta Intl

2024/05/04 0123Z

RKSI BEDES Y711 PONIK A593 LAMEN G327 TONIX A326 MIGOL B591 KASKA L2 BERBA B576 APU B1 ANLOT W4
TNN A577 KABAM N892 MAVRA A583 AKOTA M754 NOBEN LULBU TEGID M767 TODAM 600N11300E ANIRU
500N11300E BOMPO AGUPO DARMU SARVO G580 VKG R455 PNK W38 AMBOY P648 ATOSO WIII

3102.88 nm / 5746.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RKSI APT	-	37.46540 126.44300	0 ft 0 m	-	Incheon International Airport
BEDES FIX	-	36.15140 126.81200	28,800 ft 8,778 m	80	-
MANGI FIX	Y711 AWY-HI	35.50310 126.74200	35,000 ft 10,668 m	39	-
DALSU FIX	Y711 AWY-HI	35.12530 126.70200	35,000 ft 10,668 m	22	-
DOTOL FIX	Y711 AWY-HI	34.25430 126.61000	35,000 ft 10,668 m	52	-
KIDOS FIX	Y711 AWY-HI	33.84110 126.56700	35,000 ft 10,668 m	24	-
PANSI FIX	Y711 AWY-HI	33.00400 126.20700	35,000 ft 10,668 m	53	-
DOMKO FIX	Y711 AWY-HI	32.48000 125.98300	35,000 ft 10,668 m	33	-
PONIK FIX	Y711 AWY-HI	32.00580 125.78300	35,000 ft 10,668 m	30	-
SADLI FIX	A593 AWY-HI	31.83330 124.99800	35,000 ft 10,668 m	41	-
LAMEN FIX	A593 AWY-HI	31.61000 124.00000	35,000 ft 10,668 m	52	-
TONIX FIX	G327 AWY-HI	31.33170 123.54300	35,000 ft 10,668 m	28	-
MIGOL FIX	A326 AWY-HI	30.76330 123.69500	35,000 ft 10,668 m	35	-
KASKA FIX	B591 AWY-HI	28.69920 123.69400	35,000 ft 10,668 m	123	-
WASPY FIX	L2 AWY-HI	27.44480 123.15500	35,000 ft 10,668 m	80	-
BERBA FIX	L2 AWY-HI	27.07810 123.00000	35,000 ft 10,668 m	23	-
FITCH FIX	B576 AWY-HI	26.68420 122.68800	35,000 ft 10,668 m	28	-
BESTO FIX	B576 AWY-HI	26.13830 122.25900	35,000 ft 10,668 m	40	-
COPRA FIX	B576 AWY-HI	25.72560 121.94300	35,000 ft 10,668 m	30	-
BAKER FIX	B576 AWY-HI	25.64330 121.88000	35,000 ft 10,668 m	6	-
APU VOR	B576 AWY-HI	25.17690 121.52200	35,000 ft 10,668 m	34	ANBU
LUCAS FIX	B1 AWY-HI	24.48080 120.95100	35,000 ft 10,668 m	52	-
ANLOT FIX	B1 AWY-HI	23.90720 120.48700	35,000 ft 10,668 m	42	-
DALIN FIX	W4 AWY-HI	23.59530 120.37300	35,000 ft 10,668 m	19	-
TNN VOR	W4 AWY-HI	23.13560 120.20600	35,000 ft 10,668 m	29	SHIKANG
MENON FIX	A577 AWY-HI	22.80440 120.15500	35,000 ft 10,668 m	20	-
PARPA	A577	22.03220	35,000 ft	46	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	120.03600	10,668 m		
ANDRE	A577	21.74110	35,000 ft	17	-
FIX	AWY-HI	119.99200	10,668 m		
KABAM	A577	21.00000	35,000 ft	44	-
FIX	AWY-HI	119.88000	10,668 m		
MIKIN	N892	19.33520	35,000 ft	141	-
FIX	AWY-HI	118.11000	10,668 m		
MUMOT	N892	19.02860	35,000 ft	25	-
FIX	AWY-HI	117.79000	10,668 m		
MAVRA	N892	17.77780	35,000 ft	105	-
FIX	AWY-HI	116.50200	10,668 m		
AKOTA	A583	16.46200	35,000 ft	88	-
FIX	AWY-HI	117.20700	10,668 m		
GUKUM	M754	14.19560	35,000 ft	137	-
FIX	AWY-HI	116.91700	10,668 m		
NOBEN	M754	12.78670	35,000 ft	85	-
FIX	AWY-HI	116.74000	10,668 m		
LULBU	-	11.16000	35,000 ft	98	-
FIX	-	116.53800	10,668 m		
TEGID	-	8.94889	35,000 ft	138	-
FIX	-	115.86200	10,668 m		
TODAM	M767	6.52722	35,000 ft	242	-
FIX	AWY-HI	112.59300	10,668 m		
600N11300E	-	6.00000	35,000 ft	39	-
LATLON	-	113.00000	10,668 m		
ANIRU	-	5.15306	35,000 ft	50	-
FIX	-	113.05700	10,668 m		
500N11300E	-	5.00000	35,000 ft	9	-
LATLON	-	113.00000	10,668 m		
BOMPO	-	4.85000	35,000 ft	9	-
FIX	-	112.95200	10,668 m		
AGUPO	-	4.59361	35,000 ft	16	-
FIX	-	112.86700	10,668 m		
DARMU	-	4.02750	35,000 ft	35	-
FIX	-	112.67700	10,668 m		
SARVO	-	3.44167	35,000 ft	36	-
FIX	-	112.83600	10,668 m		
PILAX	G580	2.31389	35,000 ft	109	-
FIX	AWY-HI	111.39100	10,668 m		
VKG	G580	1.47333	35,000 ft	82	KUCHING
VOR	AWY-HI	110.30600	10,668 m		
PAPSA	R455	1.19917	35,000 ft	19	-
FIX	AWY-HI	110.14200	10,668 m		
PNK	R455	-0.07915	35,000 ft	89	PONTIANAK VOR-DME
DME	AWY-HI	109.37500	10,668 m		
APAGA	W38	-2.78268	35,000 ft	169	-
FIX	AWY-HI	108.58100	10,668 m		
AMBOY	W38	-4.13333	32,100 ft	84	-
FIX	AWY-HI	108.16700	9,784 m		
ATOSO	P648	-5.14791	16,300 ft	73	-
FIX	AWY-HI	107.46700	4,968 m		
WIII	-	-6.12569	0 ft	76	Jakarta Soekarno-Hatta Intl
APT	-	106.65700	0 m		

RKSI

Region: SOUTH KOREA
Timezone: UNKNOWN
Runways: 3

Elevation: 22 ft / 7 m
Location: 37.465400 126.443000
Magnetic Var: 8.782 W

METAR

RKSI 040100Z 11003KT 040V180 7000 NSC 20/10 Q1017 NOSIG

TAF

TAF RKSI 032300Z 0400/0506 16006KT 6000 NSC TX23/0405Z TN16/0421Z TX18/0505Z BECMG 0404/0406 28006KT CAVOK BECMG

Frequencies

REC - 128.40 MHz - INCHEON ATIS
TWR - 118.20 MHz - INCHEON TOWER
DEP - 121.40 MHz - SEOUL DEPARTURE
GND - 121.75 MHz - INCHEON GROUND
APP - 119.75 MHz - SEOUL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	13,131 ft	144.75	ASPHALT	0 ft	394 ft
	60 m	4,002 m	153.54		0 m	120 m
34	197 ft	13,131 ft	324.77	ASPHALT	0 ft	394 ft
	60 m	4,002 m	333.55		0 m	120 m
15R	197 ft	12,311 ft	144.78	ASPHALT	0 ft	397 ft
	60 m	3,752 m	153.56		0 m	121 m
33L	197 ft	12,311 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,752 m	333.57		0 m	120 m
15L	197 ft	12,312 ft	144.77	ASPHALT	0 ft	397 ft
	60 m	3,753 m	153.56		0 m	121 m
33R	197 ft	12,312 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,753 m	333.57		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	ISLL	111.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15R	DME	ISRR	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33L	DME	INLL	109.30 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33R	DME	INRR	108.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15L	LOC-ILS	ISLL	111.90 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
15R	LOC-ILS	ISRR	109.10 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
16	LOC-ILS	IRKS	110.35 MHz	18 nm	144.77	-	22 ft
				33 km	153.55		22 m
33L	LOC-ILS	INLL	109.30 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
33R	LOC-ILS	INRR	108.90 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
34	LOC-ILS	IRKN	108.10 MHz	18 nm	324.77	-	22 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	333.55		22 m
15L	GS	ISLL	111.90 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
15R	GS	ISRR	109.10 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
16	GS	IRKS	110.35 MHz	10 nm	144.77	3.00	22 ft
				19 km	153.55		22 m
33L	GS	INLL	109.30 MHz	10 nm	324.79	3.00	22 ft
				19 km	333.57		22 m
33R	GS	INRR	108.90 MHz	10 nm	324.79	3.00	23 ft
				19 km	333.57		23 m
34	GS	IRKN	108.10 MHz	10 nm	324.77	3.00	22 ft
				19 km	333.55		22 m

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.530 E

METAR

WIII 040100Z VRB03KT 5000 HZ FEW020 30/25 Q1009 NOSIG

TAF

TAF WIII 032300Z 0400/0506 VRB02KT 8000 SCT020 BECMG 0402/0404 04010KT TEMPO 0412/0415 5000 -TSRA FEW018CB BECMG 0500/0506 04010KT

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m