EDDM

Muenchen Franz-josef Strauss

-

EGLL

London Heathrow

2024/03/19 0515Z

EDDM MOKOM DET34 EGLL

508.44 nm / 941.64 km





Notes

Generated

Route

Ident	Via	Lat	Alt	Dist	Name
Type		Lon		(nm)	
EDDM	-	48.34069	0 ft	-	-
APT	-	11.75108	0 m		
MOKOM	-	49.97890	0 ft	240	-
FIX	-	6.16647	0 m		
DET34	-	51.42797	0 ft	260	-
FIX	-	-0.28555	0 m		
EGLL	-	51.46477	0 ft	7	-
APT	-	-0.48695	0 m		

EDDM

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 1,484 ft / 452 m
Location: 48.353800 11.786100
Magnetic Var: 3.923 E

METAR

EDDM 190450Z AUTO 26002KT 6000 FEW005 BKN011 07/07 Q1019 TEMPO 4000 BR BKN007

TAF

TAF AMD EDDM 190050Z 1900/2006 25004KT 9999 FEW008 BKN020 TEMPO 1901/1909 BKN005 PROB30 TEMPO 1902/1907 2000 BR BK

Frequencies

REC - 123.12 MHz - MUENCHEN ATIS
CLD - 121.72 MHz - MUENCHEN DELIVERY
GND - 121.82 MHz - MUENCHEN GROUND SOUTH
GND - 121.70 MHz - MUENCHEN APRON 2
TWR - 120.50 MHz - MUENCHEN TOWER SOUTH
APP - 123.90 MHz - MUENCHEN RADAR NORTH
APP - 128.25 MHz - MUENCHEN ARRIVAL NORTH
APP - 118.82 MHz - MUENCHEN DIRECTOR NORTH
COM - 122.80 MHz - MUENCHEN UNICOM
GND - 121.97 MHz - MUENCHEN GROUND NORTH
GND - 121.77 MHz - MUENCHEN APRON 1
GND - 121.92 MHz - MUENCHEN APRON 3
TWR - 118.70 MHz - MUENCHEN TOWER NORTH
APP - 127.95 MHz - MUENCHEN RADAR SOUTH
APP - 120.77 MHz - MUENCHEN ARRIVAL SOUTH
APP - 132.30 MHz - MUENCHEN DIRECTOR SOUTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft 60 m	13,135 ft 4,004 m	83.39 79.46	CONCRETE	0 ft 0 m	0 ft 0 m
26R	197 ft 60 m	13,135 ft 4,004 m	263.43 259.50	CONCRETE	0 ft 0 m	0 ft 0 m
08R	197 ft 60 m	13,135 ft 4,004 m	83.37 79.45	CONCRETE	0 ft 0 m	0 ft 0 m
26L	197 ft 60 m	13,135 ft 4,004 m	263.41 259.49	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IMNE	109.50 MHz	18 nm 33 km	83.41 79.49	-	1,484 ft 1,484 m
08R	LOC-ILS	IMSE	109.30 MHz	18 nm 33 km	83.39 79.47	-	1,484 ft 1,484 m
26L	LOC-ILS	IMSW	108.30 MHz	18 nm 33 km	263.39 259.47	-	1,484 ft 1,484 m
26R	LOC-ILS	IMNW	108.70 MHz	18 nm 33 km	263.41 259.49	-	1,484 ft 1,484 m
08L	GS	IMNE	109.50 MHz	10 nm 19 km	83.41 79.49	3.00	1,484 ft 1,484 m
08R	GS	IMSE	109.30 MHz	10 nm 19 km	83.39 79.47	3.00	1,484 ft 1,484 m
26L	GS	IMSW	108.30 MHz	10 nm 19 km	263.39 259.47	3.00	1,484 ft 1,484 m
26R	GS	IMNW	108.70 MHz	10 nm 19 km	263.41 259.49	3.00	1,484 ft 1,484 m

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.357 E

METAR

EGLL 190450Z AUTO 20009KT 180V240 9999 OVC031 11/08 Q1014

TAF

TAF EGLL 182307Z 1900/2006 21010KT 9999 FEW012 BKN025 PROB40 TEMPO 1900/1906 BKN012 TEMPO 1906/1911 8000 -RADZ BKN

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY
GND - 121.85 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER
APP - 120.40 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE
REC - 121.92 MHz - HEATHROW INFORMATION
GND - 121.70 MHz - HEATHROW GROUND
GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.70 MHz - HEATHROW TOWER
APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 127.52 MHz - HEATHROW RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft 50 m	12,770 ft 3,892 m	89.66 89.30	ASPHALT	1,007 ft 307 m	0 ft 0 m
27R	164 ft 50 m	12,770 ft 3,892 m	269.70 269.35	ASPHALT	0 ft 0 m	177 ft 54 m
09R	164 ft 50 m	11,975 ft 3,650 m	89.68 89.32	ASPHALT	1,004 ft 306 m	0 ft 0 m
27L	164 ft 50 m	11,975 ft 3,650 m	269.72 269.37	ASPHALT	0 ft 0 m	95 ft 29 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm 33 km	- -	-	89 ft 89 m
09R	DME	IBB	109.50 MHz	18 nm 33 km	- -	-	84 ft 84 m
27L	DME	ILL	109.50 MHz	18 nm 33 km	- -	-	84 ft 84 m
27R	DME	IRR	110.30 MHz	18 nm 33 km	- -	-	89 ft 89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm 33 km	89.68 89.32	-	83 ft 83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm 33 km	89.70 89.34	-	83 ft 83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm 33 km	269.70 269.34	-	83 ft 83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm 33 km	269.68 269.32	-	83 ft 83 m
09L	GS	IAA	110.30 MHz	10 nm 19 km	89.68 89.32	3.00	83 ft 83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm 19 km	89.70 89.34	3.00	83 ft 83 m
27L	GS	ILL	109.50 MHz	10 nm 19 km	269.70 269.34	3.00	83 ft 83 m
27R	GS	IRR	110.30 MHz	10 nm 19 km	269.68 269.32	3.00	83 ft 83 m