


EGNT
Newcastle

LFPG
Paris Charles De Gaulle

2024/05/13 0448Z

EGNT GIRLI MAMUL DET SOVAT RATUK LFPG

404.77 nm / 749.63 km



Notes

Requested: EGNT GIRLI MAMUL DET SOVAT RATUK LFPG

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGNT	-	55.03790	0 ft	-	Newcastle
APT	-	-1.68981	0 m		
GIRLI	-	54.71130	0 ft	20	-
FIX	-	-1.80319	0 m		
MAMUL	-	53.41810	0 ft	79	-
FIX	-	-1.28000	0 m		
DET	-	51.30400	0 ft	144	DETLING
VOR	-	0.59727	0 m		
SOVAT	-	50.77940	0 ft	45	-
FIX	-	1.46667	0 m		
RATUK	-	50.65690	0 ft	9	-
FIX	-	1.63639	0 m		
LFPG	-	49.00970	0 ft	105	Paris Charles De Gaulle
APT	-	2.56262	0 m		

EGNT

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 266 ft / 81 m
Location: 55.037900 -1.689790
Magnetic Var: 0.433 W

METAR

EGNT 130420Z 10002KT 3000 BR FEW003 10/10 Q1006

TAF

TAF AMD EGNT 130023Z 1300/1324 07003KT 9999 SCT015 TEMPO 1300/1308 BKN004 TEMPO 1300/1302 6000 SHRA PROB30 1302/1304 4000

Frequencies

APP - 124.38 MHz - NEWCASTLE APPROACH
GND - 121.72 MHz - NEWCASTLE GROUND

TWR - 119.70 MHz - NEWCASTLE TOWER
REC - 118.38 MHz - NEWCASTLE INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	7,626 ft	65.14	ASPHALT	394 ft	95 ft
	46 m	2,325 m	65.57		120 m	29 m
25	150 ft	7,626 ft	245.16	ASPHALT	449 ft	49 ft
	46 m	2,325 m	245.60		137 m	15 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	INC	111.50 MHz	18 nm	-	-	256 ft
				33 km	-		256 m
25	DME	INWC	111.50 MHz	18 nm	-	-	256 ft
				33 km	-		256 m
07	LOC-ILS	INC	111.50 MHz	18 nm	65.15	-	266 ft
				33 km	65.58		266 m
25	LOC-ILS	INWC	111.50 MHz	18 nm	245.15	-	266 ft
				33 km	245.58		266 m
07	GS	INC	111.50 MHz	10 nm	65.15	3.00	266 ft
				19 km	65.58		266 m
25	GS	INWC	111.50 MHz	10 nm	245.15	3.00	266 ft
				19 km	245.58		266 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.496 E

METAR

LFPG 130400Z 22008KT 9999 SCT013 SCT040 BKN100 16/14 Q1012 TEMPO BKN012

TAF

TAF LFPG 122300Z 1300/1406 20005KT CAVOK TX22/1318Z TN14/1306Z TEMPO 1301/1306 BKN012 PROB30 TEMPO 1302/1305 4000

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m