

KPHL

Philadelphia International Airport


KIAD

Washington Dulles Intl

2024/06/04 0513Z

KPHL GLOUS MXE DELRO BINNS HYPER SIGBE DIMKE HOOSR CIREP KIAD

154.98 nm / 287.03 km



Notes

Requested: KPHL GLOUS EJUBOS MXE DELRO BINNS HYPER SIGBE DIMKE HOOSR CIREP KIAD

Unmatched points: EJUBOS

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KPHL	-	39.87390	0 ft	-		Philadelphia International Airport
APT	-	-75.23740	0 m			
GLOUS	-	39.89350	0 ft	5	-	
FIX	-	-75.11120	0 m			
MXE	-	39.91810	0 ft	25		MODENA
VOR	-	-75.67080	0 m			
DELRO	-	39.96550	0 ft	44	-	
FIX	-	-76.62530	0 m			
BINNS	-	39.78510	0 ft	20	-	
FIX	-	-77.01100	0 m			
HYPER	-	39.68390	0 ft	11	-	
FIX	-	-77.22510	0 m			
SIGBE	-	39.41030	0 ft	17	-	
FIX	-	-77.36370	0 m			
DIMKE	-	39.30910	0 ft	7	-	
FIX	-	-77.45440	0 m			
HOOSR	-	39.22620	0 ft	4	-	
FIX	-	-77.45560	0 m			
CIREP	-	39.08470	0 ft	8	-	
FIX	-	-77.45770	0 m			
KIAD	-	38.94740	0 ft	8		Washington Dulles Intl
APT	-	-77.45990	0 m			

KPHL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 36 ft / 11 m
Location: 39.874100 -75.236800
Magnetic Var: 11.989 W

METAR

KPHL 040454Z 00000KT 10SM SCT060 BKN080 BKN110 23/19 A2994 RMK A02 SLP138 T02330194 403060217 \$

TAF

TAF AMD KPHL 040257Z 0403/0506 06004KT P6SM BKN060 FM041200 09005KT P6SM SCT060 FM041800 12007KT P6SM FEW050 BKN200

Frequencies

REC - 133.40 MHz - D-ATIS	REC - 135.92 MHz - D-ATIS
COM - 122.95 MHz - PHILADELPHIA UNICOM	GND - 121.65 MHz - PHILADELPHIA GROUND
GND - 121.90 MHz - PHILADELPHIA GROUND	TWR - 118.50 MHz - PHILADELPHIA TOWER
TWR - 135.10 MHz - PHILADELPHIA TOWER	CLD - 118.85 MHz - CLEARANCE DELIVERY
DEP - 119.75 MHz - PHILADELPHIA DEPARTURE	DEP - 124.35 MHz - PHILADELPHIA DEPARTURE
APP - 123.80 MHz - PHILADELPHIA APPROACH	APP - 124.35 MHz - PHILADELPHIA APPROACH
APP - 126.85 MHz - PHILADELPHIA APPROACH	APP - 127.35 MHz - PHILADELPHIA APPROACH
APP - 128.40 MHz - PHILADELPHIA APPROACH	APP - 133.87 MHz - PHILADELPHIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09R	200 ft	11,981 ft	75.41	ASPHALT	0 ft	292 ft
	61 m	3,652 m	87.40		0 m	89 m
27L	200 ft	11,981 ft	255.44	ASPHALT	1,909 ft	397 ft
	61 m	3,652 m	267.43		582 m	121 m
09L	150 ft	9,482 ft	75.42	ASPHALT	0 ft	413 ft
	46 m	2,890 m	87.40		0 m	126 m
27R	150 ft	9,482 ft	255.44	ASPHALT	0 ft	397 ft
	46 m	2,890 m	267.43		0 m	121 m
17	150 ft	6,508 ft	159.13	ASPHALT	0 ft	200 ft
	46 m	1,984 m	171.12		0 m	61 m
35	150 ft	6,508 ft	339.14	ASPHALT	0 ft	200 ft
	46 m	1,984 m	351.13		0 m	61 m
08	150 ft	4,992 ft	75.44	ASPHALT	0 ft	197 ft
	46 m	1,521 m	87.43		0 m	60 m
26	150 ft	4,992 ft	255.45	ASPHALT	0 ft	0 ft
	46 m	1,521 m	267.44		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IVII	108.95 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
09R	DME	IPHL	109.30 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
26	DME	ILLH	111.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
27L	DME	IGLC	109.30 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
27R	DME	IPDP	108.95 MHz	18 nm	-	-	38 ft
				33 km	-		38 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IVII	108.95 MHz	18 nm	75.43	-	36 ft
				33 km	87.42		36 m
09R	LOC-ILS	IPHL	109.30 MHz	18 nm	75.43	-	36 ft
				33 km	87.42		36 m
17	LOC-ILS	IMMY	108.75 MHz	18 nm	159.14	-	36 ft
				33 km	171.13		36 m
27L	LOC-ILS	IGLC	109.30 MHz	18 nm	255.43	-	36 ft
				33 km	267.42		36 m
27R	LOC-ILS	IPDP	108.95 MHz	18 nm	255.43	-	36 ft
				33 km	267.42		36 m
09L	GS	IVII	108.95 MHz	10 nm	75.43	3.00	36 ft
				19 km	87.42		36 m
09R	GS	IPHL	109.30 MHz	10 nm	75.43	3.00	36 ft
				19 km	87.42		36 m
17	GS	IMMY	108.75 MHz	10 nm	159.14	3.00	36 ft
				19 km	171.13		36 m
27L	GS	IGLC	109.30 MHz	10 nm	255.43	3.00	36 ft
				19 km	267.42		36 m
27R	GS	IPDP	108.95 MHz	10 nm	255.43	3.00	36 ft
				19 km	267.42		36 m

KIAD

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 312 ft / 95 m
Location: 38.947700 -77.460900
Magnetic Var: 10.664 W

METAR

KIAD 040452Z 00000KT 10SM CLR 18/16 A2995 RMK A02 SLP139 T01830156 402940183

TAF

KIAD 040300Z 0403/0506 11005KT P6SM FEW200 FM040400 16003KT P6SM FEW200 FM040800 00000KT 5SM BR FEW090 SCT200 FM0

Frequencies

COM - 122.95 MHz - UNICOM	REC - 134.85 MHz - D-ATIS
CLD - 135.70 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - DULLES GROUND
GND - 121.90 MHz - DULLES GROUND	TWR - 120.10 MHz - DULLES TOWER
TWR - 120.25 MHz - DULLES TOWER	TWR - 134.42 MHz - DULLES TOWER
APP - 120.45 MHz - POTOMAC APPROACH	APP - 126.10 MHz - POTOMAC APPROACH
APP - 128.52 MHz - POTOMAC APPROACH	DEP - 126.65 MHz - POTOMAC DEPARTURE
DEP - 125.05 MHz - POTOMAC DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	151 ft	9,408 ft	0.64	CONCRETE	0 ft	404 ft
	46 m	2,868 m	11.30		0 m	123 m
19R	151 ft	9,408 ft	180.64	CONCRETE	0 ft	404 ft
	46 m	2,868 m	191.30		0 m	123 m
01C	151 ft	11,510 ft	0.65	CONCRETE	0 ft	407 ft
	46 m	3,508 m	11.31		0 m	124 m
19C	151 ft	11,510 ft	180.65	CONCRETE	0 ft	43 ft
	46 m	3,508 m	191.31		0 m	13 m
01R	151 ft	11,510 ft	0.66	CONCRETE	0 ft	43 ft
	46 m	3,508 m	11.33		0 m	13 m
19L	151 ft	11,510 ft	180.66	CONCRETE	0 ft	387 ft
	46 m	3,508 m	191.33		0 m	118 m
12	151 ft	10,513 ft	110.71	CONCRETE	0 ft	20 ft
	46 m	3,204 m	121.37		0 m	6 m
30	151 ft	10,513 ft	290.73	CONCRETE	0 ft	387 ft
	46 m	3,204 m	301.39		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	IIAD	110.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
19L	DME	ISGC	110.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
19R	DME	IISU	110.75 MHz	18 nm	-	-	313 ft
				33 km	-		313 m
01C	LOC-ILS	IOSZ	111.30 MHz	18 nm	0.65	-	312 ft
				33 km	11.31		312 m
01R	LOC-ILS	IIAD	110.10 MHz	18 nm	0.67	-	312 ft
				33 km	11.33		312 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAJU	109.30 MHz	18 nm	110.74	-	312 ft
				33 km	121.40		312 m
19C	LOC-ILS	IDLX	111.30 MHz	18 nm	180.65	-	312 ft
				33 km	191.31		312 m
19L	LOC-ILS	ISGC	110.10 MHz	18 nm	180.67	-	312 ft
				33 km	191.33		312 m
19R	LOC-ILS	IISU	110.75 MHz	18 nm	180.58	-	312 ft
				33 km	191.24		312 m
01L	LOC-ILS	IOIU	110.75 MHz	18 nm	0.58	-	312 ft
				33 km	11.24		312 m
01C	GS	IOSZ	111.30 MHz	10 nm	0.65	3.00	312 ft
				19 km	11.31		312 m
01R	GS	IIAD	110.10 MHz	10 nm	0.67	3.00	312 ft
				19 km	11.33		312 m
12	GS	IAJU	109.30 MHz	10 nm	110.74	3.00	312 ft
				19 km	121.40		312 m
19C	GS	IDLX	111.30 MHz	10 nm	180.65	3.00	312 ft
				19 km	191.31		312 m
19L	GS	ISGC	110.10 MHz	10 nm	180.67	3.00	312 ft
				19 km	191.33		312 m
19R	GS	IISU	110.75 MHz	10 nm	180.58	3.00	312 ft
				19 km	191.24		312 m
01L	GS	IOIU	110.75 MHz	10 nm	0.58	3.00	312 ft
				19 km	11.24		312 m