

# EDDT

Berlin Tegel


# LFPG

Paris Charles De Gaulle

2024/05/15 0309Z

EDDT POVEL **UM994** EXOBA **Z717** ABAMI **UM170** BAM **UZ158** LNO **UZ707** FAMEN LFPG

465.86 nm / 862.77 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDT	-	52.55910	0 ft	-	Berlin Tegel
APT	-	13.29010	0 m		
POVEL	-	52.12840	33,500 ft	93	-
FIX	-	10.82780	10,211 m		
EXOBA	UM994	51.76720	35,000 ft	95	-
FIX	AWY-HI	8.32694	10,668 m		
ABAMI	Z717	51.42500	35,000 ft	44	-
FIX	AWY-LO	7.28056	10,668 m		
BAM	UM170	51.32780	35,000 ft	7	BARMEN VORTAC
DME	AWY-HI	7.17698	10,668 m		
AGENCI	UZ158	50.75000	35,000 ft	55	-
FIX	AWY-HI	6.03333	10,668 m		
LNO	UZ158	50.58580	33,100 ft	15	OLNO
VOR	AWY-HI	5.71028	10,089 m		
FAMEN	UZ707	49.97500	20,800 ft	57	-
FIX	AWY-HI	4.56667	6,340 m		
LFPG	-	49.00970	0 ft	97	Paris Charles De Gaulle
APT	-	2.56262	0 m		

## EDDT

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 122 ft / 37 m  
Location: 52.559100 13.290200  
Magnetic Var: 4.614 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 125.90 MHz - ATIS  
TWR - 118.85 MHz - TEGEL TOWER  
GND - 121.75 MHz - TEGEL GROUND  
CLD - 121.92 MHz - CLEARANCE DELIVERY  
APP - 119.60 MHz - BREMEN RADAR  
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS  
TWR - 124.52 MHz - TEGEL TOWER  
GND - 136.00 MHz - TEGEL GROUND  
APP - 120.60 MHz - BREMEN RADAR  
APP - 119.50 MHz - BREMEN RADAR  
APP - 136.10 MHz - BERLIN DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	9,888 ft	80.82	ASPHALT	0 ft	217 ft
	46 m	3,014 m	76.21		0 m	66 m
26R	151 ft	9,888 ft	260.86	ASPHALT	0 ft	230 ft
	46 m	3,014 m	256.25		0 m	70 m
08R	151 ft	7,907 ft	80.84	ASPHALT	325 ft	164 ft
	46 m	2,410 m	76.22		99 m	50 m
26L	151 ft	7,907 ft	260.87	ASPHALT	686 ft	233 ft
	46 m	2,410 m	256.25		209 m	71 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm	80.84	-	122 ft
				33 km	76.23		122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm	80.85	-	122 ft
				33 km	76.24		122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm	260.85	-	122 ft
				33 km	256.24		122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm	260.84	-	122 ft
				33 km	256.23		122 m
08L	GS	ITLE	109.10 MHz	10 nm	80.84	3.00	122 ft
				19 km	76.23		122 m
08R	GS	ITGE	108.50 MHz	10 nm	80.85	3.00	122 ft
				19 km	76.24		122 m
26L	GS	ITGW	109.30 MHz	10 nm	260.85	3.00	122 ft
				19 km	256.24		122 m
26R	GS	ITLW	110.10 MHz	10 nm	260.84	3.00	122 ft
				19 km	256.23		122 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.497 E

## METAR

LFPG 150230Z VRB05KT 9999 -RA FEW006 BKN016 BKN063 13/12 Q1005 NOSIG

## TAF

TAF LFPG 142300Z 1500/1606 17007KT 9999 BKN007 TX21/1514Z TN12/1504Z PROB30 TEMPO 1500/1505 4000 -SHRA BKN015TCU

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m