


2024/06/17 0404Z

OETF BHA **V40** ABH **V749** RUGAD OESH

499.26 nm / 924.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OETF	-	21.48660	0 ft	-	TAIF
APT	-	40.54060	0 m		
BHA	-	20.29250	33,600 ft	94	AL
VOR	-	41.62910	10,241 m		
EMEKO	V40	19.46770	35,000 ft	54	-
FIX	AWY-HI	42.04600	10,668 m		
KEDAS	V40	18.99810	35,000 ft	31	-
FIX	AWY-HI	42.28140	10,668 m		
ABH	V40	18.24190	35,000 ft	50	ABHA
VOR	AWY-HI	42.65690	10,668 m		
KUNSO	V749	17.92110	35,000 ft	41	-
FIX	AWY-HI	43.30420	10,668 m		
EGMAK	V749	17.87860	35,000 ft	8	-
FIX	AWY-HI	43.44530	10,668 m		
REVOS	V749	17.66470	35,000 ft	45	-
FIX	AWY-HI	44.21310	10,668 m		
NEJ	V749	17.60690	34,400 ft	12	NEJРАН
VOR	AWY-HI	44.41560	10,485 m		
RUGAD	V749	17.89280	17,100 ft	80	-
FIX	AWY-HI	45.79580	5,212 m		
OESH	-	17.46690	0 ft	80	SHARURAH
APT	-	47.12140	0 m		

OETF

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 2

Elevation: 4,848 ft / 1,478 m
Location: 21.486500 40.540600
Magnetic Var: 3.722 E

METAR

OETF 170300Z 00000KT CAVOK 24/07 Q1017 NOSIG

TAF

TAF OETF 162300Z 1700/1806 30006KT 9999 FEW030 BECMG 1706/1708 09010KT 7000 PROB30 TEMPO 1710/1718 FEW025CB SCT03

Frequencies

REC - 127.05 MHz - ATIS
TWR - 118.70 MHz - TAIF TOWER

GND - 121.90 MHz - TAIF GROUND
APP - 119.70 MHz - TAIF APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	12,241 ft	74.51	ASPHALT	0 ft	1,001 ft
	45 m	3,731 m	70.79		0 m	305 m
25	148 ft	12,241 ft	254.52	ASPHALT	0 ft	407 ft
	45 m	3,731 m	250.80		0 m	124 m
17	148 ft	11,037 ft	172.15	ASPHALT	0 ft	390 ft
	45 m	3,364 m	168.43		0 m	119 m
35	148 ft	11,037 ft	352.15	ASPHALT	0 ft	325 ft
	45 m	3,364 m	348.43		0 m	99 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	ITIF	110.90 MHz	18 nm	254.52	-	4,848 ft
				33 km	250.80		4,848 m
35	LOC-ILS	ITAI	110.70 MHz	18 nm	352.15	-	4,848 ft
				33 km	348.43		4,848 m
25	GS	ITIF	110.90 MHz	10 nm	254.52	3.00	4,848 ft
				19 km	250.80		4,848 m
35	GS	ITAI	110.70 MHz	10 nm	352.15	3.00	4,848 ft
				19 km	348.43		4,848 m

OESH

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 1

Elevation: 2,381 ft / 726 m
Location: 17.466900 47.121400
Magnetic Var: 2.247 E

METAR

OESH 170300Z 00000KT CAVOK 26/M02 Q1008 NOSIG

TAF

TAF OESH 162300Z 1700/1806 14008KT CAVOK BECMG 1708/1710 02015KT 7000 FEW040 PROB40 TEMPO 1708/1718 3000 BLDU BECMG 1800/1806 14008KT CAVOK

Frequencies

COM - 114.30 MHz - CTAF

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	147 ft	12,017 ft	84.65	ASPHALT	0 ft	387 ft
	45 m	3,663 m	82.40		0 m	118 m
26	147 ft	12,017 ft	264.66	ASPHALT	0 ft	384 ft
	45 m	3,663 m	262.41		0 m	117 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	ISHA	109.70 MHz	18 nm	-	-	2,363 ft
				33 km	-		2,363 m
08	LOC-ILS	ISHA	109.70 MHz	18 nm	84.63	-	2,363 ft
				33 km	82.38		2,363 m
08	GS	ISHA	109.70 MHz	10 nm	85.20	3.00	2,363 ft
				19 km	82.95		2,363 m