


2024/05/08 1122Z

OMDB ANVIX **L223** LAKLU TOLDA **L555** TOTOX BOLIS ALBIS MEPAT OPIRA KAKIB ALDIN ITCY KK CHB BAT KETIV  
YSSY

6541.09 nm / 12114.10 km



## Notes

Requested: OMDB ANVIX L223 LAKLU N318 TOLDA L555 TOTOX 2164E BOLIS 2066E 1967E ALBIS MEPAT 1671E OPIRA 1573E KAKIB

Unmatched points: N318 2164E 2066E 1967E 1671E 1573E 1376E UGABA 0683E IBADA L897

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25491	0 ft	-	DUBAI INTL
APT	-	55.36426	0 m		
ANVIX	-	24.78194	0 ft	42	-
FIX	-	55.93778	0 m		
TARDI	L223	24.57167	0 ft	17	-
FIX	AWY-LO	56.15417	0 m		
LAKLU	L223	23.37639	0 ft	87	-
FIX	AWY-HI	57.06694	0 m		
TOLDA	-	22.66889	0 ft	95	-
FIX	-	58.60667	0 m		
TUMET	L555	22.38528	0 ft	76	-
FIX	AWY-HI	59.95056	0 m		
TOTOX	L555	21.84167	0 ft	138	-
FIX	AWY-HI	62.37500	0 m		
BOLIS	-	20.55908	0 ft	165	-
FIX	-	65.00042	0 m		
ALBIS	-	18.11653	0 ft	224	-
FIX	-	68.00003	0 m		
MEPAT	-	17.19269	0 ft	104	-
FIX	-	69.54983	0 m		
OPIRA	-	16.10114	0 ft	137	-
FIX	-	71.64956	0 m		
KAKIB	-	15.00122	0 ft	140	-
FIX	-	73.78539	0 m		
ALDIN	-	14.23967	0 ft	55	-
FIX	-	74.33422	0 m		
ITCY	-	10.76533	0 ft	330	ILS-cat-I
LOC-ILS	-	78.70497	0 m		
KK	-	9.79611	0 ft	99	KANKESANTURAI NDB
NDB	-	80.07222	0 m		
CHB	-	8.53356	0 ft	100	CHINA BAY NDB
NDB	-	81.18530	0 m		
BAT	-	7.70362	0 ft	57	BATTICALOA NDB
NDB	-	81.68024	0 m		
KETIV	-	-0.70000	0 ft	797	-
FIX	-	92.00000	0 m		
YSSY	-	-33.94927	0 ft	3868	Sydney Intl
APT	-	151.18135	0 m		

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.352 E

## METAR

OMDB 081100Z 30017KT CAVOK 37/14 Q1007 NOSIG

## TAF

TAF OMDB 080500Z 0806/0912 24005KT CAVOK BECMG 0806/0808 33015KT BECMG 0816/0818 08005KT BECMG 0904/0906 28012KT

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

```
Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3
```

Elevation: 21 ft / 6 m  
Location: -33.946100 151.177000  
Magnetic Var: 12.671 E

YSSY 081100Z 30007KT 6000 2500SW SHRA SCT020 BKN030 BKN040 16/15 Q1030

TAF YSSY 080811Z 0809/0912 14008KT 9999 -SHRA FEW015 SCT025 BECMG 0810/0812 29007KT 9999 -SHRA FEW008 SCT020 FM09

REC - 118.55 MHz - ATIS	REC - 126.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER	TWR - 120.50 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND	GND - 121.70 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON	GND - 127.60 MHz - SYDNEY COORDINATOR
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY	APP - 124.40 MHz - SYDNEY APPROACH
APP - 128.30 MHz - SYDNEY APPROACH	APP - 135.90 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT	APP - 125.30 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR	APP - 119.45 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE	DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE	DEP - 118.40 MHz - SYDNEY DEPARTURE

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,018 ft	167.85	ASPHALT	758 ft	295 ft
	45 m	2,444 m	155.18		231 m	90 m
34R	148 ft	8,018 ft	347.85	ASPHALT	125 ft	295 ft
	45 m	2,444 m	335.18		38 m	90 m
07	148 ft	8,285 ft	74.14	ASPHALT	0 ft	489 ft
	45 m	2,525 m	61.46		0 m	149 m
25	148 ft	8,285 ft	254.12	ASPHALT	331 ft	197 ft
	45 m	2,525 m	241.45		101 m	60 m
16R	148 ft	13,029 ft	167.86	ASPHALT	279 ft	299 ft
	45 m	3,971 m	155.19		85 m	91 m
34L	148 ft	13,029 ft	347.85	ASPHALT	0 ft	620 ft
	45 m	3,971 m	335.18		0 m	189 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	ISS	110.90 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25	DME	ISW	109.70 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
34R	DME	IKN	109.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm	74.13	-	21 ft
				33 km	61.46		21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm	167.85	-	21 ft
				33 km	155.18		21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm	167.86	-	21 ft
				33 km	155.19		21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm	254.13	-	21 ft
				33 km	241.46		21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm	347.86	-	21 ft
				33 km	335.19		21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm	347.85	-	21 ft
				33 km	335.18		21 m
07	GS	ISY	109.90 MHz	10 nm	74.13	3.00	21 ft
				19 km	61.46		21 m
16L	GS	ISS	110.90 MHz	10 nm	167.85	3.00	21 ft
				19 km	155.18		21 m
16R	GS	IKS	109.50 MHz	10 nm	167.86	3.00	21 ft
				19 km	155.19		21 m
25	GS	ISW	109.70 MHz	10 nm	254.13	3.00	21 ft
				19 km	241.46		21 m
34L	GS	ISN	110.10 MHz	10 nm	347.86	3.00	21 ft
				19 km	335.19		21 m
34R	GS	IKN	109.30 MHz	10 nm	347.85	3.00	21 ft
				19 km	335.18		21 m