


2024/05/13 0204Z

RCSS ANLOT RCKH

170.57 nm / 315.89 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 22000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCSS	-	25.06959	0 ft	-	Sungshan
APT	-	121.55257	0 m		
ANLOT	-	23.94083	16,600 ft	88	-
FIX	-	120.52250	5,060 m		
RCKH	-	22.57709	0 ft	82	KAOHSIUNG INTL
APT	-	120.35001	0 m		

RCSS

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 1

Elevation: 18 ft / 5 m
Location: 25.069600 121.553000
Magnetic Var: 5.031 W

METAR

RCSS 130130Z 08010KT 9999 FEW010 SCT020 BKN030 20/16 Q1015 NOSIG RMK A2999

TAF

TAF RCSS 122300Z 1300/1324 09008KT 9999 FEW012 BKN032 TEMPO 1300/1303 FEW010 BKN020 BKN040 TEMPO 1303/1309 08015K

Frequencies

REC - 127.40 MHz - ATIS	REC - 431.00 MHz - ATIS
CLD - 121.20 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SONGSHAN GROUND
TWR - 118.10 MHz - SONGSHAN TOWER	APP - 119.70 MHz - TAIPEI APPROACH
APP - 119.60 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 130.10 MHz - TAIPEI APPROACH	APP - 129.60 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH
APP - 124.20 MHz - TAIPEI APPROACH	APP - 120.40 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft	8,555 ft	92.21	ASPHALT	0 ft	197 ft
	60 m	2,607 m	97.24		0 m	60 m
28	197 ft	8,555 ft	272.22	ASPHALT	0 ft	764 ft
	60 m	2,607 m	277.25		0 m	233 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ITSG	108.90 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
28	DME	ITLU	108.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
10	LOC-ILS	ITSG	108.90 MHz	18 nm	92.22	-	18 ft
				33 km	97.25		18 m
10	GS	ITSG	108.90 MHz	10 nm	92.22	3.00	18 ft
				19 km	97.25		18 m

RCKH

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 1

Elevation: 31 ft / 9 m
Location: 22.576900 120.350000
Magnetic Var: 4.335 W

METAR

RCKH 130130Z 31005KT 280V350 9000 FEW015 SCT100 31/24 Q1010 NOSIG RMK A2984

TAF

TAF RCKH 122300Z 1300/1406 33005KT 9999 FEW012 BKN032 TEMPO 1303/1309 28010KT TEMPO 1318/1324 06005KT

Frequencies

TWR - 118.70 MHz -
REC - 127.80 MHz - ATIS

APP - 124.70 MHz -
GND - 121.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft 60 m	10,344 ft 3,153 m	92.04 96.37	CONCRETE	525 ft 160 m	197 ft 60 m
27	197 ft 60 m	10,344 ft 3,153 m	272.05 276.39	CONCRETE	1,460 ft 445 m	197 ft 60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IKHG	108.30 MHz	18 nm 33 km	- -	-	31 ft 31 m
27	DME	IKAS	109.70 MHz	18 nm 33 km	- -	-	31 ft 31 m
09	LOC-ILS	IKHG	108.30 MHz	18 nm 33 km	92.05 96.38	-	31 ft 31 m
27	LOC-LOC	IKAS	109.70 MHz	18 nm 33 km	272.05 276.38	-	31 ft 31 m
09	GS	IKHG	108.30 MHz	10 nm 19 km	92.05 96.38	3.00	31 ft 31 m
27	GS	IKAS	109.70 MHz	10 nm 19 km	272.05 276.38	3.00	31 ft 31 m