TFFR

Pointe a Pitre Le Raizet

-


TFFF

Martinique/Aime Cesaire Intl

2024/03/19 0430Z

TFFR DOM TFFF

105.11 nm / 194.67 km



Notes

Basic altitude profile:
- Ascent Rate: 1000ft/min
- Ascent Speed: 110kts
- Cruise Altitude: 8000ft
- Cruise Speed: 160kts
- Descent Rate: 600ft/min
- Descent Speed: 140kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TFFR APT	- -	16.26531 -61.53181	0 ft 0 m	-	Pointe a Pitre Le Raizet
DOM NDB	- -	15.55094 -61.29564	11,800 ft 3,597 m	45	MELVILLE HALL NDB
TFFF APT	- -	14.59103 -61.00317	0 ft 0 m	60	Martinique/Aime Cesaire Intl

TFFR

Region: FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN)
Timezone: AMERICA/GUADELOUPE
Runways: 1

Elevation: 35 ft / 11 m
Location: 18.265500 -61.533000
Magnetic Var: 15.016 W

METAR

TFFR 190400Z AUTO 11007KT CAVOK 26/22 Q1015 TEMPO 4000 SHRA BKN018TCU

TAF

TAF TFFR 182300Z 1900/1924 12005KT 9999 SCT030 PROB30 TEMPO 1904/1908 4000 SHRA BKN018TCU BECMG 1910/1912 12015KT

Frequencies

REC - 127.60 MHz - ATIS
TWR - 118.40 MHz - POINT A PITRE TOWER
APP - 129.80 MHz - RAIZET APPROACH
GND - 121.85 MHz - POINT A PITRE GROUND
APP - 121.30 MHz - RAIZET APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft 45 m	10,673 ft 3,253 m	100.87 115.88	ASPHALT	1,309 ft 399 m	98 ft 30 m
30	148 ft 45 m	10,673 ft 3,253 m	280.87 295.89	ASPHALT	978 ft 298 m	853 ft 260 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	PP	110.30 MHz	18 nm 33 km	100.95 115.97	-	35 ft 35 m
12	GS	PP	110.30 MHz	10 nm 19 km	100.95 115.97	3.20	35 ft 35 m

TFFF

Region: FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN)
Timezone: AMERICA/MARTINIQUE
Runways: 1

Elevation: 16 ft / 5 m
Location: 14.590800 -61.004600
Magnetic Var: 15.250 W

METAR

TFFF 190400Z AUTO 11010KT 9999 FEW025 27/22 Q1015 NOSIG

TAF

TAF TFFF 182300Z 1900/1924 11010KT 9999 SCT025 PROB30 TEMPO 1908/1912 4000 SHRA BKN020TCU TEMPO 1914/1922 12015G2

Frequencies

REC - 127.85 MHz - ATIS
TWR - 118.50 MHz - FORT DE FRANCE TWR
APP - 129.05 MHz - FORT DE FRANCE APP

GND - 121.90 MHz -
APP - 121.00 MHz - FORT DE FRANCE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft 45 m	9,852 ft 3,003 m	79.94 95.19	ASPHALT	0 ft 0 m	52 ft 16 m
28	148 ft 45 m	9,852 ft 3,003 m	259.95 275.20	ASPHALT	817 ft 249 m	994 ft 303 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	FF	109.90 MHz	18 nm 33 km	79.93 95.18	-	16 ft 16 m
10	GS	FF	109.90 MHz	10 nm 19 km	79.93 95.18	3.00	16 ft 16 m