


2024/05/07 2043Z

DABB ANB **G6** SALMA **UN854** RASPA LFML

419.02 nm / 776.03 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DABB	-	36.82933	0 ft	-	ANNABA
APT	-	7.81375	0 m		
ANB	-	36.81667	300 ft	1	ANNABA VOR-DME
VOR	-	7.80000	91 m		
SALMA	G6	39.00000	24,500 ft	140	-
FIX	AWY-LO	6.71667	7,468 m		
BALEN	UN854	40.94667	32,300 ft	126	-
FIX	AWY-HI	5.69000	9,845 m		
RASPA	UN854	42.15778	18,500 ft	73	-
FIX	AWY-HI	5.39639	5,639 m		
LFML	-	43.43589	0 ft	77	Marseille Provence
APT	-	5.21328	0 m		

DABB

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 16 ft / 5 m
Location: 36.829300 7.813800
Magnetic Var: 2.599 E

METAR

DABB 072030Z 01012KT 9999 TS FEW020 FEW026CB SCT033 18/15 Q1017

TAF

TAF DABB 071700Z 0718/0818 02012KT 9999 SCT020 SCT033 TEMPO 0718/0802 36015G25KT 2000 +TSRA SCT013CB OVC016 TEMPO

Frequencies

TWR - 118.70 MHz - ANNABA TOWER
APP - 119.00 MHz - ANNABA APPROACH

TWR - 119.70 MHz - ANNABA TOWER
APP - 119.70 MHz - ANNABA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	145 ft	9,868 ft	186.89	ASPHALT	0 ft	0 ft
	44 m	3,008 m	184.29		0 m	0 m
36	145 ft	9,868 ft	6.89	ASPHALT	315 ft	0 ft
	44 m	3,008 m	4.29		96 m	0 m
05	145 ft	7,503 ft	51.74	ASPHALT	0 ft	0 ft
	44 m	2,287 m	49.14		0 m	0 m
23	145 ft	7,503 ft	231.75	ASPHALT	0 ft	0 ft
	44 m	2,287 m	229.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	AN	109.70 MHz	18 nm	186.89	-	16 ft
				33 km	184.29		16 m
18	GS	AN	109.70 MHz	10 nm	186.89	3.00	16 ft
				19 km	184.29		16 m

LFML

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 69 ft / 21 m
Location: 43.435800 5.213430
Magnetic Var: 2.282 E

METAR

LFML 072030Z AUTO 31022KT CAVOK 16/09 Q1014 TEMPO 33020G30KT

TAF

TAF TAF LFML 072000Z 0721/0903 33020KT CAVOK TX24/0815Z TN10/0805Z TEMPO 0721/0724 33020G30KT BECMG 0800/0802 350

Frequencies

TWR - 125.35 MHz - PROVENCE ATIS	GND - 121.72 MHz - PROVENCE PREFLIGHT
GND - 121.90 MHz - PROVENCE GROUND	TWR - 133.10 MHz - PROVENCE TOWER
TWR - 123.72 MHz - PROVENCE TOWER	APP - 120.20 MHz - PROVENCE APPROACH
TWR - 120.87 MHz - PROVENCE APPROACH	APP - 121.42 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH	APP - 127.72 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH	APP - 132.30 MHz - PROVENCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft	11,485 ft	134.05	ASPHALT	1,122 ft	295 ft
	45 m	3,501 m	131.77		342 m	90 m
31R	148 ft	11,485 ft	314.07	ASPHALT	2,165 ft	331 ft
	45 m	3,501 m	311.79		660 m	101 m
13R	148 ft	7,783 ft	134.89	ASPHALT	0 ft	197 ft
	45 m	2,372 m	132.61		0 m	60 m
31L	148 ft	7,783 ft	314.91	ASPHALT	348 ft	194 ft
	45 m	2,372 m	312.62		106 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13R	DME	MCE	108.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
31R	DME	MPV	111.15 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm	134.05	-	74 ft
				33 km	131.77		74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm	134.90	-	74 ft
				33 km	132.62		74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm	314.05	-	74 ft
				33 km	311.77		74 m
13L	GS	ML	110.30 MHz	10 nm	134.05	3.00	10 ft
				19 km	131.77		10 m
13R	GS	MCE	108.30 MHz	10 nm	134.90	3.00	74 ft
				19 km	132.62		74 m
31R	GS	MPV	111.15 MHz	10 nm	314.05	4.00	10 ft
				19 km	311.77		10 m