

# EHRD

Rotterdam The Hague


# EGGD

Bristol International

2024/05/04 1611Z

EHRD LOGAN **UL980** LAM **UL179** CPT EGGD

268.95 nm / 498.10 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHRD APT	-	51.95747 4.44166	0 ft 0 m	-	Rotterdam The Hague
LOGAN FIX	-	51.74750 1.61194	34,900 ft 10,638 m	105	-
TRIPO FIX	UL980 AWY-HI	51.71306 1.08278	30,700 ft 9,357 m	19	-
SABER FIX	UL980 AWY-HI	51.70389 0.94944	28,600 ft 8,717 m	4	-
MANGO FIX	UL980 AWY-HI	51.69278 0.79056	28,300 ft 8,626 m	5	-
BRASO FIX	UL980 AWY-HI	51.68528 0.68333	26,500 ft 8,077 m	4	-
WESUL FIX	UL980 AWY-HI	51.67083 0.48611	24,900 ft 7,590 m	7	-
LAM VOR	UL980 AWY-HI	51.64611 0.15167	24,500 ft 7,468 m	12	LAMBOURNE VOR-DME
CPT VOR	UL179 AWY-HI	51.49167 -1.21972	24,500 ft 7,468 m	52	COMPTON VOR-DME
EGGD APT	-	51.38266 -2.71892	0 ft 0 m	56	Bristol International

## EHRD

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: -15 ft / -5 m  
Location: 51.957500 4.441690  
Magnetic Var: 1.950 E

## METAR

EHRD 041555Z AUTO 17009KT 130V200 9999 SHRA FEW009 SCT011 SCT015CB BKN041 11/10 Q1012 REDZ TEMPO 5000 SHRA BECMG 1

## TAF

TAF TAF EHRD 041114Z 0412/0518 15011KT 9999 FEW025 TEMPO 0413/0419 16015G25KT 6000 SHRA SCT030CB BKN040 PROB40 TEN

## Frequencies

TWR - 118.20 MHz - ROTTERDAM TOWER  
REC - 110.40 MHz - ROTTERDAM ATIS  
GND - 122.17 MHz - ROTTERDAM GROUND

APP - 127.02 MHz - ROTTERDAM APPROACH  
CLD - 128.80 MHz - ROTTERDAM DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,198 ft	57.03	ASPHALT	643 ft	0 ft
	45 m	2,194 m	55.08		196 m	0 m
24	148 ft	7,198 ft	237.05	ASPHALT	646 ft	0 ft
	45 m	2,194 m	235.10		197 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ROS	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
24	DME	RSV	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
06	LOC-ILS	ROS	109.10 MHz	18 nm	56.94	-	-15 ft
				33 km	54.99		-15 m
24	LOC-ILS	RSV	110.90 MHz	18 nm	236.94	-	-15 ft
				33 km	234.99		-15 m