


2024/05/13 0515Z

SCIP IPA **L348** SAURI **UL348** SADIT NTGJ

1459.15 nm / 2702.34 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCIP	-	-27.16479	0 ft	-	Mataverí Intl
APT	-	-109.42183	0 m		
IPA	-	-27.15400	200 ft	0	ISLA DE PASCUA NDB
NDB	-	-109.42117	61 m		
SAKOB	L348	-26.50000	24,500 ft	301	-
FIX	AWY-LO	-115.00000	7,468 m		
SAURI	L348	-25.75000	34,000 ft	273	-
FIX	AWY-HI	-120.00000	10,363 m		
SAPOK	UL348	-24.83333	34,000 ft	277	-
FIX	AWY-HI	-125.00000	10,363 m		
SUNTA	UL348	-23.75000	34,000 ft	281	-
FIX	AWY-HI	-130.00000	10,363 m		
SADIT	UL348	-22.45000	8,200 ft	287	-
FIX	AWY-LO	-135.00000	2,499 m		
NTGJ	-	-23.07986	0 ft	38	TOTELEGIE
APT	-	-134.89032	0 m		

## SCIP

Region: CHILE

Timezone: PACIFIC/EASTER

Runways: 1

Elevation: 227 ft / 69 m

Location: -27.164700 -109.422000

Magnetic Var: 14.896 E

## METAR

SCIP 130500Z 16009KT 9999 FEW012 17/15 Q1008 NOSIG

## TAF

TAF SCIP 122252Z 1300/1324 32004KT 9999 SCT020 SCT200 TN16/1309Z TX22/1320Z TEMPO 1300/1306 5000 -SHRA BKN015 BKN

## Frequencies

APP - 127.30 MHz - PASCUA APPROACH

TWR - 118.10 MHz - PASCUA TOWER

GND - 121.90 MHz - PASCUA GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	10,847 ft	117.14	ASPHALT	0 ft	361 ft
	45 m	3,306 m	102.24		0 m	110 m
28	148 ft	10,847 ft	297.12	ASPHALT	0 ft	0 ft
	45 m	3,306 m	282.23		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	IIPA	110.30 MHz	18 nm	117.13	-	227 ft
				33 km	102.23		227 m
10	GS	IIPA	110.30 MHz	10 nm	117.13	2.50	227 ft
				19 km	102.23		227 m