


2024/06/16 0900Z

YPEA YGIG

14.71 nm / 27.23 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YPEA	-	-31.67220	0 ft	-	Pearce
APT	-	116.01500	0 m		
YGIG	-	-31.46440	0 ft	14	Gingin
APT	-	115.86300	0 m		

YPEA

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 3

Elevation: 150 ft / 46 m
Location: -31.672200 116.015000
Magnetic Var: 1.622 W

METAR

YPEA 160830Z AUTO 23010KT 9999 // SCT039 BKN054 19/13 Q1017

TAF

TAF YPEA 160522Z 1606/1700 24010KT 9999 -SHRA SCT040 FM161200 15005KT CAVOK

Frequencies

COM - 118.30 MHz - CTAF	CLD - 134.10 MHz - CLNC DEL
GND - 127.25 MHz -	TWR - 118.30 MHz -
APP - 123.60 MHz - PERTH APP	APP - 118.70 MHz - PERTH DEP
APP - 130.19 MHz -	APP - 130.20 MHz -
DEP - 135.90 MHz -	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	164 ft	8,025 ft	173.60	ASPHALT	0 ft	200 ft
	50 m	2,446 m	175.22		0 m	61 m
36R	164 ft	8,025 ft	353.60	ASPHALT	0 ft	210 ft
	50 m	2,446 m	355.22		0 m	64 m
05	148 ft	5,558 ft	44.55	ASPHALT	0 ft	46 ft
	45 m	1,694 m	46.17		0 m	14 m
23	148 ft	5,558 ft	224.55	ASPHALT	0 ft	469 ft
	45 m	1,694 m	226.17		0 m	143 m
18R	98 ft	5,753 ft	173.59	ASPHALT	0 ft	187 ft
	30 m	1,754 m	175.22		0 m	57 m
36L	98 ft	5,753 ft	353.59	ASPHALT	0 ft	200 ft
	30 m	1,754 m	355.21		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	LOC-ILS	IPE	110.70 MHz	18 nm	173.60	-	150 ft
				33 km	175.22		150 m
18L	GS	IPE	110.70 MHz	10 nm	173.60	3.00	150 ft
				19 km	175.22		150 m