


2024/05/13 0236Z

VIJP LETPU GURTI ALI **R460** LLK VILK

298.92 nm / 553.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIJP APT	-	26.82672 75.80574	0 ft 0 m	-	JAIPUR
LETPU FIX	-	27.53904 77.46676	35,000 ft 10,668 m	98	-
GURTI FIX	-	27.72931 77.79450	35,000 ft 10,668 m	20	-
ALI VOR	-	27.82931 78.17833	33,900 ft 10,333 m	21	ALIGARH VOR-DME
KADAS FIX	R460 AWY-HI	27.33352 79.48176	17,700 ft 5,395 m	75	-
LLK VOR	R460 AWY-LO	26.76220 80.88047	7,500 ft 2,286 m	82	LUCKNOW VOR-DME
VILK APT	-	26.76059 80.88934	0 ft 0 m	0	LUCKNOW

VIJP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 1,264 ft / 385 m
Location: 26.824600 75.816300
Magnetic Var: 1.373 E

METAR

VIJP 130200Z VRB02KT 3200 DU SCT100 31/18 Q1011 BECMG 3000 DU

TAF

TAF VIJP 122300Z 1300/1406 09005KT 4000 HZ NSC BECMG 1305/1307 VRB03KT 5000 HZ SCT030 SCT100 BECMG 1314/1316 36004

Frequencies

REC - 126.60 MHz - ATIS
APP - 123.25 MHz - JAIPUR APPROACH
TWR - 124.30 MHz - JAIPUR TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	11,163 ft	83.99	ASPHALT	0 ft	328 ft
	45 m	3,403 m	82.62		0 m	100 m
27	148 ft	11,163 ft	264.01	ASPHALT	0 ft	0 ft
	45 m	3,403 m	262.64		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IJIP	109.90 MHz	18 nm	-	-	1,263 ft
				33 km	-		1,263 m
27	LOC-ILS	IJIP	109.90 MHz	18 nm	264.05	-	1,263 ft
				33 km	262.67		1,263 m
27	GS	IJIP	109.90 MHz	10 nm	264.97	3.00	1,263 ft
				19 km	263.59		1,263 m

VILK

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 404 ft / 123 m
Location: 26.760600 80.888900
Magnetic Var: 1.038 E

METAR

VILK 130200Z 10008KT 5000 HZ NSC 28/23 Q1010 NOSIG

TAF

TAF VILK 122300Z 1300/1406 10008KT 4000 HZ FEW020 SCT100 BECMG 1301/1303 12005KT 5000 HZ FEW020 BECMG 1306/1308 12000KT 5000 HZ NSC

Frequencies

REC - 126.80 MHz - LUCKNOW ATIS
TWR - 118.60 MHz - LUCKNOW TOWER

GND - 119.70 MHz - LUCKNOW GROUND
APP - 120.45 MHz - LUCKNOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	8,985 ft	89.15	ASPHALT	512 ft	591 ft
	45 m	2,739 m	88.11		156 m	180 m
27	148 ft	8,985 ft	269.16	ASPHALT	0 ft	200 ft
	45 m	2,739 m	268.12		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	ILUC	109.90 MHz	18 nm	-	-	410 ft
				33 km	-		410 m
27	LOC-ILS	ILUC	109.90 MHz	18 nm	269.15	-	403 ft
				33 km	268.11		403 m
27	GS	ILUC	109.90 MHz	10 nm	269.15	3.00	403 ft
				19 km	268.11		403 m