

PANC

Ted Stevens Anchorage Airport


LOWW

Vienna International Airport

2024/05/23 0552Z

PANC EGRAM **V436** ENN **J155** CQR **V436** PIPET WIMAN ARBEZ **M451** PELRI 8400N0-4800W 8400N0-4700W
8400N0-4600W 8400N0-4500W 8400N0-4400W 8400N0-4300W 8400N0-4200W 8400N0-4100W 8400N0-4000W
8400N0-3900W 8400N0-3800W 8400N0-3700W 8400N0-3600W 8400N0-3500W 8400N0-3400W 8400N0-3300W
8400N0-3200W 8400N0-3100W 8400N0-3000W 8400N0-2900W 8400N0-2800W 8400N0-2700W 8400N0-2600W
8400N0-2500W 8400N0-2400W 8400N0-2300W 8300N0-1300W 8100N0-300W 8000N0200E ATSOT **M604** NONVU **L996**
SVD **L621** INRER **M44** ARGAD **UM44** KOGIM **UM725** HDO **M725** TABEM LOWW

4337.56 nm / 8033.17 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PANC	-	61.17440	0 ft	-	Ted Stevens Anchorage Airport
APT	-	-149.99800	0 m	-	
EGRAM	-	62.78790	34,600 ft	96	-
FIX	-	-149.89900	10,546 m	-	-
DENKE	V436	63.93940	35,000 ft	70	-
FIX	AWY-LO	-149.38400	10,668 m	-	-
ENN	V436	64.59000	35,000 ft	39	NENANA
VOR	AWY-LO	-149.07300	10,668 m	-	-
CQR	J155	67.50240	35,000 ft	175	CHANDALAR
NDB	AWY-HI	-148.46900	10,668 m	-	-
ARTIC	V436	69.02050	35,000 ft	91	-
FIX	AWY-LO	-148.44100	10,668 m	-	-
PIPET	V436	69.20320	35,000 ft	10	-
FIX	AWY-LO	-148.43700	10,668 m	-	-
WIMAN	-	69.49220	35,000 ft	23	-
FIX	-	-147.71600	10,668 m	-	-
ARBEZ	-	69.99980	35,000 ft	43	-
FIX	-	-146.25300	10,668 m	-	-
JESRU	M451	74.94670	35,000 ft	311	-
FIX	AWY-HI	-141.00000	10,668 m	-	-
PEKMO	M451	80.12830	35,000 ft	340	-
FIX	AWY-HI	-130.00000	10,668 m	-	-
PIGSO	M451	84.75000	35,000 ft	405	-
FIX	AWY-HI	-90.00000	10,668 m	-	-
PELRI	M451	85.00000	35,000 ft	159	-
FIX	AWY-HI	-60.00000	10,668 m	-	-
8400N0-4800W	-	84.00000	35,000 ft	91	-
LATLON	-	-48.00000	10,668 m	-	-
8400N0-4700W	-	84.00000	35,000 ft	6	-
LATLON	-	-47.00000	10,668 m	-	-
8400N0-4600W	-	84.00000	35,000 ft	6	-
LATLON	-	-46.00000	10,668 m	-	-
8400N0-4500W	-	84.00000	35,000 ft	6	-
LATLON	-	-45.00000	10,668 m	-	-
8400N0-4400W	-	84.00000	35,000 ft	6	-
LATLON	-	-44.00000	10,668 m	-	-
8400N0-4300W	-	84.00000	35,000 ft	6	-
LATLON	-	-43.00000	10,668 m	-	-
8400N0-4200W	-	84.00000	35,000 ft	6	-
LATLON	-	-42.00000	10,668 m	-	-
8400N0-4100W	-	84.00000	35,000 ft	6	-
LATLON	-	-41.00000	10,668 m	-	-
8400N0-4000W	-	84.00000	35,000 ft	6	-
LATLON	-	-40.00000	10,668 m	-	-
8400N0-3900W	-	84.00000	35,000 ft	6	-
LATLON	-	-39.00000	10,668 m	-	-
8400N0-3800W	-	84.00000	35,000 ft	6	-
LATLON	-	-38.00000	10,668 m	-	-
8400N0-3700W	-	84.00000	35,000 ft	6	-
LATLON	-	-37.00000	10,668 m	-	-
8400N0-3600W	-	84.00000	35,000 ft	6	-
LATLON	-	-36.00000	10,668 m	-	-
8400N0-3500W	-	84.00000	35,000 ft	6	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-35.00000	10,668 m		
8400N0-3400W	-	84.00000	35,000 ft	6	-
LATLON	-	-34.00000	10,668 m		
8400N0-3300W	-	84.00000	35,000 ft	6	-
LATLON	-	-33.00000	10,668 m		
8400N0-3200W	-	84.00000	35,000 ft	6	-
LATLON	-	-32.00000	10,668 m		
8400N0-3100W	-	84.00000	35,000 ft	6	-
LATLON	-	-31.00000	10,668 m		
8400N0-3000W	-	84.00000	35,000 ft	6	-
LATLON	-	-30.00000	10,668 m		
8400N0-2900W	-	84.00000	35,000 ft	6	-
LATLON	-	-29.00000	10,668 m		
8400N0-2800W	-	84.00000	35,000 ft	6	-
LATLON	-	-28.00000	10,668 m		
8400N0-2700W	-	84.00000	35,000 ft	6	-
LATLON	-	-27.00000	10,668 m		
8400N0-2600W	-	84.00000	35,000 ft	6	-
LATLON	-	-26.00000	10,668 m		
8400N0-2500W	-	84.00000	35,000 ft	6	-
LATLON	-	-25.00000	10,668 m		
8400N0-2400W	-	84.00000	35,000 ft	6	-
LATLON	-	-24.00000	10,668 m		
8400N0-2300W	-	84.00000	35,000 ft	6	-
LATLON	-	-23.00000	10,668 m		
8300N0-1300W	-	83.00000	35,000 ft	90	-
LATLON	-	-13.00000	10,668 m		
8100N0-300W	-	81.00000	35,000 ft	145	-
LATLON	-	-3.00000	10,668 m		
8000N0200E	-	80.00000	35,000 ft	77	-
LATLON	-	2.00000	10,668 m		
ATSOT	-	77.12680	35,000 ft	217	-
FIX	-	13.18210	10,668 m		
OMEXA	M604	69.01970	35,000 ft	486	-
FIX	AWY-HI	12.80680	10,668 m		
NONVU	M604	63.52590	35,000 ft	333	-
FIX	AWY-HI	10.89010	10,668 m		
EVNEN	L996	63.00000	35,000 ft	37	-
FIX	AWY-HI	11.64090	10,668 m		
ABUNO	L996	62.00000	35,000 ft	60	-
FIX	AWY-HI	11.94030	10,668 m		
INREX	L996	61.01390	35,000 ft	59	-
FIX	AWY-HI	12.21670	10,668 m		
TUMGU	L996	59.89110	35,000 ft	67	-
FIX	AWY-HI	12.02000	10,668 m		
OKSAT	L996	59.32940	35,000 ft	33	-
FIX	AWY-HI	11.95720	10,668 m		
GETPA	L996	59.03580	35,000 ft	17	-
FIX	AWY-HI	11.92560	10,668 m		
KORET	L996	58.81080	35,000 ft	13	-
FIX	AWY-HI	11.90140	10,668 m		
LATKU	L996	58.55720	35,000 ft	15	-
FIX	AWY-HI	11.97030	10,668 m		
KELIN	L996	58.24360	35,000 ft	19	-
FIX	AWY-HI	12.05420	10,668 m		
LALIL	L996	57.77350	35,000 ft	28	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	12.17720	10,668 m		
TOPLA	L996	57.13590	35,000 ft	38	-
FIX	AWY-HI	12.33890	10,668 m		
ATRI	L996	56.42330	35,000 ft	43	-
FIX	AWY-HI	12.51330	10,668 m		
SVD	L996	56.16890	35,000 ft	15	SVEDA VOR-DME
DME	AWY-HI	12.57380	10,668 m		
INRER	L621	56.05270	35,000 ft	10	-
FIX	AWY-HI	12.81370	10,668 m		
SALLO	M44	54.91670	35,000 ft	70	-
FIX	AWY-HI	13.38620	10,668 m		
ARGAD	M44	54.50610	35,000 ft	24	-
FIX	AWY-HI	13.49610	10,668 m		
KOGIM	UM44	54.31690	35,000 ft	11	-
FIX	AWY-HI	13.54390	10,668 m		
LABES	UM725	54.19310	35,000 ft	7	-
FIX	AWY-HI	13.57640	10,668 m		
MASOR	UM725	53.92420	35,000 ft	16	-
FIX	AWY-HI	13.64580	10,668 m		
UDAXI	UM725	53.76250	35,000 ft	9	-
FIX	AWY-HI	13.70420	10,668 m		
RODEP	UM725	53.68610	35,000 ft	4	-
FIX	AWY-HI	13.73140	10,668 m		
RAKIT	UM725	53.17860	35,000 ft	31	-
FIX	AWY-HI	13.91100	10,668 m		
RENKI	UM725	52.91470	35,000 ft	15	-
FIX	AWY-HI	13.96170	10,668 m		
GERGA	UM725	52.60250	35,000 ft	18	-
FIX	AWY-HI	14.02810	10,668 m		
TUVAK	UM725	52.39980	35,000 ft	12	-
FIX	AWY-HI	14.07080	10,668 m		
GORIG	UM725	52.31660	35,000 ft	5	-
FIX	AWY-HI	14.08810	10,668 m		
BESKO	UM725	52.24560	35,000 ft	4	-
FIX	AWY-HI	14.10310	10,668 m		
LUROS	UM725	51.89860	35,000 ft	21	-
FIX	AWY-HI	14.17440	10,668 m		
EBASA	UM725	51.80440	35,000 ft	5	-
FIX	AWY-HI	14.19360	10,668 m		
KOBUS	UM725	51.51330	35,000 ft	17	-
FIX	AWY-HI	14.25250	10,668 m		
BUSIR	UM725	51.12080	35,000 ft	23	-
FIX	AWY-HI	14.33090	10,668 m		
HDO	UM725	50.92820	35,000 ft	11	HERMSDORF
VOR	AWY-HI	14.36880	10,668 m		
RAVKU	M725	50.76680	35,000 ft	9	-
FIX	AWY-HI	14.42890	10,668 m		
ODLIV	M725	50.67040	35,000 ft	5	-
FIX	AWY-HI	14.46460	10,668 m		
GOLOP	M725	50.58580	35,000 ft	5	-
FIX	AWY-HI	14.49570	10,668 m		
BAVIN	M725	49.94500	28,700 ft	39	-
FIX	AWY-HI	14.72830	8,748 m		
VOZ	M725	49.53230	23,200 ft	25	VOZICE
VOR	AWY-HI	14.87470	7,071 m		
TABEM	M725	49.24330	18,500 ft	22	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	15.22150	5,639 m		
LOWW	-	48.11010	0 ft	86	Vienna International Airport
APT	-	16.56960	0 m		

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.013 E

METAR

PANC 230453Z 16012G20KT 10SM -RA BKN049 OVC060 08/03 A2981

TAF

PANC 230259Z 2303/2406 14012G24KT P6SM -SHRA BKN045 OVC060 FM230500 21008KT 6SM -RA OVC025 FM231200 22008KT P6SM V

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.83		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.89		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.87		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.92		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.88		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.89		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.89		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.86		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.89		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.89		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.86		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.89		151 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.018 E

METAR

LOWW 230520Z 30010KT CAVOK 17/11 Q1015 NOSIG

TAF

TAF LOWW 230215Z 2303/2409 30007KT 9999 FEW050 TX23/2314Z TN13/2403Z TEMPO 2310/2318 FEW040CB SCT050 BECMG 2311/2

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.23		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.45		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.45		604 m